

Index to volume 43

Author index*

A

- Abels DJ and Harari M. Psoriasis remission time at the Dead Sea. 2000;43:325-6 (Letter)
- Aberer W (see Szolar-Platzter et al). 2000;43:920-2 (Case rep.)
- Abraham JL (see Boyd et al). 2000;43:81-90 (Clin. rev.)
- Accola J (see Lober et al). 2000;43:881-2 (Letter)
- Ackerman AB (see Heaphy and Ackerman). 2000;43:138-50 (Historical perspective and commentary)
- Adachi A, Horikawa T, Takashima T, Ichihashi M. Mercury-induced nummular dermatitis. 2000;43:383-5 (Case rep.)
- Adams BB. Tinea corporis gladiatorum: a cross-sectional study. 2000;43:1039-41
- Aghassi D, Anderson RR, González S. Confocal laser microscopic imaging of actinic keratoses in vivo: a preliminary report. 2000;43:42-8
- Aghassi D, Anderson RR, González S. Time-sequence histologic imaging of laser-treated cherry angiomas with in vivo confocal microscopy. 2000;43:37-41
- Aghassi D, González E, Anderson RR, Rajadhyaksha M, González S. Elucidating the pulsed-dye laser treatment of sebaceous hyperplasia in vivo with real-time confocal scanning laser microscopy. 2000;43:49-53
- Ahmed AR (see Engineer et al). 2000;43:529-35 (Brief rep.), 2000;43:1049-57 (Therapy)
- Ajlan AA (see Alfadley et al). 2000;43:113-17 (Case rep.)
- Akhtar S, Oza KK, Wright J. Merkel cell carcinoma: report of 10 cases and review of the literature. 2000;43:755-67
- Al Aboud K (see Alfadley et al). 2000;43:939-42 (Case rep.)
- Alaiti S, Nelson FP, Ryoo JW. Solitary cutaneous myxoma. 2000;43:377-9 (Case rep.)
- Albert MR. Nineteenth-century patent medicines for the skin and hair. 2000;43:519-26 (History)
- Alfadley A, Ajlan AA, Hainau B, Pedersen K-T, Hoqail IA. Reticulate acropigmentation of Dohi: a case report of autosomal recessive inheritance. 2000;43:113-17 (Case rep.)
- Alfadley A, Hainau B, Al Aboud K, Hamadah IR, Al Hawsawi K. Ectopic respiratory mucosa in the skin associated with skeletal malformation and polydactyly. 2000;43:939-42 (Case rep.)
- Al Hawsawi K (see Alfadley et al). 2000;43:939-42 (Case rep.)
- Alkemade H and Juhlin L. Unilateral lentiginosis with nevus depigmentosus on the other side. 2000;43:361-3 (Case rep.)
- Allas S (see Bissonnette et al). 2000;43:1036-8
- Allen AL and Glaser DA. Disseminated superficial actinic porokeratosis associated with topical PUVA. 2000;43:720-2 (Brief rep.)
- Altmeyer P (see Gambichler et al). 2000;43:856-8 (Brief rep.)
- Altmeyer P (see Hoffmann et al). 2000;43:1009-16
- Aly R (see Ghannoum et al). 2000;43:641-8
- Amagai M (see Gruss et al). 2000;43:923-6 (Case rep.)
- Anastasios AA (see Strauss et al). 2000;43:777-84

*July, part 1, pp. 1-166; July, part 2, pp. S1-S30; August, part 1, pp. 167-328; August, part 2, pp. 329-408; August, part 3, pp. S31-S54; September, pp. 409-570; October, part 1, pp. 571-732; October, part 2, pp. S55-S102; November, part 1, pp. 733-894; November, part 2, pp. 895-794; November, part 3, pp. S103-S142; December, pp. 795-1170.

- Anderson RR (see Aghassi et al). 2000;43:37-41, 2000;43:42-8, 2000;43:49-53
- Anderson RR (see Campos et al). 2000;43:442-7
- Anex R (see Marcoux et al). 2000;43:540-6 (Brief rep.)
- Apitz-Castro R (see Ledezma et al). 2000;43:829-32
- Ara M, Seral C, Baselga C, Navarro M, del Pilar Grasa M, Carapeto FJ. Primary tuberculous chancre caused by *Mycobacterium bovis* after goring with a bull's horn. 2000;43:535-7 (Brief rep.)
- Aractingi S (see Bachmeyer et al). 2000;43:972-4 (Case rep.)
- Argenziano G (see Ferrari et al). 2000;43:1123-5 (Brief rep.)
- Arnone M (see Romiti et al). 2000;43:380-2 (Case rep.)
- Arpey CJ (see Robson et al). 2000;43:275-80 (Derm. surgery)
- Atkin DH and Fitzpatrick RE. Laser treatment of imipramine-induced hyperpigmentation. 2000;43:77-80 (Laser surgery)
- Austin BM (see Beutner et al). 2000;43:329-32 (Case rep.)
- Avalos-Díaz E, Olague-Marchan M, López-Swidorski A, Herrera-Esparza R, Díaz LA. Transplacental passage of maternal pemphigus foliaceus autoantibodies induces neonatal pemphigus. 2000;43:1130-4 (Brief rep.)
- Azevedo R (see Henrique et al). 2000;43:991-1000

B

- Bachmeyer C, Guillemette J, Blum L, Turc Y, Dhôte R, Ferman J-P, Aractingi S. Telangiectasia macularis eruptiva perstans and multiple myeloma. 2000;43:972-4 (Case rep.)
- Baldassano M (see Hongcharu et al). 2000;43:346-8 (Case rep.), 2000;43:905-7 (Case rep.)
- Bañuls J (see Silvestre et al). 2000;43:127-9 (Brief rep.)
- Baran J. (see Patel et al). 2000;43:344-5 (Case rep.)
- Baran R. Ciclopirox nail lacquer: the first prescription topical therapy for onychomycosis-introduction. 2000;43:S55-6
- Baran R (see Gupta AK and Baran). 2000;43:S96-102
- Baran R (see Gupta et al). 2000;43:S70-80
- Barrett TL (see Mondragon and Barrett). 2000;43:66-71 (Derm. surgery)
- Barton TL (see Krueger et al). 2000;43:280-5 (Position paper)
- Baselga C (see Ara et al). 2000;43:535-7 (Brief rep.)
- Basler GC (see Basler et al). 2000;43:299-305 (Clin. rev.)
- Basler RS, Basler GC, Palmer AH, Garcia MA. Special skin symptoms seen in swimmers. 2000;43:299-305 (Clin. rev.)
- Baughman RD (see Beutner et al). 2000;43:329-32 (Case rep.)
- Baumert J (see Schmid-Wendtner et al). 2000;43:605-9
- Becker DS (see Weisberg et al). 2000;43:483-8
- Becker-Wegerich PM, Kuhn A, Malek L, Lehmann P, Megahed M, Ruzicka T. Treatment of nonmelanotic hyperpigmentation with the Q-switched ruby laser. 2000;43:272-4. Correction 2000;43:609 (Laser surgery)
- Beck MH (see Lyon et al). 2000;43:679-82 (Therapy)
- Behroozan DS, Christian MM, Moy RL. Short-pulse carbon dioxide laser resurfacing of the neck. 2000;43:72-6 (Laser surgery)
- Bello Y (see Phillips et al). 2000;43:610-18
- Bento MJ (see Henrique et al). 2000;43:991-1000
- Berberian BJ (see Lupton et al). 2000;43:908-12 (Case rep.)
- Bergasa N and Jones EA. Opiate-mediated pruritus and citation etiquette. 2000;43:325 (Letter reply)
- Bergfeld W (see Price et al). 2000;43:768-76
- Bergman W (see Hulshoff et al). 2000;43:1017-23
- Berlien HP (see Poetke and Berlien). 2000;43:1135-6 (Letter)
- Bernardi DM (see Callen et al). 2000;43:207-10
- Bernhard JD. Opiate-mediated pruritus and citation etiquette. 2000;43:325 (Comment from the editor)
- Bernhard JD. Rejection overruled: a few more notes on submit-

- ting papers to The Blue Journal. 2000;43:321-2 (The Blue Journal)
- Bernstein JE. Opiate-mediated pruritus and citation etiquette. 2000;43:324-5 (Letter)
- Bertagnolli MM (see Weisberg et al). 2000;43:483-8
- Betloch I (see Silvestre et al). 2000;43:127-9 (Brief rep.)
- Beutner EH, Baughman RD, Austin BM, Plunkett RW, Binder WL. A case of dermatitis herpetiformis with IgA endomysial antibodies but negative direct immunofluorescent findings. 2000;43:329-32 (Case rep.)
- Beylot-Barry M (see Joly et al). 2000;43:619-26
- Bhawan J (see Phillips et al). 2000;43:610-18
- Bhol KC (see Engineer et al). 2000;43:1049-57 (Therapy)
- Binder M (see Kittler et al). 2000;43:467-76
- Binder WL (see Beutner et al). 2000;43:329-32 (Case rep.)
- Bisaccia E, Gonzalez J, Palangio M, Schwartz J, Klainer AS. Extracorporeal photochemotherapy alone or with adjuvant therapy in the treatment of cutaneous T-cell lymphoma: a 9-year retrospective study at a single institution. 2000;43:263-71 (Therapy)
- Bissonnette R, Allas S, Moyal D, Provost N. Comparison of UVA protection afforded by high sun protection factor sunscreens. 2000;43:1036-8
- Black C (see Lister et al). 2000;43:403-8 (Case rep.)
- Blankenship ML. Foundation for International Dermatologic Education: the first 25 years. 2000;43:96-8 (Special article)
- Blauvelt A, Cobb MW, Turner ML. Widespread cutaneous vascular papules associated with peripheral blood eosinophilia and prominent inguinal lymphadenopathy. 2000;43:698-700 (Grand Rounds at NIH)
- Blum L (see Bachmeyer et al). 2000;43:972-4 (Case rep.)
- Bogomilsky J (see Sassmannshausen et al). 2000;43:364-7 (Case rep.)
- Böhme M, Svensson Å, Kull I, Wahlgren C-F. Hanifin's and Rajka's minor criteria for atopic dermatitis: which do 2-year-olds exhibit? 2000;43:785-92
- Bohn M and Kraemer KT. Dermatopharmacology of ciclopirox nail lacquer topical solution 8% in the treatment of onychomycosis. 2000;43:557-69
- Bologna J (see Segal et al). 2000;43:558-9 (Letter)
- Bonta MD, Tannous ZS, Demierre M-F, Gonzalez E, Harris NL, Duncan LM. Rapidly progressing mycosis fungoides presenting as follicular mucinosis. 2000;43:635-40
- Boonchai W, Green A, Ng J, Dicker A, Chenevix-Trench G. Basal cell carcinoma in chronic arsenicism occurring in Queensland, Australia, after ingestion of an asthma medication. 2000;43:664-9
- Bos JD (see de Rie and Bos). 2000;43:725-6 (Commentary)
- Botella R (see Silvestre et al). 2000;43:127-9 (Brief rep.)
- Boulloc A, Joly P, Saint-Leger E, Wechsler J, Roujeau J-C, Revuz J. Paraneoplastic pemphigus with circulating antibodies directed exclusively against the pemphigus vulgaris antigen desmoglein 3. 2000;43:714-17 (Brief rep.)
- Bouvier C (see Granel et al). 2000;43:918-19 (Case rep.)
- Bouwes-Bavinck JN (see Hulshoff et al). 2000;43:1017-23
- Bowman PH (see Tsai et al). 2000;43:238-43
- Boyd AS, Seger D, Vannucci S, Langley M, Abraham JL, King LE Jr. Mercury exposure and cutaneous disease. 2000;43:81-90 (Clin. rev.)
- Boyd AS (see O'Quinn et al). 2000;43:861-3 (Brief rep.)
- Breedveld FC (see Hulshoff et al). 2000;43:1017-23
- Briggaman RA (see Wheeler et al). 2000;43:189-206
- Brody NI (see Hirsch and Brody). 2000;43:1137 (Letter)
- Brown TS, Marshall GS, Callen JP. Cavitating pulmonary infiltrate in an adolescent with pyoderma gangrenosum: a rarely recognized extracutaneous manifestation of a neutrophilic dermatosis. 2000;43:108-12 (Case rep.)
- Bruce S, Schroeder TL, Ellner K, Rubin H, Williams T, Wolf JE, Jr. Armadillo exposure and Hansen's disease: an epidemiologic survey in southern Texas. 2000;43:223-8
- Brunner B (see Schmid-Wendtner et al). 2000;43:477-82
- Buka R, Mauch J, Phelps R, Rudikoff D. Acquired dermal melanocytosis in an African-American: a case report. 2000;43:934-6 (Case rep.)
- Buka R, Wei H, Sapadin A, Mauch J, Lebwohl M, Rudikoff D. Pseudoxanthoma elasticum and calcinosis cutis. 2000;43:312-15 (Brief rep.)
- Burg G (see Hafner et al). 2000;43:1001-8
- Burns RP (see Ohsuga et al). 2000;43:437-41
- Butler DF, Gion GG, Rapini RP. Silicone auricular prosthesis. 2000;43:687-90 (Derm. surgery)
- Büyüç AY and Kavalı M. Oral metronidazole treatment of lichen planus. 2000;43:260-2 (Therapy)
- Byrd DR, Otley CC, Nguyen TH. Alar batten cartilage grafting in nasal reconstruction: functional and cosmetic results. 2000;43:833-6 (Derm. surgery)

C

- Caldemeyer KS (see Mirowski and Caldemeyer). 2000;43:517-18 (Radiologic images in dermatology) (Special series)
- Caldemeyer KS (see Mirowski et al). 2000;43:1092-3 (Radiologic images in dermatology) (Special series)
- Callen JP, Bernardi DM, Clark RAF, Weber DA. Adult-onset recalcitrant eczema: a marker of noncutaneous lymphoma or leukemia. 2000;43:207-10
- Callen JP (see Brown et al). 2000;43:108-12 (Case rep.)
- Camisa C (see Krueger et al). 2000;43:280-5 (Position paper)
- Campos VB, Dierickx CC, Farinelli WA, Lin T-YD, Manuskiatti W, Anderson RR. Hair removal with an 800-nm pulsed diode laser. 2000;43:442-7
- Carapeto FJ (see Ara et al). 2000;43:535-7 (Brief rep.)
- Carli P, de Giorgi V, Palli D, Giannotti V. Preoperative assessment of melanoma thickness by ABCD score of dermatoscopy. 2000;43:459-66
- Carlone V (see Whitaker-Worth et al). 2000;43:733-51 (CME article)
- Carlson JA and Murphy M. Androgen receptors and lichen sclerosis. 2000;43:559 (Letter)
- Carroll A (see Wheeler et al). 2000;43:189-206
- Carter C (see Clifton et al). 2000;43:19-23
- Casparian JM (see Nathan et al). 2000;43:333-6 (Case rep.)
- Cassina PC (see Hafner et al). 2000;43:1001-8
- Cerimele D, Cottoni F, Masala MV. Long latency of human herpesvirus type 8 infection and the appearance of classic Kaposi's sarcoma. 2000;43:731-2 (Letter)
- Cerroni L (see Muscardin et al). 2000;43:962-5 (Case rep.)
- Cerroni L (see Smolle et al). 2000;43:867-9 (Brief rep.)
- Chaffins M (see Sassmannshausen et al). 2000;43:364-7 (Case rep.)
- Chang MW (see Kim et al). 2000;43:129-32 (Brief rep.)
- Chang SN (see Chun et al). 2000;43:358-60 (Case rep.)
- Chastain MA and Millikan LE. Pilomatrix dysplasia in an immunosuppressed patient. 2000;43:118-22 (Case rep.)
- Chenevix-Trench G (see Boonchai et al). 2000;43:664-9
- Chimenti S (see Ferrari et al). 2000;43:722-4 (Brief rep.), 2000;43:1123-5 (Brief rep.)
- Choi GS, Kang D-S, Chung JJ, Lee M-G. Osteoma cutis coexisting with cutis laxa-like pseudoxanthoma elasticum. 2000;43:337-9 (Case rep.)
- Choi J-H (see Jang et al). 2000;43:511-16 (Dermatopathology)
- Choi SW, Yang JE, Park HJ, Kim CW. A case of extragenital lichen sclerosis following Blaschko's lines. 2000;43:903-4 (Case rep.)
- Chosidow O (see Joly et al). 2000;43:619-26
- Christensen IR (see Wilson et al). 2000;43:54-60 (Therapy)
- Christian MM (see Behroozan et al). 2000;43:66-71 (Laser surgery)

- Chun Y-S, Chang SN, Oh D, Park WH. A case of cutaneous reaction to chemotherapeutic agents showing epidermal dysmaturation. 2000;43:358-60 (Case rep.)
- Chung JJ (see Choi et al). 2000;43:337-9 (Case rep.)
- Clark AR (see Dawkins et al). 2000;43:154-5 (Letter)
- Clark RAF (see Callen et al). 2000;43:207-10
- Clifton M and Smoller B. Androgen receptors and lichen sclerosus. 2000;43:559-60 (Letter reply)
- Clifton MM, Mendelson JK, Mendelson B, Montague D, Carter C, Smoller BR, Horn TD. Immunofluorescent microscopic investigation of the distal arrector pili: a demonstration of the spatial relationship between $\alpha 5 \beta 1$ integrin and fibronectin. 2000;43:19-23
- Cobb MW (see Blauvelt et al). 2000;43:698-700 (Grand Rounds at NIH)
- Cohen JA (see Hayag et al). 2000;43:1065-9 (Therapy)
- Cohen JS. Erythromelalgia: new theories and new therapies. 2000;43:841-7 (Clinical review)
- Cohen LM (see Kroumpouzos and Cohen). 2000;43:132-4 (Brief rep.)
- Conant MA. Immunomodulatory therapy in the management of viral infections in patients with HIV infection. 2000;43:S27-30
- Cook J and Zitelli JA. Primary closure for midline defects of the nose: a simple approach to reconstruction. 2000;43:508-10 (Derm. surgery)
- Cooper EA (see Gupta et al). 2000;43:244-8
- Cooper J (see Segal et al). 2000;43:558-9 (Letter)
- Cottoni F (see Cerimele et al). 2000;43:731-2 (Letter)
- Courville P (see Joly et al). 2000;43:619-26
- Cramp M (see Lister et al). 2000;43:403-8 (Case rep.)
- Culbertson J (see Price et al). 2000;43:768-76
- Cunningham NM (see Robson et al). 2000;43:275-80 (Derm. surgery)
- Curiel-Lewandrowski C and Demierre M-F. Advances in specific immunotherapy of malignant melanoma. 2000;43:167-85 (CME article)
- Czelusta A, Yen-Moore A, Van der Straten M. An overview of sexually transmitted diseases. Part III. Sexually transmitted diseases in HIV-infected patients. 2000;43:409-32 (CME article)
- D
- Dahl MV. Imiquimod: an immune response modifier. 2000;43:S1-5
- Dahl MV, Milton Orkin (1929-1999). 2000;43:885-6 (In Memoriam)
- Daniel R (see Ghannoum et al). 2000;43:641-8
- Davis DA and Scott DM. Lymphangioma-like Kaposi's sarcoma: etiology and literature review. 2000;43:123-7 (Brief rep.)
- Davis DA (see Wheeler et al). 2000;43:189-206
- Davis MDP, Gostout BS, McGovern RM, Persing DH, Schut RL, Pittelkow MR. Large plantar wart caused by human papillomavirus-66 and resolution by topical cidofovir therapy. 2000;43:340-3 (Case rep.)
- Dawber RPR (see Khumalo et al). 2000;43:814-20
- Dawkins MA, Clark AR, Feldman SR. Pyogenic granuloma-like lesion associated with topical tazarotene therapy. 2000;43:154-5 (Letter)
- Day RM (see Krueger et al). 2000;43:280-5 (Position paper)
- Debboun M (see Murphy et al). 2000;43:219-22
- de Giorgi V (see Carli et al). 2000;43:459-66
- De Giorgi V (see Ferrari et al). 2000;43:1123-5 (Brief rep.)
- Del Bono V (see Ghigliotti et al). 2000;43:916-17 (Case rep.)
- del Pilar Grasa M (see Ara et al). 2000;43:535-7 (Brief rep.)
- De Marchi R (see Ghigliotti et al). 2000;43:916-17 (Case rep.)
- Demierre M-F (see Bonta et al). 2000;43:635-40
- Demierre M-F (see Curiel-Lewandrowski and Demierre). 2000;43:167-85 (CME article)
- de Rie MA and Bos JD. Photochemotherapy for systemic and localized scleroderma. 2000;43:725-6 (Commentary)

- De Sousa I (see Ledezma et al). 2000;43:829-32
- Dhôte R (see Bachmeyer et al). 2000;43:972-4 (Case rep.)
- Diaz LA (see Avalos-Díaz et al). 2000;43:1130-4 (Brief rep.)
- Dicker A (see Boonchai et al). 2000;43:664-9
- Dierickx CC (see Campos et al). 2000;43:442-7
- Diffey BL, Tanner PR, Matts PJ, Nash JF. In vitro assessment of the broad-spectrum ultraviolet protection of sunscreen products. 2000;43:1024-35
- DiGiovanna JJ (see Robinson-Bostom and DiGiovanna). 2000;43:975-86 (CME article)
- Dijkmans BAC (see Hulshoff et al). 2000;43:1017-23
- D'Incan M (see Joly et al). 2000;43:619-26
- Disdier P (see Granel et al). 2000;43:918-19 (Case rep.)
- Doe PT (see Khumalo et al). 2000;43:814-20
- Do JH (see Koo et al). 2000;43:848-53 (Periodic synopsis)
- Domingues JC (see Henrique et al). 2000;43:991-1000
- Drago F (see Rebora and Drago). 2000;43:884 (Letter)
- Duncan LM (see Bonta et al). 2000;43:635-40
- Dunn CL and Zitelli JA. Standards of care for patients with malignant melanoma. 2000;43:155-6 (Letter)
- Duvic M (see Krueger et al). 2000;43:280-5 (Position paper)

E

- Eady RAJ (see Fine et al). 2000;43:135-7 (Commentary)
- Edelson RL (see Wilson et al). 2000;43:54-60 (Therapy)
- Edwards L. Imiquimod in clinical practice. 2000;43:S12-17
- Elder JT (see Krueger et al). 2000;43:280-5 (Position paper)
- Elewski B (see Ghannoum et al). 2000;43:641-8
- Elgart ML (see Lupton et al). 2000;43:895-7 (Case rep.)
- Ellner K (see Bruce et al). 2000;43:223-8
- Elmer KB, George RM, Peterson K. Therapeutic update: use of risperidone for the treatment of monosymptomatic hypochondriacal psychosis. 2000;43:683-6 (Therapy)
- Engineer L, Bhol KC, Ahmed AR. Analysis of current data on the use of intravenous immunoglobulins in management of pemphigus vulgaris. 2000;43:1049-57 (Therapy)
- Engineer L, Norton LA, Ahmed AR. Nail involvement in pemphigus vulgaris. 2000;43:529-35 (Brief rep.)
- Enomoto DNH and Mekkes JR. Photopheresis for systemic sclerosis: evidence? 2000;43:1137-8 (Letter reply)
- Epps RE (see Lupton et al). 2000;43:1136-7 (Letter)
- Esser AC, Nossa R, Shoji T, Sapadin AN. All-trans-retinoic acid-induced scrotal ulcerations in a patient with acute promyelocytic leukemia. 2000;43:316-17 (Brief rep.)

F

- Fader DJ, Wang TS, Johnson TM. Nasal reconstruction utilizing a muscle hinge flap with overlying full-thickness skin graft. 2000;43:837-40 (Derm. surgery)
- Fair KP, Patterson JW, Murphy RJ, Rudd RJ. Cutaneous decidualosis. 2000;43:102-7 (Case rep.)
- Fair KP (see Holst et al). 2000;43:368-71 (Case rep.)
- Fair KP (see Rudd et al). 2000;43:930-3 (Case rep.)
- Falanga V (see Phillips et al). 2000;43:627-30
- Farinelli WA (see Campos et al). 2000;43:442-7
- Fatovic-Ferencic S (see Holubar and Fatovic-Ferencic). 2000;43:318-20 (History and ideas)
- Feldman SR and Fleischer AB Jr. Skin examinations and skin cancer prevention counseling by US physicians: a long way to go. 2000;43:234-7
- Feldman SR (see Dawkins et al). 2000;43:154-5 (Letter)
- Feldman SR (see Henderson et al). 2000;43:1084-91 (Clinical review)
- Feldman SR (see Krueger et al). 2000;43:280-5 (Position paper)
- Fenske NA (see Smith and Fenske). 2000;43:1-6 (CME article)
- Fenske N (see Glass et al). 2000;43:156-8 (Letter reply)

- Ferguson DJP (see Khumalo et al). 2000;43:814-20
- Ferland J-P (see Bachmeyer et al). 2000;43:972-4 (Case rep.)
- Ferrante JM (see Roetzheim et al). 2000;43:211-18
- Ferrari A, Peris K, Piccolo D, Chimenti S. Dermoscopic features of cutaneous local recurrent melanoma. 2000;43:722-4 (Brief rep.)
- Ferrari A, Soyer HP, Peris K, Argenziano G, Mazzocchi G, Piccolo D, De Giorgi V, Chimenti S. Central white scarlike patch: a dermatoscopic clue for the diagnosis of dermatofibroma. 2000;43:1123-5 (Brief rep.)
- Fidzianska A and Jablonska S. Congenital fascial dystrophy: abnormal composition of the fascia. 2000;43:797-802
- Fiedler V (see Price et al). 2000;43:768-76
- Figueroa P (see Lupton et al). 2000;43:908-12 (Case rep.), 2000;43:1136-7 (Letter)
- Fine J-D, McGrath J, Eady RAJ. Inherited epidermolysis bullosa comes into the new millenium: a revised classification system based on current knowledge of pathogenetic mechanisms and the clinical, laboratory, and epidemiologic findings of large, well-defined patient cohorts. 2000;43:135-7 (Commentary)
- Finn AF (see Thompson et al). 2000;43:24-30
- Fitzpatrick RE (see Atkin and Fitzpatrick). 2000;43:77-80 (Laser surgery)
- Fivenson DP (see Railan et al). 2000;43:323-4 (Letter)
- Fleckman P (see Ghanoum et al). 2000;43:641-8
- Fleckman P (see Gupta et al). 2000;43:S70-80
- Fleischer AB Jr (see Feldman and Fleischer). 2000;43:234-7
- Fleischer AB Jr (see Henderson et al). 2000;43:1084-91 (Clinical review)
- Fleming TE and Korman NJ. Cicatricial pemphigoid. 2000;43:571-91 (CME article)
- Forgacs I (see Lister et al). 2000;43:403-8 (Case rep.)
- Foster JA (see Huang et al). 2000;43:249-59 (Therapy)
- Freedberg IM (see Sams and Freedberg). 2000;43:550-4 (Opinion)
- French Study Group of bullous diseases (see Joly et al). 2000;43:619-26
- Friedli A, Krischer J, Hirschel B, Saurat J-H, Pechère M. An annular plaque due to *Mycobacterium haemophilum* infection in a patient with AIDS. 2000;43:913-15 (Case rep.)
- Funk JO (see Steinman et al). 2000;43:555-6 (Letter)
- Furukawa F (see Toichi et al). 2000;43:391-5 (Case rep.)
- Fusco F (see Ghigliotti et al). 2000;43:916-17 (Case rep.)
- G
- Galaria NA, Junkins-Hopkins JM, Kligman D, James WD. Neutrophilic dermatosis of the dorsal hands: pustular vasculitis revisited. 2000;43:870-4 (Brief rep.)
- Gambichler T, Wolter M, Altmeyer P, Hoffmann K. Treatment of Birt-Hogg-Dubé syndrome with erbium:YAG laser. 2000;43:856-8 (Brief rep.)
- Gambichler T (see Hoffmann et al). 2000;43:1009-16
- Garcia MA (see Basler et al). 2000;43:299-305 (Clin. rev.)
- Gaspari AA (see Ohsuga et al). 2000;43:437-41
- Gawkrodger DJ, Lewis FM, Shah M. Contact sensitivity to nickel and other metals in jewelry reactors. 2000;43:31-6
- George RM (see Elmer et al). 2000;43:683-6 (Therapy)
- Gerlach B (see Ghanoum et al). 2000;43:641-8
- Ghanoum A (see Ghanoum et al). 2000;43:641-8
- Ghanoum MA, Hajjeh RA, Scher R, Konnikov N, Gupta AK, Summerbell R, Sullivan S, Daniel R, Krusinski P, Fleckman P, Rich P, Odum R, Aly R, Pariser D, Zaiac M, Rebell G, Leshner J, Gerlach B, Ponce-de-Leon GF, Ghanoum A, Warner J, Isham N, Elewski B. A large-scale North American study of fungal isolates from nails: the frequency of onychomycosis, fungal distribution, and antifungal susceptibility patterns. 2000;43:641-8
- Ghigliotti G, Mazzarello G, Nigro A, Fusco F, Del Bono V, De Marchi R. Papular-purpuric gloves and socks syndrome in HIV-positive patients. 2000;43:916-17 (Case rep.)
- Giannotti V (see Carli et al). 2000;43:459-66
- Gibbs S. Losing touch with the healing art: dermatology and the decline of pastoral doctoring. 2000;43:875-8 (Commentary)
- Gibson JR (see Koo et al). 2000;43:821-8
- Gibson JR (see Sefton et al). 2000;43:656-63
- Gilbert D (see Joly et al). 2000;43:619-26
- Gilleaudeau P (see Gottlieb et al). 2000;43:595-604
- Gilleaudeau P (see Krueger et al). 2000;43:448-58
- Gion GG (see Butler et al). 2000;43:687-90 (Derm. surgery)
- Gisoldi E (see Gottlieb et al). 2000;43:595-604
- Glaser DA (see Allen and Glaser). 2000;43:720-2 (Brief rep.)
- Glass F, Reintgen D, Fenske N. Standards of care for patients with malignant melanoma. 2000;43:156-8 (Letter reply)
- Gonzalez EC (see Roetzheim et al). 2000;43:211-18
- González E (see Aghassi et al). 2000;43:49-53
- Gonzalez E (see Bonta et al). 2000;43:635-40
- Gonzalez E (see Hongcharu et al). 2000;43:346-8 (Case rep.)
- Gonzalez J (see Bisaccia et al). 2000;43:263-71 (Therapy)
- González-López MA (see Vázquez-López et al). 2000;43:943-5 (Case rep.)
- González S (see Aghassi et al). 2000;43:37-41, 2000;43:42-8, 2000;43:49-53
- Gostout BS (see Davis et al). 2000;43:340-3 (Case rep.)
- Gottlieb AB, Lebwohl M, Shirin S, Sherr A, Gilleaudeau P, Singer G, Solodkina G, Grossman R, Gisoldi E, Phillips S, Neisler M, Krueger JG. Anti-CD4 monoclonal antibody treatment of moderate to severe psoriasis vulgaris: results of a pilot, multicenter, multiple-dose, placebo-controlled study. 2000;43:595-604
- Gottlieb AB (see Krueger et al). 2000;43:280-5 (Position paper), 2000;43:448-58
- Gottlieb AB (see Strauss et al). 2000;43:777-84
- Granel B, Serratrice J, Rey J, Bouvier C, Weiller-Merli C, Disdier P, Pellissier JF, Weiller PJ. Chronic hepatitis C virus infection associated with a generalized granuloma annulare. 2000;43:918-19 (Case rep.)
- Grant-Kels JM (see Whitaker-Worth et al). 2000;43:73351 (CME article)
- Green A (see Boonchai et al). 2000;43:664-9
- Greenbaum SS (see Nikko et al). 2000;43:99-101 (Pearls)
- Greenway HT Jr (see Shim and Greenway). 2000;43:1109-11 (Pearls)
- Gregg PJ, Kantor GR, Telang GH, Lessin SR, Nowell PC, Vonderheid EC. Sarcoidal tissue reaction in Sézary syndrome. 2000;43:372-6 (Case rep.)
- Griffiths CEM (see Lyon et al). 2000;43:679-82 (Therapy)
- Groben PA (see Wheeler, Jr et al). 2000;43:189-206
- Grossman R (see Gottlieb et al). 2000;43:595-604
- Grundmann-Kollmann M, Ochsendorf F, Zollner TM, Spieth K, Sachsenberg-Studer E, Kaufmann R, Podda M. PUVA-cream photochemotherapy for the treatment of localized scleroderma. 2000;43:675-8 (Therapy)
- Gruss C, Zillikens D, Hashimoto T, Amagai M, Kroiß M, Vogt T, Landthaler M, Stolz W. Rapid response to IgA pemphigus of subcorneal pustular dermatosis type to treatment with isotretinoin. 2000;43:923-6 (Case rep.)
- Guenther L. Tazarotene combination treatments in psoriasis. 2000;43:S36-42
- Guijarro J (see Silvestre et al). 2000;43:127-9 (Brief rep.)
- Guillemette J (see Bachmeyer et al). 2000;43:972-4 (Case rep.)
- Gupta AK, Fleckman P, Baran R. Ciclopirox nail lacquer topical solution 8% in the treatment of toenail onychomycosis. 2000;43:S70-80
- Gupta AK, Jain HC, Lynde CW, MacDonald P, Cooper EA, Summerbell RC. Prevalence and epidemiology of onychomycosis

- sis in patients visiting physicians' offices: a multicenter Canadian survey of 15,000 patients. 2000;43:244-8
- Gupta AK, Katz HI, Shear NH. Terbinafine and potential drug interactions. 2000;43:883-4 (Letter reply)
- Gupta AK. Pharmacoeconomic analysis of ciclopirox nail lacquer solution 8% and the new oral antifungal agents used to treat dermatophyte toe onychomycosis in the United States. 2000;43:S81-95
- Gupta AK and Baran R. Ciclopirox nail lacquer solution 7% in the 21st century. 2000;43:S96-102
- Gupta AK (see Ghannoum et al). 2000;43:641-8
- Gupta G, Holmes SC, Spence E, Mills PR. Capillaritis associated with interferon-alfa treatment of chronic hepatitis C infection. 2000;43:937-8 (Case rep.)
- Gupta R (see Murphy et al). 2000;43:219-22

H

- Hafner J, Schaad I, Schneider E, Seifert B, Burg G, Cassina PC. Leg ulcers in peripheral arterial disease (arterial leg ulcers): impaired wound healing above the threshold of chronic critical limb ischemia. 2000;43:1001-8
- Hainau B (see Alfadley et al). 2000;43:113-17 (Case rep.), 2000;43:939-42 (Case rep.)
- Hajjeh RA (see Ghannoum et al). 2000;43:641-8
- Hakimi J (see Krueger et al). 2000;43:448-58
- Hamadah IR (see Alfadley et al). 2000;43:939-42 (Case rep.)
- Hamzavi I (see Hashimoto et al). 2000;43:1112-9 (Case rep.)
- Hanestad BR (see Wahl et al). 2000;43:803-8
- Hanifin JM (see Laughter et al). 2000;43:649-55
- Harari M (see Abels and Harari). 2000;43:325-6 (Letter)
- Harris NL (see Bonta et al). 2000;43:635-40
- Hashimoto K, Hamzavi I, Tanaka K, Shwayder T. Acral peeling skin syndrome. 2000;43:1112-9 (Case rep.)
- Hashimoto T (see Gruss et al). 2000;43:923-6 (Case rep.)
- Hayag MV, Cohen JA, Kerdel FA. Immunoablative high-dose cyclophosphamide without stem cell rescue in a patient with pemphigus vulgaris. 2000;43:1065-9 (Therapy)
- Hazen KC. Evaluation of in vitro susceptibility of dermatophytes to oral antifungal agents. 2000;43:S125-9
- Heald PW (see Wilson et al). 2000;43:54-60 (Therapy)
- Heaphy MR Jr, Millns JL, Schroeter AL. The sign of Leser-Trélat in a case of adenocarcinoma of the lung. 2000;43:386-90 (Case rep.)
- Heaphy MR Jr and Ackerman AB. The nature of solar keratosis: a critical review in historical perspective. 2000;43:138-50 (Historical perspective and commentary)
- Heickendorff L (see Hulshoff et al). 2000;43:1017-23
- Henderson RL, Fleischer AB Jr, Feldman SR. Allergists and dermatologists have far more expertise in caring for patients with urticaria than other specialists. 2000;43:1084-91 (Clinical review)
- Henrique R, Azevedo R, Bento MJ, Domingues JC, Silva C, Jerónimo C. Prognostic value of Ki-67 expression in localized cutaneous malignant melanoma. 2000;43:991-1000
- Herrera-Esparza R (see Avalos-Díaz et al). 2000;43:1130-4 (Brief rep.)
- Heymann WR (see Rollins et al). 2000;43:396-9 (Case rep.)
- Heymann WR (see Sterling and Heymann). 2000;43:691-7 (Clinical review)
- Hilley T (see Vensel et al). 2000;43:858-60 (Brief rep.)
- Hirschel B (see Friedli et al). 2000;43:913-15 (Case rep.)
- Hirsch RJ and Brody NI. Photopheresis for systemic sclerosis: evidence? 2000;43:1137 (Letter)
- Hiruma M and Kawada A. Hyperthermic treatment of Bowen's disease with disposable chemical pocket warmers: a report of 8 cases. 2000;43:1070-5 (Therapy)
- Hoffmann K, Kaspar K, Gambichler T, Altmeyer P. In vitro and in

- vivo determination of the UV protection factor for lightweight cotton and viscose summer fabrics. 2000;43:1009-16
- Hoffmann K (see Gambichler et al). 2000;43:856-8 (Brief rep.)
- Holmes SC (see Gupta et al). 2000;43:937-8 (Case rep.)
- Holst VA, Fair KP, Wilson BB, Patterson JW. Squamous cell carcinoma arising in Hailey-Hailey disease. 2000;43:368-71 (Case rep.)
- Holubar K and Fatovic-Ferencic S. Dermatotherapy at the end of the century: an *ex tempore* perspective after looking into a forgotten herbal and into neglected recipes of folk medicine. 2000;43:318-20 (History and ideas)
- Hölzel D (see Schmid-Wendtner et al). 2000;43:605-9
- Hongcharu W, Baldassano M, Gonzalez E. Generalized lichen amyloidosis associated with chronic lichen planus. 2000;43:346-8 (Case rep.)
- Hongcharu W, Baldassano M, Taylor CR. Kimura's disease with oral ulcers: response to pentoxifylline. 2000;43:905-7 (Case rep.)
- Hoqail IA (see Alfadley et al). 2000;43:113-17 (Case rep.)
- Hordinsky M (see Price et al). 2000;43:768-76
- Horikawa T (see Adachi et al). 2000;43:383-5 (Case rep.)
- Horn TD (see Clifton et al). 2000;43:19-23
- Horn TD (see Schach et al). 2000;43:1094-100 (Periodic synopsis)
- Hsu S and Nikko A. Unilateral atrophic skin lesion with features of atrophoderma vermiculatum: a variant of the epidermal nevus syndrome? 2000;43:310-12 (Brief rep.)
- Hsu S (see Nikko et al). 2000;43:99-101 (Pearls)
- Huang W, Foster JA, Rogachefsky AS. Pharmacology of botulinum toxin. 2000;43:249-59 (Therapy)
- Huang W and Vidimos A. Topical anesthetics in dermatology. 2000;43:286-98 (Clin. rev.)
- Huber JD (see Kuwahara et al). 2000;43:306-7 (Pearls)
- Hudson AR (see Schach et al). 2000;43:1094-100 (Periodic synopsis)
- Hulshoff MM, Bouwes-Bavinck JN, Bergman W, Masclee AAM, Heickendorff L, Breedveld FC, Dijkman BAC. Double-blind, placebo-controlled study of oral calcitriol for the treatment of localized and systemic scleroderma. 2000;43:1017-23

I

- Ichihashi M (see Adachi et al). 2000;43:383-5 (Case rep.)
- Inoue Y, Miyamoto Y, Ono T. Two cases of nevus comedonicus: successful treatment of keratin plugs with a pore strip. 2000;43:927-9 (Case rep.)
- Isham N (see Ghannoum et al). 2000;43:641-8
- Ishii M (see Kono et al). 2000;43:966-8 (Case rep.)
- Isomura I (see Morita et al). 2000;43:670-4 (Therapy)
- Istvan JA (see Laughter et al). 2000;43:649-55
- Itoh Y (see Miura et al). 2000;43:538-40 (Brief rep.)

J

- Jablonska S (see Fidzianska and Jablonska). 2000;43:797-802
- Jain HC (see Gupta et al). 2000;43:244-8
- James WD (see Galaria et al). 2000;43:870-4 (Brief rep.)
- Jang K-A, Kim S-H, Choi J-H, Sung K-J, Moon K-C, Koh J-K. Lichenoid keratosis: a clinicopathologic study of 17 patients. 2000;43:511-16 (Dermatopathology)
- Jee S-H (see Tsai et al). 2000;43:238-43
- Jerónimo C (see Henrique et al). 2000;43:991-1000
- Jimenez CL (see Johnson et al). 2000;43:958-61 (Case rep.)
- Johnson RA. Dermatophyte infections in human immune deficiency virus (HIV) disease. 2000;43:S135-42
- Johnson RE, Kanigsberg ND, Jimenez CL. Localized pruritus: a presenting symptom of a spinal cord tumor in a child with features of neurofibromatosis. 2000;43:958-61 (Case rep.)
- Johnson TM (see Fader et al). 2000;43:837-40 (Derm. surgery)
- Jolles S (see Lister et al). 2000;43:403-8 (Case rep.)
- Joly P, Richard C, Gilbert D, Courville P, Chosidow O, Roujeau JC,

- Beylot-Barry M, D'Incan M, Martel P, Lauret P, Tron F, French Study Group of bullous diseases. Sensitivity and specificity of clinical, histologic, and immunologic features in the diagnosis of paraneoplastic pemphigus. 2000;43:619-26
- Joly P (see Bouloc et al). 2000;43:714-17 (Brief rep.)
- Jones EA (see Bergasa and Jones). 2000;43:325 (Letter reply)
- Jones GW (see Wilson et al). 2000;43:54-60 (Therapy)
- Jones T (see Strauss et al). 2000;43:777-84
- Jorquera A (see Ledezma et al). 2000;43:829-32
- Juhlin L (see Alkemade and Juhlin). 2000;43:361-3 (Case rep.)
- Junkins-Hopkins JM (see Galaria et al). 2000;43:870-4 (Brief rep.)
- K**
- Kacinski BM (see Wilson et al). 2000;43:54-60 (Therapy)
- Kakita L. Tazarotene versus tretinoin or adapalene in the treatment of acne vulgaris. 2000;43:S51-4
- Kalka K, Merk H, Mukhtar H. Photodynamic therapy in dermatology. (2000;42:389-413) 2000;43:609
- Kang D-S (see Choi et al). 2000;43:337-9 (Case rep.)
- Kanigsberg ND (see Johnson et al). 2000;43:958-61 (Case rep.)
- Kantor GR (see Gregg et al). 2000;43:372-6 (Case rep.)
- Kanzaki T (see Yotsumoto et al). 2000;43:969-71 (Case rep.)
- Kaplan DL. Terbinafine and potential drug interactions. 2000;43:882 (Letter)
- Karaduman A (see Yalçın and Karaduman). 2000;43:898-9 (Case rep.)
- Kariniemi A-L (see Timonen et al). 2000;43:489-97
- Kashani-Sabet M (see Zackheim et al). 2000;43:793-6
- Kaspar K (see Hoffmann et al). 2000;43:1009-16
- Katz HI (see Gupta et al). 2000;43:883-4 (Letter reply)
- Kaudewitz P (see Schmid-Wendtner et al). 2000;43:477-82
- Kaufmann R (see Grundmann-Kollmann et al). 2000;43:675-8 (Therapy)
- Kauppinen R (see Timonen et al). 2000;43:489-97
- Kavala M (see Büyüç and Kavala). 2000;43:260-2 (Therapy)
- Kawada A (see Hiruma and Kawada). 2000;43:1070-5 (Therapy)
- Kawana S (see Niimi et al). 2000;43:546-9 (Brief rep.)
- Kayser M (see Patel et al). 2000;43:344-5 (Case rep.)
- Kerdel FA (see Hayag et al). 2000;43:1065-9 (Therapy)
- Kerdel FA (see Vensel et al). 2000;43:858-60 (Brief rep.)
- Kerl H (see Smolle et al). 2000;43:867-9 (Brief rep.)
- Kestenbaum TM (see Nathan et al). 2000;43:333-6 (Case rep.)
- Khumalo NP, Doe PT, Dawber RPR, Ferguson DJP. What is normal black African hair? a light and scanning electron-microscopic study. 2000;43:814-20
- Kim CW (see Choi et al). 2000;43:903-4 (Case rep.)
- Kim D (see Wilson et al). 2000;43:54-60 (Therapy)
- Kim JJ, Chang MW, Shwayder T. Topical tretinoin and 5-fluorouracil in the treatment of linear verrucous epidermal nevus. 2000;43:129-32 (Brief rep.)
- Kim S-H (see Jang et al). 2000;43:511-16 (Dermatopathology)
- Kimyai-Asadi A and Usman A. The use of interferon alfa as adjuvant therapy for advanced cutaneous melanoma: the need for more evidence. 2000;43:708-11 (Current issues)
- Kimyai-Asadi A (see Nousari et al). 2000;43:955-7 (Case rep.)
- King LE Jr. (see Boyd et al). 2000;43:81-90 (Clin. rev.)
- Kirsner RS (see Vensel et al). 2000;43:858-60 (Brief rep.)
- Kittler H, Pehamberger H, Wolff K, Binder M. Follow-up of melanocytic skin lesions with digital epiluminescence microscopy: patterns of modifications observed in early melanoma, atypical nevi, and common nevi. 2000;43:467-76
- Klainer AS (see Bisaccia et al). 2000;43:263-71 (Therapy)
- Klassen AF, Newton JN, Mallon E. Measuring quality of life in people referred for specialist care of acne: comparing generic and disease-specific measures. 2000;43:229-33
- Kligman AM (see Sefton et al). 2000;43:656-63
- Kligman D (see Galaria et al). 2000;43:870-4 (Brief rep.)
- Kobayashi H (see Kono et al). 2000;43:966-8 (Case rep.)
- Kobayashi K (see Morita et al). 2000;43:670-4 (Therapy)
- Koh J-K (see Jang et al). 2000;43:511-16 (Dermatopathology)
- Konnikov N (see Ghannoum et al). 2000;43:641-8
- Kono T, Kobayashi H, Ishii M, Nishiguchi S, Taniguchi S. Synchronous development of disseminated superficial porokeratosis and hepatitis C virus-related hepatocellular carcinoma. 2000;43:966-8 (Case rep.)
- Konz B (see Schmid-Wendtner et al). 2000;43:605-9
- Koo J (see Krueger et al). 2000;43:280-5 (Position paper)
- Koo J (see Lebwohl and Koo). 2000;43:326 (Letter reply)
- Koo JYM, Do JH, Lee CS. Psychodermatology. 2000;43:848-53 (Periodic synopsis)
- Koo JYM, Lowe NJ, Lew-Kaya DA, Vasilopoulos AI, Lue JC, Sefton J, Gibson JR. Tazarotene plus UVB phototherapy in the treatment of psoriasis. 2000;43:821-8
- Koo JYM (see Strauss et al). 2000;43:777-84
- Kopper SC (see Sefton et al). 2000;43:656-63
- Korman NJ (see Fleming and Korman). 2000;43:571-91 (CME article)
- Korver CRW (see Van Neer and Korver). 2000;43:718-19 (Brief rep.)
- Ko SF (see Liang et al). 2000;43:864-6 (Brief rep.)
- Kotey P (see Price et al). 2000;43:768-76
- Kozuka T (see Miura et al). 2000;43:538-40 (Brief rep.)
- Kraemer KT (see Bohn and Kraemer). 2000;43:S57-69
- Kränke B (see Szolar-Platzer et al). 2000;43:920-2 (Case rep.)
- Kreiter CD (see Robson et al). 2000;43:275-80 (Derm. surgery)
- Krischer JP (see Roetzheim et al). 2000;43:211-18
- Krischer J (see Friedli et al). 2000;43:913-15 (Case rep.)
- Kroiß M (see Gruss et al). 2000;43:923-6 (Case rep.)
- Kroumpouzos G and Cohen LM. Pruritic folliculitis of pregnancy. 2000;43:132-4 (Brief rep.)
- Krueger GG, Feldman SR, Camisa C, Duvic M, Elder JT, Gottlieb AB, Koo J, Krueger JG, Lebwohl M, Lowe N, Menter A, Morison WL, Prystowsky JH, Shupak JL, Taylor R, Weinstein GD, Barton TL, Rolstad T, Day RM. Two considerations for patients with psoriasis and their clinicians: what defines mild, moderate, and severe psoriasis? what constitutes a clinically significant improvement when treating psoriasis? 2000;43:280-5 (Position paper)
- Krueger JG, Walters IB, Miyazawa M, Gilleaudeau P, Hakimi J, Light S, Sherr A, Gottlieb AB. Successful in vivo blockade of CD25 (high-affinity interleukin 2 receptor) on T cells by administration of humanized anti- α c antibody to patients with psoriasis. 2000;43:448-58
- Krueger JG (see Gottlieb et al). 2000;43:595-604
- Krueger JG (see Krueger et al). 2000;43:280-5 (Position paper)
- Krusinski P (see Ghannoum et al). 2000;43:641-8
- Krutmann J (see Morita et al). 2000;43:670-4 (Therapy)
- Kruzan KL (see Robson et al). 2000;43:275-80 (Derm. surgery)
- Kuhn A (see Becker-Wegerich et al). 2000;43:272-4. Correction 2000;43:609 (Laser surgery)
- Kull I (see Böhme et al). 2000;43:785-92
- Kupiec A (see Lupton et al). 2000;43:1136-7 (Letter)
- Kusunoki T (see Niimi et al). 2000;43:546-9 (Brief rep.)
- Kuwahara RT, Huber JD, Ray SH. Surgical pearl: forceps method for freezing benign lesion. 2000;43:306-7 (Pearls)
- Kwan T (see Liu et al). 2000;43:1120-2 (Case rep.)
- L**
- LaDuca J (see Rumbaugh et al). 2000;43:1128-30 (Brief rep.)
- Landthaler M (see Gruss et al). 2000;43:923-6 (Case rep.)
- Langley M (see Boyd et al). 2000;43:81-90 (Clin. rev.)
- Laster L. Time alone, Y2K, and for-profit medicine. 2000;43:879-80 (Beneath the surface)
- Laughter D, Istvan JA, Tofte SJ, Hanifin JM. The prevalence of atopic dermatitis in Oregon schoolchildren. 2000;43:649-55

- Lauret P (see Joly et al). 2000;43:619-26
- Leach EE (see Strauss et al). 2000;43:777-84
- LeBoit PE (see Zackheim et al). 2000;43:793-6
- Lebwohl M. Strategies to optimize efficacy, duration of remission, and safety in the treatment of plaque psoriasis by using tazarotene in combination with a corticosteroid. 2000;43:543-6
- Lebwohl M and Koo J. Psoriasis remission time at the Dead Sea. 2000;43:326 (Letter reply)
- Lebwohl M (see Buka et al). 2000;43:312-15 (Brief rep.)
- Lebwohl M (see Gottlieb et al). 2000;43:595-604
- Lebwohl M (see Krueger et al). 2000;43:280-5 (Position paper)
- Ledezma E, Marciano K, Jorquera A, De Sousa L, Padilla M, Pulgar M, Apitz-Castro R. Efficacy of ajoene in the treatment of tinea pedis: a double-blind and comparative study with terbinafine. 2000;43:829-32
- Lee CS (see Koo et al). 2000;43:848-53 (Periodic synopsis)
- Lee J-B (see Lee et al). 2000;43:556-7 (Letter)
- Lee M-G (see Choi et al). 2000;43:337-9 (Case rep.)
- Lee S-C, Shin S-S, Lee J-B, Won Y-H. Wells syndrome associated with Churg-Strauss syndrome. 2000;43:556-7 (Letter)
- Lehmann P (see Becker-Wegerich et al). 2000;43:272-4. Correction 2000;43:609 (Laser surgery)
- Lerner LH (see Tsao and Lerner). 2000;43:308-10 (Brief rep.)
- Leshner J (see Ghannoum et al). 2000;43:641-8
- Lessin SR (see Gregg et al). 2000;43:372-6 (Case rep.)
- Levin RM (see Rollins et al). 2000;43:396-9 (Case rep.)
- Lewis A, Nigro M, Rosen T. Treatment of keratoderma blennorrhagicum with tazarotene gel 0.1%. 2000;43:400-2 (Case rep.)
- Lewis FM (see Gawkrödger et al). 2000;43:31-6
- Lew-Kaya DA (see Koo et al). 2000;43:821-8
- Leyden JJ (see Strauss et al). 2000;43:777-84
- Liang CD, Yu TJ, Ko SF. Ipsilateral renal dysplasia with hypertensive heart disease in an infant with cutaneous varicella lesions: an unusual presentation of congenital varicella syndrome. 2000;43:864-6 (Brief rep.)
- Liesveld J (see Ohsuga et al). 2000;43:437-41
- Light S (see Krueger et al). 2000;43:448-58
- Lin T-YD (see Campos et al). 2000;43:442-7
- Lister RK, Jolles S, Whittaker S, Black C, Forgacs I, Cramp M, Potter M, Rustin MHA. Scleromyxedema: response to high-dose intravenous immunoglobulin (hIVIg). 2000;43:403-8 (Case rep.)
- Liu AA-T (see Mirowski et al). 2000;43:1092-3 (Special series: Radiologic images in dermatology)
- Liu V, Kwan T, Page EH. Parotid oncocytoma in the Birt-Hogg-Dubé syndrome. 2000;43:1120-2 (Case rep.)
- Lober BA, Lober CW, Accola J. Actinic keratosis is squamous cell carcinoma. 2000;43:881-2 (Letter)
- Lober CW (see Lober et al). 2000;43:881-2 (Letter)
- Loge JH (see Wahl et al). 2000;43:803-8
- López-Swidorski A (see Avalos-Díaz et al). 2000;43:1130-4 (Brief rep.)
- LoPiccolo D (see Phillips et al). 2000;43:610-18
- Lowe NJ (see Koo et al). 2000;43:821-8
- Lowe N (see Krueger et al). 2000;43:280-5 (Position paper)
- Lucky A (see Price et al). 2000;43:768-76
- Lucky A (see Strauss et al). 2000;43:777-84
- Ludolph-Hauser D, Thoma-Greber E, Sander C, Sommerhoff CP, Röcken M. Mast cells in an angiosarcoma complicating Xeroderma pigmentosum in a 13-year-old girl. 2000;43:900-2 (Case rep.)
- Lue JC (see Koo et al). 2000;43:821-8
- Lue JC (see Sefton et al). 2000;43:656-63
- Lupton JR, Elgart ML, Sulic VI. Segmental neurofibromatosis in association with nevus sebaceus of Jadassohn. 2000;43:895-7 (Case rep.)
- Lupton JR, Epps RE, Figueroa P, Kupiec A, Sulica VI. Plexiform neurofibroma with massive hand involvement. 2000;43:1136-7 (Letter)
- Lupton JR, Figueroa P, Berberian BJ, Sulica VI. An unusual presentation of dermatomyositis: the type Wong variant revisited. 2000;43:908-12 (Case rep.)
- Lynde CW (see Gupta et al). 2000;43:244-8
- Lyon CC, Smith AJ, Griffiths CEM, Beck MH. Peristomal dermatoses: a novel indication for topical steroid lotions. 2000;43:679-82 (Therapy)

M

- MacDonald P (see Gupta et al). 2000;43:244-8
- Machado F (see Phillips et al). 2000;43:627-30
- Maibach HI (see Tsai et al). 2000;43:238-43
- Malek I (see Becker-Wegerich et al). 2000;43:272-4. Correction 2000;43:609 (Laser surgery)
- Mallon E (see Klassen et al). 2000;43:229-33
- Mancini AJ (see Silverberg et al). 2000;43:503-7 (Therapy)
- Manuskiatti W (see Campos et al). 2000;43:442-7
- Marciano K (see Ledezma et al). 2000;43:829-32
- Marcoux D, Anex R, Russo P. Persistent serpentine suprapurpuric hyperpigmented eruption as an adverse reaction to chemotherapy combining actinomycin and vincristine. 2000;43:540-6 (Brief rep.)
- Marshall GS (see Brown et al). 2000;43:108-12 (Case rep.)
- Martel P (see Joly et al). 2000;43:619-26
- Masala MV (see Cerimele et al). 2000;43:731-2 (Letter)
- Masclée AAM (see Hulshoff et al). 2000;43:1017-23
- Matts PJ (see Diffey et al). 2000;43:1024-35
- Mauch J (see Buka et al). 2000;43:312-15 (Brief rep.), 2000;43:934-6 (Case rep.)
- Mazzarello G (see Ghigliotti et al). 2000;43:916-17 (Case rep.)
- Mazzocchetti G (see Ferrari et al). 2000;43:1123-5 (Brief rep.)
- McGovern RM (see Davis et al). 2000;43:340-3 (Case rep.)
- McGrath J (see Fine et al). 2000;43:135-7 (Commentary)
- McLane J (see Strauss et al). 2000;43:777-84
- Meehan A (see Price et al). 2000;43:768-76
- Megahed M (see Becker-Wegerich et al). 2000;43:272-4. Correction 2000;43:609 (Laser surgery)
- Mehra A, Murphy RJ, Wilson BB. Idiopathic familial onychomadesis. 2000;43:349-50 (Case rep.)
- Mehregan AH (see Mehregan et al). 2000;43:351-4 (Case rep.)
- Mehregan DA (see Mehregan et al). 2000;43:351-4 (Case rep.)
- Mehregan DR, Mehregan AH, Mehregan DA. Cutaneous malakoplakia: a report of two cases with the use of anti-BCG for the detection for micro-organisms. 2000;43:351-4 (Case rep.)
- Mekkes JR (see Enomoto and Mekkes). 2000;43:1137-8 (Letter reply)
- Mendelson B (see Clifton et al). 2000;43:19-23
- Mendelson JK (see Clifton et al). 2000;43:19-23
- Menter A. Pharmacokinetics and safety of tazarotene. 2000;43: S31-5
- Menter A (see Krueger et al). 2000;43:280-5 (Position paper)
- Merk H (see Kalka et al). 2000;42:389-413 2000;43:609
- Meschia JF (see Walsh et al). 2000;43:1125-7 (Brief rep.)
- Miller C (see Rumbaugh et al). 2000;43:1128-30 (Brief rep.)
- Miller OF III and Phillips TJ. Leg ulcers. 2000;43:91-5 (Periodic synopsis)
- Millikan LE (see Chastain and Millikan). 2000;43:118-22 (Case rep.)
- Millns JL (see Heaphy et al). 2000;43:386-90 (Case rep.)
- Mills PR (see Gupta et al). 2000;43:937-8 (Case rep.)
- Mirowski GW, Liu AA-T, Parks ET, Caldemeyer KS. Nevroid basal cell carcinoma syndrome. 2000;43:1092-3 (Special series: Radiologic images in dermatology)
- Mirowski GW and Caldemeyer KS. Incontinentia pigmenti. 2000;43:517-18 (Special series: Radiologic images in dermatology)

- Miura H, Itoh Y, Kozuka T. A case of subcutaneous cysticercosis (*Cysticercus cellulosae* cutis). 2000;43:538-40 (Brief rep.)
- Miyamoto Y (see Inoue et al). 2000;43:927-9 (Case rep.)
- Miyata K (see Yotsumoto et al). 2000;43:969-71 (Case rep.)
- Miyazawa M (see Krueger et al). 2000;43:448-58
- Mondragon RM and Barrett TL. Current concepts: the use of immunoperoxidase techniques in Mohs micrographic surgery. 2000;43:66-71 (Derm. surgery)
- Montague D (see Clifton et al). 2000;43:19-23
- Montemarano AD (see Murphy et al). 2000;43:219-22
- Moon K-C (see Jang et al). 2000;43:511-16 (Dermatopathology)
- Morison WL (see Krueger et al). 2000;43:280-5 (Position paper)
- Morita A, Kobayashi K, Isomura I, Tsuji T, Krutmann J. Ultraviolet A1 (340-400nm) phototherapy for scleroderma in systemic sclerosis. 2000;43:670-4 (Therapy)
- Moyal D (see Bissonnette et al). 2000;43:1036-8
- Moy RL (see Behroozan et al). 2000;43:72-6 (Laser surgery)
- Mukhtar H (see Kalka et al). (2000;42:389-413) 2000;43:609
- Murphy ME, Montemarano AD, Debbono M, Gupta R. The effect of sunscreen on the efficacy of insect repellent: a clinical trial. 2000;43:219-22
- Murphy M (see Carlson and Murphy). 2000;43:559 (Letter)
- Murphy RJ (see Fair et al). 2000;43:102-7 (Case rep.)
- Murphy RJ (see Mehra et al). 2000;43:349-50 (Case rep.)
- Muscardin LM, Pulsoni A, Cerroni L. Primary cutaneous plasmacytoma: report of a case with review of the literature. 2000;43:962-5 (Case rep.)
- N
- Nash JF (see Diffey et al). 2000;43:1024-35
- Nash JF (see Phillips et al). 2000;43:610-18
- Nathan DL, Singh S, Kestenbaum TM, Casparian JM. Cutaneous *Mycobacterium chelonae* in a liver transplant patient. 2000;43:333-6 (Case rep.)
- Navarro M (see Ara et al). 2000;43:535-7 (Brief rep.)
- Neisler M (see Gottlieb et al). 2000;43:595-604
- Nelson FP (see Alaiti et al). 2000;43:377-9 (Case rep.)
- Newton JN (see Klassen et al). 2000;43:229-33
- Ng J (see Boonchai et al). 2000;43:664-9
- Nguyen TH (see Byrd et al). 2000;43:833-6 (Derm. surgery)
- Niemi K-M (see Timonen et al). 2000;43:489-97
- Nigro A (see Ghigliotti et al). 2000;43:916-17 (Case rep.)
- Nigro M (see Lewis et al). 2000;43:400-2 (Case rep.)
- Niimi Y, Kawana S, Kusunoki T. IgA pemphigus: a case report and its characteristic clinical features compared with subcorneal pustular dermatosis. 2000;43:546-9 (Brief rep.)
- Nikko A, Hsu S, Quan LT, Greenbaum SS. Surgical pearl: repair of partially torn earlobes—Punch technique versus conversion to complete tear. 2000;43:99-101 (Pearls)
- Nikko A (see Hsu and Nikko). 2000;43:310-12 (Brief rep.)
- Nishiguchi S (see Kono et al). 2000;43:966-8 (Case rep.)
- Nordlund JJ. A visit to Eden: living and working at the Regional Dermatology Training Center in Tanzania. 2000;43:1101-8 (Special article)
- Norton LA (see Engineer et al). 2000;43:529-35 (Brief rep.)
- Nossa R (see Esser et al). 2000;43:316-17 (Brief rep.)
- Nousari HC, Kimyai-Asadi A, Stone JH. Annular leukocytoclastic vasculitis associated with monoclonal gammopathy of unknown significance. 2000;43:955-7 (Case rep.)
- Nowell PC (see Gregg et al). 2000;43:372-6 (Case rep.)
- O
- Ochsendorff F (see Grundmann-Kollmann et al). 2000;43:675-8 (Therapy)
- Odum R (see Ghannoum et al). 2000;43:641-8
- O'Donnell MJ (see Robson et al). 2000;43:275-80 (Derm. surgery)
- Oh D (see Chun et al). 2000;43:358-60 (Case rep.)
- Ohsuga Y, Rowe JM, Liesveld J, Burns RP, Gaspari AA. Dermatologic changes associated with roquinimex immunotherapy after autologous bone marrow transplant. 2000;43:437-41
- Olague-Marchan M (see Avalos-Diaz et al). 2000;43:1130-4 (Brief rep.)
- Olin J (see Phillips et al). 2000;43:627-30
- Olsen EA (see Price et al). 2000;43:768-76
- Ono T (see Inoue et al). 2000;43:927-9 (Case rep.)
- O'Quinn RP, Zic JA, Boyd AS. Mycosis fungoides d'embleé: CD30-negative cutaneous large T-cell lymphoma. 2000;43:861-3 (Brief rep.)
- Orengo I (see Quan and Orengo). 2000;43:854-5 (Pearls)
- Otley CC (see Byrd et al). 2000;43:833-6 (Derm. surgery)
- Oza KK (see Akhtar et al). 2000;43:755-67
- P
- Padilla M (see Ledezma et al). 2000;43:829-32
- Page EH (see Liu et al). 2000;43:1120-2 (Case rep.)
- Palangio M (see Bisaccia et al). 2000;43:263-71 (Therapy)
- Palli D (see Carli et al). 2000;43:459-66
- Palmer AH (see Basler et al). 2000;43:299-305 (Clin. rev.)
- Pal N (see Roetzheim et al). 2000;43:211-18
- Pandey SS (see Singh et al). 2000;43:61-5 (Therapy)
- Papa CA and Ramsey ML. Surgical pearl: digital imaging for mapping Mohs surgical specimens. 2000;43:712-13 (Pearls)
- Pappas F (see Price et al). 2000;43:768-76
- Pariser D (see Ghannoum et al). 2000;43:641-8
- Park HJ (see Choi et al). 2000;43:903-4 (Case rep.)
- Parks ET (see Mirowski et al). 2000;43:1092-3 (Special series: Radiologic images in dermatology)
- Park WH (see Chun et al). 2000;43:358-60 (Case rep.)
- Patel DS (see Robson et al). 2000;43:275-80 (Derm. surgery)
- Patel P, Ramanathan J, Kayser M, Baran J Jr. Primary cutaneous cryptococcosis of the nose in an immunocompetent woman. 2000;43:344-5 (Case rep.)
- Patterson JW (see Fair et al). 2000;43:102-7 (Case rep.)
- Patterson JW (see Holst et al). 2000;43:368-71 (Case rep.)
- Patterson JW (see Rudd et al). 2000;43:930-3 (Case rep.)
- Pechère M (see Friedli et al). 2000;43:913-15 (Case rep.)
- Pedersen K-T (see Alfadley et al). 2000;43:113-17 (Case rep.)
- Pehamberger H (see Kittler et al). 2000;43:467-76
- Pellissier JF (see Granel et al). 2000;43:918-19 (Case rep.)
- Penneys NS. A comparison of hourly block appointments with sequential patient scheduling in a dermatologic practice. 2000;43:809-13
- Pérez-Oliva N (see Vázquez-López et al). 2000;43:943-5 (Case rep.)
- Peris K (see Ferrari et al). 2000;43:722-4 (Brief rep.), 2000;43:1123-5 (Brief rep.)
- Pernicaro C (see Walsh et al). 2000;43:1125-7 (Brief rep.)
- Persing DH (see Davis et al). 2000;43:340-3 (Case rep.)
- Peter RU (see Schmid-Wendtnr et al). 2000;43:477-82
- Peterson K (see Elmer et al). 2000;43:683-6 (Therapy)
- Phelan N (see Whitaker-Worth et al). 2000;43:733-51 (CME article)
- Phelps R (see Buka et al). 2000;43:934-6 (Case rep.)
- Phillips S (see Gottlieb et al). 2000;43:595-604
- Phillips TJ, Bhawan J, Yaar M, Bello Y, LoPiccolo D, Nash JF. Effect of daily versus intermittent sunscreen application on solar simulated UV radiation-induced skin response in humans. 2000;43:610-18
- Phillips TJ, Machado F, Trout R, Porter J, Olin J, Falanga V, The Venous Ulcer Study Group. Prognostic indicators in venous ulcers. 2000;43:627-30
- Phillips TJ (see Miller and Phillips). 2000;43:91-5 (Periodic synopsis)
- Piccolo D (see Ferrari et al). 2000;43:722-4 (Brief rep.), 2000;43:1123-5 (Brief rep.)

- Piette WW (see Stone et al). 2000;43:355-7 (Case rep.)
Pittelkow MR (see Davis et al). 2000;43:340-3 (Case rep.)
Plewig G (see Schmid-Wendtner et al). 2000;43:477-82, 2000;43:605-9
Plunkett RW (see Beutner et al). 2000;43:329-32 (Case rep.)
Podda M (see Grundmann-Kollmann et al). 2000;43:675-8 (Therapy)
Poetke M and Berlien HP. Treatment of a subungual hemangioma with flashlamp-pumped pulsed-dye laser. 2000;43:1135-6 (Letter)
Ponce-de-Leon GF (see Ghannoum et al). 2000;43:641-8
Porter J (see Phillips et al). 2000;43:627-30
Potter M (see Lister et al). 2000;43:403-8 (Case rep.)
Powell FC. Pruritic urticarial papules and plaques of pregnancy and multiple pregnancies. 2000;43:730-1 (Letter)
Price VH, Roberts JL, Hordinsky M, Olsen EA, Savin R, Bergfeld W, Fiedler V, Lucky A, Whiting DA, Pappas F, Culbertson J, Kotey P, Meehan A, Waldstreicher J. Lack of efficacy of finasteride in postmenopausal women with androgenetic alopecia. 2000;43:768-76
Prins C (see Sachsenberg-Studer et al). 2000;43:631-4
Prose NS (see Wheeler et al). 2000;43:189-206
Provost N (see Bissonnette et al). 2000;43:1036-8
Prytowsky JH (see Krueger et al). 2000;43:280-5 (Position paper)
Pulgar M (see Ledezma et al). 2000;43:829-32
Pulsoni A (see Muscardin et al). 2000;43:962-5 (Case rep.)

Q

- Quan LT and Orengo I. Surgical pearl: curetting with a punch. 2000;43:854-5 (Pearls)
Quan LT (see Nikko et al). 2000;43:99-101 (Pearls)

R

- Railan D, Fivenson DP, Wittenberg G. Capillary leak syndrome in a patient treated with interleukin 2 fusion toxin for cutaneous T-cell lymphoma. 2000;43:323-4 (Letter)
Rajadhyaksha M (see Aghassi et al). 2000;43:49-53
Ramanathan J (see Patel et al). 2000;43:344-5 (Case rep.)
Ramón R (see Silvestre et al). 2000;43:127-9 (Brief rep.)
Ramsay DL (see Zackheim et al). 2000;43:793-6
Ramsey ML (see Papa and Ramsey). 2000;43:712-13 (Pearls)
Rand S. Overview: the treatment of dermatophytosis. 2000;43:S104-12
Rapini RP (see Butler et al). 2000;43:687-90 (Derm. surgery)
Raya-Aguado C (see Vázquez-López et al). 2000;43:943-5 (Case rep.)
Ray SH (see Kuwahara et al). 2000;43:306-7 (Pearls)
Rebell G (see Ghannoum et al). 2000;43:641-8
Rebora A and Drago F. *Helicobacter pylori* and rosacea. 2000;43:884 (Letter)
Rebora A (see Rongioletti and Rebora). 2000;43:730 (Letter)
Reddy DCS (see Singh et al). 2000;43:61-5 (Therapy)
Rees J. Evidence-based medicine: the epistemology that isn't. 2000;43:727-9 (Opinion)
Reintgen D (see Glass et al). 2000;43:156-8 (Letter reply)
Revuz J (see Bouloc et al). 2000;43:714-17 (Brief rep.)
Rey J (see Granel et al). 2000;43:918-19 (Case rep.)
Rich P. Onychomycosis and tinea pedis in patients with diabetes. 2000;43:S130-4
Rich P (see Ghannoum et al). 2000;43:641-8
Richard C (see Joly et al). 2000;43:619-26
Rinaldi MG. Dermatophytosis: epidemiological and microbiological update. 2000;43:S120-4
Roberts JL (see Price et al). 2000;43:768-76
Robinson-Bostom L and DiGiovanna JJ. Cutaneous manifestations of end-stage renal disease. 2000;43:975-86 (CME article)

- Robson KJ, Cunningham NM, Kruzan KL, Patel DS, Kreiter CD, O'Donnell MJ, Arpey CJ. Pulsed-dye laser versus conventional therapy in the treatment of warts: a prospective randomized trial. 2000;43:275-80 (Derm. surgery)
Robson KJ (see Stone et al). 2000;43:355-7 (Case rep.)
Röcken M (see Ludolph-Hauser et al). 2000;43:900-2 (Case rep.)
Roetzheim RG, Pal N, Van Durme DJ, Wathington D, Ferrante JM, Gonzalez EC, Krischer JP. Increasing supplies of dermatologists and family physicians are associated with earlier stage of melanoma detection. 2000;43:211-18
Rogachefsky AS (see Huang et al). 2000;43:249-59 (Therapy)
Rollins T, Levin RM, Heymann WR. Acral steatocystoma multiplex. 2000;43:396-9 (Case rep.)
Rolstad T (see Krueger et al). 2000;43:280-5 (Position paper)
Romiti R, Arnone M, Sotto MN. Epidermal naevus with Darier's disease-like changes in a patient with Gardner's syndrome. 2000;43:380-2 (Case rep.)
Rongioletti F and Rebora A. Paradoxical effect of interferon alfa on lichen myxedematosus. 2000;43:730 (Letter)
Rosenthal D (see Wilson et al). 2000;43:54-60 (Therapy)
Rosen T (see Lewis et al). 2000;43:400-2 (Case rep.)
Rothfleisch J (see Zackheim et al). 2000;43:793-6
Roujeau J-C (see Bouloc et al). 2000;43:714-17 (Brief rep.)
Roujeau JC (see Joly et al). 2000;43:619-26
Rowe JM (see Ohsuga et al). 2000;43:437-41
Rubin H (see Bruce et al). 2000;43:223-8
Rudd RJ, Fair KP, Patterson JW. Aortic angiosarcoma presenting with cutaneous metastasis: case report and review of the literature. 2000;43:930-3 (Case rep.)
Rudd RJ (see Fair et al). 2000;43:102-7 (Case rep.)
Rudikoff D (see Buka et al). 2000;43:312-15 (Brief rep.), 2000;43:934-6 (Case rep.)
Rumbaugh JA, LaDuca J, Shan Y, Miller C. CADASIL: the dermatologic diagnosis of a neurologic disease. 2000;43:1128-30 (Brief rep.)
Russo P (see Marcoux et al). 2000;43:540-6 (Brief rep.)
Rustin MHA (see Lister et al). 2000;43:403-8 (Case rep.)
Ruzicka T (see Becker-Wegerich et al). 2000;43:272-4. Correction 2000;43:609 (Laser surgery)
Ryoo JW (see Alaiti et al). 2000;43:377-9 (Case rep.)

S

- Sachsenberg-Studer EM, Prins C, Saurat J-H, Salomon D. Raynaud's phenomenon, anticentromere antibodies, and digital necrosis without sclerodactyly: an entity independent of scleroderma? 2000;43:631-4
Sachsenberg-Studer E (see Grundmann-Kollmann et al). 2000;43:675-8 (Therapy)
Saint-Leger E (see Bouloc et al). 2000;43:714-17 (Brief rep.)
Salomon D (see Sachsenberg-Studer et al). 2000;43:631-4
Sams WM and Freedberg IM. The dermatology-industry interface: defining the boundaries. 2000;43:550-4 (Opinion)
Sander C (see Ludolph-Hauser et al). 2000;43:900-2 (Case rep.)
Sapadin AN (see Esser et al). 2000;43:316-17 (Brief rep.)
Sapadin A (see Buka et al). 2000;43:312-15 (Brief rep.)
Sassmannshausen J, Bogomilsky J, Chaffins M. Porokeratotic eccrine ostial and dermal duct nevus: a case report and review of the literature. 2000;43:364-7 (Case rep.)
Sauder DN. Immunomodulatory and pharmacologic properties of imiquimod. 2000;43:S6-11
Sauder DN (see Turner et al). 2000;43:1058-64 (Therapy)
Saurat J-H (see Friedli et al). 2000;43:913-15 (Case rep.)
Saurat J-H (see Sachsenberg-Studer et al). 2000;43:631-4
Savin R (see Price et al). 2000;43:768-76
Schaad I (see Hafner et al). 2000;43:1001-8
Schach CP, Smoller BR, Hudson AR, Horn TD. Immuno-

- histochemical stains in dermatopathology. 2000;43:1094-100 (Periodic synopsis)
- Scher R (see Ghannoum et al). 2000;43:641-8
- Schmid-Wendtner M-H, Baumert J, Konz B, Hölzel D, Plewig G, Volkenandt M. Late metastases of cutaneous melanoma: an analysis of 31 patients. 2000;43:605-9
- Schmid-Wendtner MH, Brunner B, Kaudewitz P, Wendtner CM, Peter RU, Plewig G, Volkenandt M. Fractionated radiotherapy of lentigo maligna and lentigo maligna melanoma in 64 patients. 2000;43:477-82
- Schneider E (see Hafner et al). 2000;43:1001-8
- Schoenwetter WF (see Thompson et al). 2000;43:24-30
- Schroeder TL (see Bruce et al). 2000;43:223-8
- Schroeter AL (see Heaphy et al). 2000;43:386-90 (Case rep.)
- Schuler G (see Steinman et al). 2000;43:555-6 (Letter)
- Schut RL (see Davis et al). 2000;43:340-3 (Case rep.)
- Schwartzberg JB (see Vensel et al). 2000;43:858-60 (Brief rep.)
- Schwartz J (see Bisaccia et al). 2000;43:263-71 (Therapy)
- Schwarz T (see Ständer and Schwarz). 2000;43:881 (Letter)
- Scott DM (see Davis and Scott). 2000;43:123-7 (Brief rep.)
- Sefton J, Kligman AM, Kopper SC, Lue JC, Gibson JR. Photodamage pilot study: a double-blind, vehicle-controlled study to assess the efficacy and safety of tazarotene 0.1% gel. 2000;43:656-63
- Sefton J (see Koo et al). 2000;43:821-8
- Segal S, Cooper J, Bologna J. Treatment of lipodermatosclerosis with oxandrolone in a patient with stanozolol-induced hepatotoxicity. 2000;43:558-9 (Letter)
- Seger D (see Boyd et al). 2000;43:81-90 (Clin. rev.)
- Seifert B (see Hafner et al). 2000;43:1001-8
- Seo N (see Tokura et al). 2000;43:946-54 (Case rep.)
- Seral C (see Ara et al). 2000;43:535-7 (Brief rep.)
- Serratrice J (see Granel et al). 2000;43:918-19 (Case rep.)
- Shah M (see Gawkrödger et al). 2000;43:31-6
- Shan Y (see Rumbaugh et al). 2000;43:1128-30 (Brief rep.)
- Shaw JC. Low-dose adjunctive spironolactone in the treatment of acne in women: a retrospective analysis of 85 consecutively treated patients. 2000;43:498-502 (Therapy)
- Shear NH (see Gupta et al). 2000;43:883-4 (Letter reply)
- Sherr A (see Gottlieb et al). 2000;43:595-604
- Sherr A (see Krueger et al). 2000;43:448-58
- Shimada S (see Yotsumoto et al). 2000;43:969-71 (Case rep.)
- Shim EK and Greenway HT Jr. Surgical pearl: repair of helical rim defects with the bipedicle advancement flap. 2000;43:1109-11 (Pearls)
- Shin S-S (see Lee et al). 2000;43:556-7 (Letter)
- Shirin S (see Gottlieb et al). 2000;43:595-604
- Shoji T (see Esser et al). 2000;43:316-17 (Brief rep.)
- Shupak JL (see Krueger et al). 2000;43:280-5 (Position paper)
- Shwayder T (see Hashimoto et al). 2000;43:1112-9 (Case rep.)
- Shwayder T (see Kim et al). 2000;43:129-32 (Brief rep.)
- Sidbury R (see Silverberg et al). 2000;43:503-7 (Therapy)
- Silva C (see Henrique et al). 2000;43:991-1000
- Silverberg NB, Sidbury R, Mancini AJ. Childhood molluscum contagiosum: experience with cantharidin therapy in 300 patients. 2000;43:503-7 (Therapy)
- Silvestre JR, Bañuls J, Ramón R, Guíjarro J, Botella R, Betlloch I. Unilateral multiple facial angiofibromas: a mosaic form of tuberous sclerosis. 2000;43:127-9 (Brief rep.)
- Simonart T and Van Vooren J-P. Long latency of human herpesvirus type 8 infection and the appearance of classic Kaposi's sarcoma. 2000;43:732 (Letter reply)
- Singer G (see Gottlieb et al). 2000;43:595-604
- Singh S, Reddy DCS, Pandey SS. Topical therapy for psoriasis with the use of augmented betamethasone and calcipotriene on alternate weeks. 2000;43:61-5 (Therapy)
- Singh S (see Nathan et al). 2000;43:333-6 (Case rep.)
- Skelton H (see Smith and Skelton). 2000;43:1076-9 (Dermatopathology)
- Smith AJ (see Lyon et al). 2000;43:679-82 (Therapy)
- Smith EB. The treatment of dermatophytosis: safety considerations. 2000;43:S113-19
- Smith KE and Fenske NA. Cutaneous manifestations of alcohol abuse. 2000;43:1-6 (CME article)
- Smith KJ and Skelton H. Histopathologic features seen in Gianotti-Crosti syndrome secondary to Epstein-Barr virus. 2000;43:1076-9 (Dermatopathology)
- Smolle J, Cerroni L, Kerl H. Multiple pseudolymphomas caused by *Hirudo medicinalis* therapy. 2000;43:867-9 (Brief rep.)
- Smoller BR (see Clifton et al). 2000;43:19-23
- Smoller BR (see Schach et al). 2000;43:1094-100 (Periodic synopsis)
- Smoller B (see Clifton and Smoller). 2000;43:559-60 (Letter reply)
- Solodkina G (see Gottlieb et al). 2000;43:595-604
- Sommerhoff CP (see Ludolph-Hauser et al). 2000;43:900-2 (Case rep.)
- Sotto MN (see Romiti et al). 2000;43:380-2 (Case rep.)
- Soyer HP (see Ferrari et al). 2000;43:1123-5 (Brief rep.)
- Spence E (see Gupta et al). 2000;43:937-8 (Case rep.)
- Spiehl K (see Grundmann-Kollmann et al). 2000;43:675-8 (Therapy)
- Ständer H and Schwarz T. Ultraviolet A1 (340-400 nm) phototherapy for cutaneous T-cell lymphoma? 2000;43:881 (Letter)
- Steinman A, Funk JO, Schuler G, von den Driesch P. Topical imiquimod treatment of a cutaneous melanoma metastasis. 2000;43:555-6 (Letter)
- Sterling JB and Heymann WR. Potassium iodide in dermatology: a 19th century drug for the 21st century—uses, pharmacology, adverse effects, and contraindications. 2000;43:691-7 (Clin. review)
- Stern RS. Medication and medical service utilization for acne 1995-1998. 2000;43:1042-8
- Stolz W (see Gruss et al). 2000;43:923-6 (Case rep.)
- Stone JH (see Noursari et al). 2000;43:955-7 (Case rep.)
- Stone MS, Robson KJ, Piette WW. Erythematous plaques due to platelet plugging: a clue to underlying myeloproliferative disorder. 2000;43:355-7 (Case rep.)
- Strauss JS, Gottlieb AB, Jones T, Koo JYM, Leyden JJ, Lucky A, Anastasios AA, McLane J, Leach EE. Concomitant administration of vitamin E does not change the side effects of isotretinoin as used in acne vulgaris: a randomized trial. 2000;43:777-84
- Sulica VI (see Lupton et al). 2000;43:908-12 (Case rep.), 2000;43:1136-7 (Letter)
- Sulica VI (see Lupton et al). 2000;43:895-7 (Case rep.)
- Sullivan S (see Ghannoum et al). 2000;43:641-8
- Summerbell R (see Ghannoum et al). 2000;43:641-8
- Summerbell RC (see Gupta et al). 2000;43:244-8
- Sung KJ (see Jang et al). 2000;43:511-16 (Dermatopathology)
- Susser WS (see Whitaker-Worth et al). 2000;43:733-51 (CME article)
- Sutton D (see Turner et al). 2000;43:1058-64 (Therapy)
- Svensson Å (see Böhme et al). 2000;43:785-92
- Szolar-Platzer C, Aberer W, Kränke B. Delayed-type skin reaction to the heparin-alternative danaparoid. 2000;43:920-2 (Case rep.)

T

- Tachibana T (see Toichi et al). 2000;43:391-5 (Case rep.)
- Takagi T (see Tokura et al). 2000;43:946-54 (Case rep.)
- Takahashi Y (see Yotsumoto et al). 2000;43:969-71 (Case rep.)
- Takashima T (see Adachi et al). 2000;43:383-5 (Case rep.)
- Takei S (see Yotsumoto et al). 2000;43:969-71 (Case rep.)
- Takigawa M (see Tokura et al). 2000;43:946-54 (Case rep.)

- Tanaka K (see Hashimoto et al). 2000;43:1112-9 (Case rep.)
Taniguchi S (see Kono et al). 2000;43:966-8 (Case rep.)
Tanner PR (see Diffey et al). 2000;43:1024-35
Tannous ZS (see Bonta et al). 2000;43:635-40
Tantikun N. Treatment of Bowen's disease of the digit with carbon dioxide laser. 2000;43:1080-3 (Derm. surgery)
Taylor CR (see Hongcharu et al). 2000;43:905-7 (Case rep.)
Taylor JR (see Vensel et al). 2000;43:858-60 (Brief rep.)
Taylor R (see Krueger et al). 2000;43:280-5 (Position paper)
Taylor R (see Vensel et al). 2000;43:858-60 (Brief rep.)
Telang GH (see Gregg et al). 2000;43:372-6 (Case rep.)
Tenhunen R (see Timonen et al). 2000;43:489-97
Teppo A-M (see Timonen et al). 2000;43:489-97
Thoma-Greber E (see Ludolph-Hauser et al). 2000;43:900-2 (Case rep.)
Thompson AK, Finn AF, Schoenwetter WF. Effect of 60 mg twice-daily fexofenadine HCl on quality of life, work and classroom productivity, and regular activity in patients with chronic idiopathic urticaria. 2000;43:24-30
Timonen K, Kariniemi A-L, Niemi K-M, Teppo A-M, Tenhunen R, Kauppinen R. Vascular changes in erythropoietic protoporphyria: histopathologic and immunohistochemical study. 2000;43:489-97
Tofte SJ (see Laughter et al). 2000;43:649-55
Toichi E, Tachibana T, Furukawa F. Rapid improvement of psoriasis vulgaris during drug-induced agranulocytosis. 2000;43:391-5 (Case rep.)
Tokura Y, Yagi H, Seo N, Takagi T, Takigawa M. Nonerythrodermic, leukemic variant of cutaneous T-cell lymphoma with indolent clinical course: Th2-type tumor cells lacking T-cell receptor/CD3 expression and confluent tumor-infiltrating CD8⁺ T cells. 2000;43:946-54 (Case rep.)
Trent J (see Vensel et al). 2000;43:858-60 (Brief rep.)
Trizna Z and Wagner RF. Surgical pearl: the use of the No. 12 scalpel blade for the removal of sutures. 2000;43:527-8 (Pearls)
Tron F (see Joly et al). 2000;43:619-26
Trout R (see Phillips et al). 2000;43:627-30
Tsai T-F, Paul BH [sic], Jee S-H, Maibach HI. Effects of glycolic acid on light-induced skin pigmentation in Asian and Caucasian subjects. 2000;43:238-43. Correction 2000;43:609
Tsao H and Lerner LH. Pigmented purpuric eruption associated with injection medroxyprogesterone acetate. 2000;43:308-10 (Brief rep.)
Tsuji T (see Morita et al). 2000;43:670-4 (Therapy)
Türç Y (see Bachmeyer et al). 2000;43:972-4 (Case rep.)
Turner ML (see Blauvelt et al). 2000;43:698-700 (Grand Rounds at NIH)
Turner MS, Sutton D, Sauder DN. The use of plasmapheresis and immunosuppression in the treatment of pemphigus vulgaris. 2000;43:1058-64 (Therapy)
Tyring SK. Human papillomavirus infections: epidemiology, pathogenesis, and host immune response. 2000;43:518-26

U

- Usman A (see Kimyai-Asadi and Usman). 2000;43:708-11 (Current issues)

V

- Van der Straten M (see Czelusta et al). 2000;43:409-32 (CME article)
Van Durme DJ (see Roetzelheim et al). 2000;43:211-18
van Neer PAFA and Korver CRW. Constipation presenting as recurrent vulvovaginitis in prepubertal children. 2000;43:718-19 (Brief rep.)
Vannucci S (see Boyd et al). 2000;43:81-90 (Clin. rev.)
Van Vooren J-P (see Simonart and Van Vooren). 2000;43:732 (Letter reply)

- Vasilopoulos AI (see Koo et al). 2000;43:821-8
Vázquez-López F, González-López MA, Raya-Aguado C, Pérez-Oliva N. Localized granuloma annulare and autoimmune thyroiditis: a new case report. 2000;43:943-5 (Case rep.)
The Venous Ulcer Study Group (see Phillips et al). 2000;43:627-30
Vensel E, Hilley T, Trent J, Taylor JR, Kirsner RS, Kerdel FA, Taylor R, Schwartzberg JB. Sustained improvement of the quality of life of patients with psoriasis after hospitalization. 2000;43:858-60 (Brief rep.)
Vidimos A (see Huang and Vidimos). 2000;43:286-98 (Clin. rev.)
Vogt T (see Gruss et al). 2000;43:923-6 (Case rep.)
Volkenandt M (see Schmid-Wendtner et al). 2000;43:477-82, 2000;43:605-9
von den Driesch P (see Steinman et al). 2000;43:555-6 (Letter)
Vonderheid EC (see Gregg et al). 2000;43:372-6 (Case rep.)
Vonderheid EC (see Zackheim et al). 2000;43:793-6

W

- Wagner RF (see Trizna and Wagner). 2000;43:527-8 (Pearls)
Wahl A, Loge JH, Wiklund I, Hanestad BR. The burden of psoriasis: a study concerning health-related quality of life among Norwegian adult patients with psoriasis compared with general population norms. 2000;43:803-8
Wahlgren C-F (see Böhme et al). 2000;43:785-92
Waldstreicher J (see Price et al). 2000;43:768-76
Walsh JS, Perniciaro C, Meschia JE. CADASIL (cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy): diagnostic skin biopsy changes determined by electron microscopy. 2000;43:1125-7 (Brief rep.)
Walters IB (see Krueger et al). 2000;43:448-58
Wang TS (see Fader et al). 2000;43:837-40 (Derm. surgery)
Warner J (see Ghannoum et al). 2000;43:641-8
Washington D (see Roetzelheim et al). 2000;43:211-18
Weber DA (see Callen et al). 2000;43:207-10
Webster G. Combination azelaic acid therapy for acne vulgaris. 2000;43:S47-50
Wechsler J (see Bouloc et al). 2000;43:714-17 (Brief rep.)
Wei H (see Buka et al). 2000;43:312-15 (Brief rep.)
Weiller-Merli C (see Granel et al). 2000;43:918-19 (Case rep.)
Weiller PJ (see Granel et al). 2000;43:918-19 (Case rep.)
Weinstein GD (see Krueger et al). 2000;43:280-5 (Position paper)
Weinstock MA. Updated sunscreen advice: SPF30. 2000;43:154 (Letter)
Weisberg NK, Bertagnolli MM, Becker DS. Combined sentinel lymphadenectomy and Mohs micrographic surgery for high-risk cutaneous squamous cell carcinoma. 2000;43:483-8
Wendtner CM (see Schmid-Wendtner et al). 2000;43:477-82
Wheeler CE Jr, Carroll A, Groben PA, Briggaman RA, Prose NS, Davis DA. Autosomal dominantly inherited generalized basalooid follicular hamartoma syndrome: report of a new disease in a North Carolina family. 2000;43:189-206
Whitaker-Worth DL, Carlone V, Susser WS, Phelan N, Grant-Kels JM. Dermatologic diseases of the breast and nipple. 2000;43:733-51 (CME article)
Whiting DA (see Price et al). 2000;43:768-76
Whittaker S (see Lister et al). 2000;43:403-8 (Case rep.)
Wiklund I (see Wahl et al). 2000;43:803-8
Williams T (see Bruce et al). 2000;43:223-8
Wilson BB (see Holst et al). 2000;43:368-71 (Case rep.)
Wilson BB (see Mehra et al). 2000;43:349-50 (Case rep.)
Wilson LD, Jones GW, Kim D, Rosenthal D, Christensen IR, Edelson RL, Heald PW, Kacinski BM. Experience with total skin electron beam therapy in combination with extracorporeal photopheresis in the management of patients with erythrodermic (T4) mycosis fungoides. 2000;43:54-60 (Therapy)
Wittenberg G (see Railan et al). 2000;43:323-4 (Letter)

- Wolff K (see Kittler et al). 2000;43:467-76
Wolf JE Jr. Dermatophytosis consensus meeting: introduction. 2000;43:S103
Wolf JE Jr. (see Bruce et al). 2000;43:223-8
Wolter M (see Gambichler et al). 2000;43:856-8 (Brief rep.)
Won Y-H (see Lee et al). 2000;43:556-7 (Letter)
Wright J (see Akhtar et al). 2000;43:755-67

Y

- Yaar M (see Phillips et al). 2000;43:610-18
Yagi H (see Tokura et al). 2000;43:946-54 (Case rep.)
Yalçin B and Karaduman A. Stevens-Johnson syndrome associated with concomitant use of lamotrigine and valproic acid. 2000;43:898-9 (Case rep.)
Yang JE (see Choi et al). 2000;43:903-4 (Case rep.)
Yen-Moore A (see Czelusta et al). 2000;43:409-32 (CME article)

- Yotsumoto S, Takahashi Y, Takei S, Shimada S, Miyata K, Kanzaki T. Early onset sarcoidosis masquerading as juvenile rheumatoid arthritis. 2000;43:969-71 (Case rep.)
Yu TJ (see Liang et al). 2000;43:864-6 (Brief rep.)

Z

- Zackheim HS, Vonderheid EC, Ramsay DL, LeBoit PE, Rothfleisch J, Kashani-Sabet M. Relative frequency of various forms of primary cutaneous lymphomas. 2000;43:793-6
Zaiac M (see Ghannoum et al). 2000;43:641-8
Zic JA (see O'Quinn et al). 2000;43:861-3 (Brief rep.)
Zillikens D (see Gruss et al). 2000;43:923-6 (Case rep.)
Zitelli JA (see Cook and Zitelli). 2000;43:508-10 (Derm. surgery)
Zitelli JA (see Dunn and Zitelli). 2000;43:155-6 (Letter)
Zollner TM (see Grundmann-Kollmann et al). 2000;43:675-8 (Therapy)

Subject index*

A

Acne

- Combination azelaic acid therapy for acne vulgaris (Webster). 2000;43:S47-50
- Concomitant administration of vitamin E does not change the side effects of isotretinoin as used in acne vulgaris: a randomized trial (Strauss et al). 2000;43:777-84
- Low-dose adjunctive spironolactone in the treatment of acne in women: a retrospective analysis of 85 consecutively treated patients (Shaw). 2000;43:498-502 (Therapy)
- Measuring quality of life in people referred for specialist care of acne: comparing generic and disease-specific measures (Klassen et al). 2000;43:229-33
- Medication and medical service utilization for acne 1995-1998 (Stern). 2000;43:1042-8
- Psychodermatology (Koo et al). 2000;43:848-53 (Periodic synopsis)
- Special skin symptoms seen in swimmers (Basler et al). 2000;43:299-305 (Clin. rev.)
- Tazarotene versus tretinoin or adapalene in the treatment of acne vulgaris (Kakita). 2000;43:S51-4

Acquired dermal melanocytosis

- Acquired dermal melanocytosis in an African-American: a case report (Buka et al). 2000;43:934-6 (Case rep.)

Acquired immunodeficiency syndrome

- An annular plaque due to *Mycobacterium haemophilum* infection in a patient with AIDS (Friedli et al). 2000;43:913-15 (Case rep.)
- Dermatophyte infections in human immune deficiency virus (HIV) disease (Johnson). 2000;43:S135-42
- Lymphangioma-like Kaposi's sarcoma: etiology and literature review (Davis and Scott et al). 2000;43:123-7 (Brief rep.)

Acquired perforating dermatosis

- Cutaneous manifestations of end-stage renal disease (Robinson-Bostom and DiGiovanna). 2000;43:975-86 (CME article)

Acrodermatitis

- Histopathologic features seen in Gianotti-Crosti syndrome secondary to Epstein-Barr virus (Smith and Skelton). 2000;43:1076-9 (Dermatopathology)

Actinomycin

- Persistent serpentine supraventous hyperpigmented eruption as an adverse reaction to chemotherapy combining actinomycin and vincristine (Marcoux et al). 2000;43:540-6 (Brief rep.)

Adenoma, oxyphilic

- Parotid oncocytoma in the Birt-Hogg-Dubé syndrome (Liu et al). 2000;43:1120-2 (Case rep.)

Advertisements

- The dermatology-industry interface: defining the boundaries (Sams and Freedberg). 2000;43:550-4 (Opinion)

Africa

- A visit to Eden: living and working at the Regional Dermatology Training Center in Tanzania (Nordlund). 2000;43:1101-8 (Special article)

Agranulocytosis

- Rapid improvement of psoriasis vulgaris during drug-induced agranulocytosis (Toichi et al). 2000;43:391-5 (Case rep.)

*July, part 1, pp. 1-166; July, part 2, pp. S1-S30; August, part 1, pp. 167-328; August, part 2, pp. 329-408; August, part 3, pp. S31-S54; September, pp. 409-570; October, part 1, pp. 571-732; October, part 2, pp. S55-S102; November, part 1, pp. 733-894; November, part 2, pp. 895-794; November, part 3, pp. S103-S142; December, pp. 795-1170.

Ajoene

- Efficacy of ajoene in the treatment of tinea pedis: a double-blind and comparative study with terbinafine (Ledezma et al). 2000;43:829-32

Albinism

- A visit to Eden: living and working at the Regional Dermatology Training Center in Tanzania (Nordlund). 2000;43:1101-8 (Special article)

Alcoholism

- Cutaneous manifestations of alcohol abuse (Smith and Fenske). 2000;43:1-6 (CME article)

Aldara; see Imiquimod

Alitretinoin gel

- Immunomodulatory therapy in the management of viral infections in patients with HIV infection (Conant). 2000;43:S27-30

Allergists

- Allergists and dermatologists have far more expertise in caring for patients with urticaria than other specialists (Henderson et al). 2000;43:1084-91 (Clinical review)

Alopecia

- Lack of efficacy of finasteride in postmenopausal women with androgenetic alopecia (Price et al). 2000;43:768-76
- Psychodermatology (Koo et al). 2000;43:848-53 (Periodic synopsis)
- Rapidly progressing mycosis fungoides presenting as follicular mucinosis (Bonta et al). 2000;43:635-40

American Academy of Dermatology

- 2000 Awards for Young Investigators in Dermatology. 2000;43:701-7

Androgen receptors

- Androgen receptors and lichen sclerosus (Carlson and Murphy) (Letter) (Clifton and Smoller) (Letter reply). 2000;43:559-60

Anesthetics

- Topical anesthetics in dermatology (Huang and Vidimos). 2000;43:286-98 (Clin. rev.)

Angiofibromas

- Unilateral multiple facial angiofibromas: a mosaic form of tuberous sclerosis (Silvestre et al). 2000;43:127-9 (Brief rep.)

Angiolymphoid hyperplasia with eosinophilia

- Widespread cutaneous vascular papules associated with peripheral blood eosinophilia and prominent inguinal lymphadenopathy (Blauvelt et al). 2000;43:698-700 (Grand Rounds at NIH)

Angioma

- Time-sequence histologic imaging of laser-treated cherry angiomas with in vivo confocal microscopy (Aghassi et al). 2000;43:37-41

Angiomyxoma, superficial

- Solitary cutaneous myxoma (Alaiti et al). 2000;43:377-9 (Case rep.)

Anticentromere antibodies

- Raynaud's phenomenon, anticentromere antibodies, and digital necrosis without sclerodactyly: an entity independent of scleroderma? (Sachsenberg-Studer et al). 2000;43:631-4

Antifungal agents

- Evaluation of in vitro susceptibility of dermatophytes to oral antifungal agents (Hazen). 2000;43:S125-9

Anti-Mycobacterium bovis

- Cutaneous malakoplakia: a report of two cases with the use of anti-BCG for the detection of micro-organisms (Mehregan et al). 2000;43:351-4 (Case rep.)

Anti-p105 pemphigoid

- Cicatricial pemphigoid (Fleming and Korman). 2000;43:571-91 (CME article)

Aortic angiosarcoma

- Aortic angiosarcoma presenting with cutaneous metastasis: case report and review of the literature (Rudd et al). 2000;43:930-3 (Case rep.)

Armadillos

Armadillo exposure and Hansen's disease: an epidemiologic survey in southern Texas (Bruce et al). 2000;43:223-8

Arrector pili muscle

Immunofluorescent microscopic investigation of the distal arrector pili: a demonstration of the spatial relationship between $\alpha 5 \beta 1$ integrin and fibronectin (Clifton et al). 2000;43:19-23

Arsenic

Basal cell carcinoma in chronic arsenicism occurring in Queensland, Australia, after ingestion of an asthma medication (Boonchai et al). 2000;43:664-9

Treatment of Bowen's disease of the digit with carbon dioxide laser (Tantikun). 2000;43:1080-3 (Derm. surgery)

Arterial occlusive diseases

Leg ulcers in peripheral arterial disease (arterial leg ulcers): impaired wound healing above the threshold of chronic critical limb ischemia (Hafner et al). 2000;43:1001-8

Arterial ulcers

Leg ulcers (Miller and Phillips). 2000;43:91-5 (Periodic synopsis)

Arthritis, juvenile rheumatoid

Early onset sarcoidosis masquerading as juvenile rheumatoid arthritis (Yotsumoto et al). 2000;43:969-71 (Case rep.)

Atrophoderma vermiculatum

Unilateral atrophic skin lesion with features of atrophoderma vermiculatum: a variant of the epidermal nevus syndrome? (Hsu and Nikko). 2000;43:310-12 (Brief rep.)

Australia

Basal cell carcinoma in chronic arsenicism occurring in Queensland, Australia, after ingestion of an asthma medication (Boonchai et al). 2000;43:664-9

Autoimmune disorders

Localized granuloma annulare and autoimmune thyroiditis: a new case report (Vázquez-López et al). 2000;43:943-5 (Case rep.)

Azelaic acid

Combination azelaic acid therapy for acne vulgaris (Webster). 2000;43:S47-50

B**Basaloid follicular hamartoma syndrome**

Autosomal dominantly inherited generalized basaloid follicular hamartoma syndrome: report of a new disease in a North Carolina family (Wheeler et al). 2000;43:189-206

Beneath the surface

Beneath the surface. 2000;43:879-80

Benzoyl peroxide

Combination azelaic acid therapy for acne vulgaris (Webster). 2000;43:S47-50

Betamethasone

Topical therapy for psoriasis with the use of augmented betamethasone and calcipotriene on alternate weeks (Singh et al). 2000;43:61-5 (Therapy)

Birt-Hogg-Dubé syndrome

Parotid oncocytoma in the Birt-Hogg-Dubé syndrome (Liu et al). 2000;43:1120-2 (Case rep.)

Treatment of Birt-Hogg-Dubé syndrome with erbium:YAG laser (Gambichler et al). 2000;43:856-8 (Brief rep.)

Blacks

Acquired dermal melanocytosis in an African-American: a case report (Buka et al). 2000;43:934-6 (Case rep.)

Blistering

Sensitivity and specificity of clinical, histologic, and immunologic features in the diagnosis of paraneoplastic pemphigus (Joly et al). 2000;43:619-26

Bloch-Sulzberger disease

Incontinentia pigmenti (Mirowski and Caldemeyer). 2000;43:517-18 (Radiologic images in dermatology) (Special series)

The Blue Journal

Opiate-mediated pruritus and citation etiquette (Bernstein)

(Letter) (Bergasa and Jones) (Letter reply) (Bernhard) (Comment from the editor). 2000;43:324-5

Rejection overruled: a few more notes on submitting papers to The Blue Journal (Bernhard). 2000;43:321-2

Body surface area

Two considerations for patients with psoriasis and their clinicians: what defines mild, moderate, and severe psoriasis? what constitutes a clinically significant improvement when treating psoriasis? (Krueger et al). 2000;43:280-5 (Position paper)

Bone marrow transplant

Dermatologic changes associated with roquinimex immunotherapy after autologous bone marrow transplant (Ohsuga et al). 2000;43:437-41

Book reviews

Book reviews. 2000;43:327-8, 561-3

Botulinum toxin therapy

Pharmacology of botulinum toxin (Huang et al). 2000;43:249-59 (Therapy)

Bowen's disease

Hyperthermic treatment of Bowen's disease with disposable chemical pocket warmers: a report of 8 cases (Hiruma and Kawada). 2000;43:1070-5 (Therapy)

Treatment of Bowen's disease of the digit with carbon dioxide laser (Tantikun). 2000;43:1080-3 (Derm. surgery)

Breast

Dermatologic diseases of the breast and nipple (Whitaker-Worth et al). 2000;43:733-51 (CME article)

Brief reports

Brief reports. 2000;43:123-34, 308-17, 529-49, 714-24, 856-74, 1123-34

Bull horn injuries

Primary tuberculous chancre caused by *Mycobacterium bovis* after goring with a bull's horn (Ara et al). 2000;43:535-7 (Brief rep.)

Bullous Kaposi's sarcoma

Lymphangioma-like Kaposi's sarcoma: etiology and literature review (Davis and Scott et al). 2000;43:123-7 (Brief rep.)

C**Calcification, metastatic**

Cutaneous manifestations of end-stage renal disease (Robinson-Bostom and DiGiovanna). 2000;43:975-86 (CME article)

Calcinosis cutis

Cutaneous manifestations of end-stage renal disease (Robinson-Bostom and DiGiovanna). 2000;43:975-86 (CME article)
Pseudoanthraxoma elasticum and calcinosis cutis (Buka et al). 2000;43:312-15 (Brief rep.)

Calciophylaxis

Cutaneous manifestations of end-stage renal disease (Robinson-Bostom and DiGiovanna). 2000;43:975-86 (CME article)

Calcipotriene

Tazarotene combination treatments in psoriasis (Guenther). 2000;43:536-42

Topical therapy for psoriasis with the use of augmented betamethasone and calcipotriene on alternate weeks (Singh et al). 2000;43:61-5 (Therapy)

Calcitriol

Double-blind, placebo-controlled study of oral calcitriol for the treatment of localized and systemic scleroderma (Hulshoff et al). 2000;43:1017-23

Cameras, digital

Surgical pearl: digital imaging for mapping Mohs surgical specimens (Papa and Ramsey). 2000;43:712-13 (Pearls)

Cantharidin

Childhood molluscum contagiosum: experience with cantharidin therapy in 300 patients (Silverberg et al). 2000;43:503-7 (Therapy)

Capillaritis

Capillaritis associated with interferon-alfa treatment of chronic hepatitis C infection (Gupta et al). 2000;43:937-8 (Case rep.)

Capillary leak syndrome

Capillary leak syndrome in a patient treated with interleukin 2 fusion toxin for cutaneous T-cell lymphoma (Railan et al). 2000;43:323-4 (Letter)

Carbon dioxide laser surgery

Short-pulse carbon dioxide laser resurfacing of the neck (Behroozan et al). 2000;43:72-6 (Laser surgery)

Carcinoma

Actinic keratosis is squamous cell carcinoma (Lober et al). 2000;43:881-2 (Letter)

Advances in specific immunotherapy of malignant melanoma (Curiel-Lewandrowski and Demierre). 2000;43:167-85 (CME article)

Aortic angiosarcoma presenting with cutaneous metastasis: case report and review of the literature (Rudd et al). 2000;43:930-3 (Case rep.)

Basal cell carcinoma in chronic arsenicism occurring in Queensland, Australia, after ingestion of an asthma medication (Boonchai et al). 2000;43:664-9

Combined sentinel lymphadenectomy and Mohs micrographic surgery for high-risk cutaneous squamous cell carcinoma (Weisberg et al). 2000;43:483-8

Current concepts: the use of immunoperoxidase techniques in Mohs micrographic surgery (Mondragon and Barrett). 2000;43:66-71 (Derm. surgery)

Dermatologic diseases of the breast and nipple (Whitaker-Worth et al). 2000;43:733-51 (CME article)

Dermoscopic features of cutaneous local recurrent melanoma (Ferrari et al). 2000;43:722-4 (Brief rep.)

Hyperthermic treatment of Bowen's disease with disposable chemical pocket warmers: a report of 8 cases (Hiruma and Kawada). 2000;43:1070-5 (Therapy)

Merkel cell carcinoma: report of 10 cases and review of the literature (Akhtar et al). 2000;43:755-67

Mycosis fungoides d'embleé: CD30-negative cutaneous large T-cell lymphoma (O'Quinn et al). 2000;43:861-3 (Brief rep.)

Nevoid basal cell carcinoma syndrome (Mirowski et al). 2000;43:1092-3 (Radiologic images in dermatology) (Special series)

The sign of Leser-Trélat in a case of adenocarcinoma of the lung (Heaphy et al). 2000;43:386-90 (Case rep.)

Squamous cell carcinoma arising in Hailey-Hailey disease (Holst et al). 2000;43:368-71 (Case rep.)

Standards of care for patients with malignant melanoma (Dunn and Zitelli) (Letter); (Glass et al) (Letter reply). 2000;43:155-8

Synchronous development of disseminated superficial porokeratosis and hepatitis C virus-related hepatocellular carcinoma (Kono et al). 2000;43:966-8 (Case rep.)

The use of interferon alfa as adjuvant therapy for advanced cutaneous melanoma: the need for more evidence (Kimyai-Asadi and Usman). 2000;43:708-11 (Current issues)

Case reports

Case reports. 2000;43:102-22, 895-974, 1112-22

Cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy

CADASIL: the dermatologic diagnosis of a neurologic disease (Rumbaugh et al). 2000;43:1128-30 (Brief rep.)

CADASIL (cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy): diagnostic skin biopsy changes determined by electron microscopy (Walsh et al). 2000;43:1125-7 (Brief rep.)

Chemotherapy

A case of cutaneous reaction to chemotherapeutic agents showing epidermal dysmaturation (Chun et al). 2000;43:358-60 (Case rep.)

Persistent serpentine suprapurpuric hyperpigmented eruption as an adverse reaction to chemotherapy combining actinomycin and vincristine (Marcoux et al). 2000;43:540-6 (Brief rep.)

Children

Childhood molluscum contagiosum: experience with can-

tharidin therapy in 300 patients (Silverberg et al). 2000;43:503-7 (Therapy)

Constipation presenting as recurrent vulvovaginitis in prepubertal children (van Neer and Korver). 2000;43:718-19 (Brief rep.)

Early onset sarcoidosis masquerading as juvenile rheumatoid arthritis (Yotsumoto et al). 2000;43:969-71 (Case rep.)

Hanifin's and Rajka's minor criteria for atopic dermatitis: which do 2-year-olds exhibit? (Böhme et al). 2000;43:785-92

Histopathologic features seen in Gianotti-Crosti syndrome secondary to Epstein-Barr virus (Smith and Skelton). 2000;43:1076-9 (Dermatopathology)

Ipsilateral renal dysplasia with hypertensive heart disease in an infant with cutaneous varicella lesions: an unusual presentation of congenital varicella syndrome (Liang et al). 2000;43:864-6 (Brief rep.)

Mast cells in an angiosarcoma complicating xeroderma pigmentosum in a 13-year-old girl (Ludolph-Hauser et al). 2000;43:900-2 (Case rep.)

The prevalence of atopic dermatitis in Oregon schoolchildren (Laughter et al). 2000;43:649-55

Churg-Strauss syndrome

Wells syndrome associated with Churg-Strauss syndrome (Lee et al). 2000;43:556-7 (Letter)

Ciclopirox nail lacquer

Ciclopirox nail lacquer: the first prescription topical therapy for onychomycosis—introduction (Baran). 2000;43:S55-6

Ciclopirox nail lacquer solution 7% in the 21st century (Gupta and Baran). 2000;43:S96-102

Ciclopirox nail lacquer topical solution 8% in the treatment of toenail onychomycosis (Gupta et al). 2000;43:S70-80

Dermatopharmacology of ciclopirox nail lacquer topical solution 8% in the treatment of onychomycosis (Bohn and Kraemer). 2000;43:S57-69

Pharmacoeconomic analysis of ciclopirox nail lacquer solution 8% and the new oral antifungal agents used to treat dermatophyte toe onychomycosis in the United States (Gupta). 2000;43:S81-95

Cidofovir

Human papillomavirus infections: epidemiology, pathogenesis, and host immune response (Tyring). 2000;43:S18-26

Large plantar wart caused by human papillomavirus-66 and resolution by topical cidofovir therapy (Davis et al). 2000;43:340-3 (Case rep.)

Cirrhosis

Cutaneous manifestations of alcohol abuse (Smith and Fenske). 2000;43:1-6 (CME article)

Classification

Inherited epidermolysis bullosa comes into the new millennium: a revised classification system based on current knowledge of pathogenetic mechanisms and the clinical, laboratory, and epidemiologic findings of large, well-defined patient cohorts (Fine et al). 2000;43:135-7 (Commentary)

Clinical reviews

Clinical reviews. 2000;43:81-90, 286-305, 691-7, 841-7, 1084-91

Clinical trials

The dermatology-industry interface: defining the boundaries (Sams and Freedberg). 2000;43:550-4 (Opinion)

Evidence-based medicine: the epistemology that isn't (Rees). 2000;43:727-9 (Opinion)

Clothing

In vitro and in vivo determination of the UV protection factor for lightweight cotton and viscose summer fabrics (Hoffman et al). 2000;43:1009-16

Commentary

Commentary. 2000;43:135-7, 725-6, 875-8

Constipation

Constipation presenting as recurrent vulvovaginitis in prepubertal children (van Neer and Korver). 2000;43:718-19 (Brief rep.)

Continuing medical education

- Continuing medical education examination. 2000;43:17-18, 186-7, 433-5, 592-4, 752-3, 987-9
- Continuing medical education examination: answers. 2000;43:16, 188, 436, 591, 754, 990
- The dermatology-industry interface: defining the boundaries (Sams and Freedberg). 2000;43:550-4 (Opinion)

Corrections

- Effects of glycolic acid on light-induced skin pigmentation in Asian and Caucasian subjects (Tsai et al). 2000;43:238-43
- Correction 2000;43:609
- Photodynamic therapy in dermatology (Kalka et al). (2000; 42:389-413) 2000;43:609
- Treatment of nonmelanotic hyperpigmentation with the Q-switched ruby laser (Becker-Wegerich et al). (2000;43:272-4) 2000;43:609 (Laser surgery)

Corticosteroids

- Peristomal dermatoses: a novel indication for topical steroid lotions (Lyon et al). 2000;43:679-82 (Therapy)
- Strategies to optimize efficacy, duration of remission, and safety in the treatment of plaque psoriasis by using tazarotene in combination with a corticosteroid (Lebwohl). 2000;43:543-6

Cryotherapy

- Surgical pearl: forceps method for freezing benign lesion (Kuwahara et al). 2000;43:306-7 (Pearls)

Cryptococcus neoformans

- Primary cutaneous cryptococcosis of the nose in an immunocompetent woman (Patelet et al). 2000;43:344-5 (Case rep.)

Curettage

- Surgical pearl: curetting with a punch (Quan and Orengo). 2000;43:854-5 (Pearls)

Current issues

- Current issues. 2000;43:708-11

Cyclophosphamide

- Immunoadjuvant high-dose cyclophosphamide without stem cell rescue in a patient with pemphigus vulgaris (Hayag et al). 2000;43:1065-9 (Therapy)

Cysticercosis

- A case of subcutaneous cysticercosis (*Cysticercus cellulosae* cutis) (Miura et al). 2000;43:538-40 (Brief rep.)

Cytokines

- Immunomodulatory and pharmacologic properties of imiquimod. (Sauder). 2000;43:56-11

D**Danaparoid**

- Delayed-type skin reaction to the heparin-alternative danaparoid (Szolar-Platzter et al). 2000;43:920-2 (Case rep.)

Darier's disease

- Epidermal naevus with Darier's disease-like changes in a patient with Gardner's syndrome (Romiti et al). 2000;43:380-2 (Case rep.)

Deciduosis

- Cutaneous deciduosis (Fair et al). 2000;43:102-7 (Case rep.)

Delusions of parasitosis

- Psychodermatology (Koo et al). 2000;43:848-53 (Periodic synopsis)
- Therapeutic update: use of risperidone for the treatment of monosymptomatic hypochondriacal psychosis (Elmer et al). 2000;43:683-6 (Therapy)

Dermatitis

- Dermatologic diseases of the breast and nipple (Whitaker-Worth et al). 2000;43:733-51 (CME article)

Dermatitis, atopic

- Hanifin's and Rajka's minor criteria for atopic dermatitis: which do 2-year-olds exhibit? (Böhme et al). 2000;43:785-92
- The prevalence of atopic dermatitis in Oregon schoolchildren (Laughter et al). 2000;43:649-55
- Psychodermatology (Koo et al). 2000;43:848-53 (Periodic synopsis)

Dermatitis, contact

- Contact sensitivity to nickel and other metals in jewelry reactors (Gawkrodger et al). 2000;43:31-6

Dermatitis herpetiformis

- A case of dermatitis herpetiformis with IgA endomysial antibodies but negative direct immunofluorescent findings (Beutner et al). 2000;43:329-32 (Case rep.)

Dermatofibroma

- Central white scarlike patch: a dermatoscopic clue for the diagnosis of dermatofibroma (Ferrari et al). 2000;43:1123-5 (Brief rep.)

Dermatologic surgery

- Dermatologic surgery. 2000;43:66-71, 275-80, 508-10, 687-90, 833-40, 1080-3

Dermatologists

- Allergists and dermatologists have far more expertise in caring for patients with urticaria than other specialists (Henderson et al). 2000;43:1084-91 (Clinical review)
- A comparison of hourly block appointments with sequential patient scheduling in a dermatologic practice (Penneys). 2000;43:809-13
- The dermatology-industry interface: defining the boundaries (Sams and Freedberg). 2000;43:550-4 (Opinion)
- Increasing supplies of dermatologists and family physicians are associated with earlier stage of melanoma detection (Roetzheim et al). 2000;43:211-18
- Losing touch with the healing art: dermatology and the decline of pastoral doctoring (Gibbs). 2000;43:875-8 (Commentary)
- Skin examinations and skin cancer prevention counseling by US physicians: a long way to go (Feldman and Fleischer). 2000; 43:234-7

Dermatomyositis

- An unusual presentation of dermatomyositis: the type Wong variant revisited (Lupton et al). 2000;43:908-12 (Case rep.)

Dermatopathology

- Dermatopathology. 2000;43:511-16, 1076-9
- Immunohistochemical stains in dermatopathology (Schach et al). 2000;43:1094-100 (Periodic synopsis)

Dermatophytosis

- Dermatophyte infections in human immune deficiency virus (HIV) disease (Johnson). 2000;43:S135-42
- Dermatophytosis: epidemiological and microbiological update (Rinaldi). 2000;43:S120-4
- Dermatophytosis consensus meeting: introduction (Wolf Jr). 2000;43:S103
- Evaluation of in vitro susceptibility of dermatophytes to oral antifungal agents (Hazen). 2000;43:S125-9
- Overview: the treatment of dermatophytosis (Rand). 2000;43: S104-12
- The treatment of dermatophytosis: safety considerations (Smith). 2000;43:S113-19

Dermatoscopy

- Preoperative assessment of melanoma thickness by ABCD score of dermatoscopy (Carli et al). 2000;43:459-66

Dermatoses, peristomal

- Peristomal dermatoses: a novel indication for topical steroid lotions (Lyon et al). 2000;43:679-82 (Therapy)

Desmoglein

- Paraneoplastic pemphigus with circulating antibodies directed exclusively against the pemphigus vulgaris antigen desmoglein 3 (Bouloc et al). 2000;43:714-17 (Brief rep.)

Diabetes

- Leg ulcers (Miller and Phillips). 2000;43:91-5 (Periodic synopsis)
- Onychomycosis and tinea pedis in patients with diabetes (Rich). 2000;43:S130-4

Digital imaging

- Surgical pearl: digital imaging for mapping Mohs surgical specimens (Papa and Ramsey). 2000;43:712-13 (Pearls)

Drugs, non-prescription

- Nineteenth-century patent medicines for the skin and hair (Albert). 2000;43:519-26 (History)

Drug samples

The dermatology-industry interface: defining the boundaries (Sams and Freedberg). 2000;43:550-4 (Opinion)

Drug therapy

A case of cutaneous reaction to chemotherapeutic agents showing epidermal dysmaturation (Chun et al). 2000;43:358-60 (Case rep.)

Dermatotherapy at the end of the century: an *ex tempore* perspective after looking into a forgotten herbal and into neglected recipes of folk medicine (Holubar and Fatovic-Ferencic). 2000;43:318-20 (History and ideas)

Medication and medical service utilization for acne 1995-1998 (Stern). 2000;43:1042-8

Pharmacology of botulinum toxin (Huang et al). 2000;43:249-59 (Therapy)

Terbinafine and potential drug interactions (Kaplan) (Letter) (Gupta et al) (Letter reply). 2000;43:882-4

Dysplasia

Pilomatrix dysplasia in an immunosuppressed patient (Chastain and Millikan). 2000;43:118-22 (Case rep.)

E

Ear

Alar batten cartilage grafting in nasal reconstruction: functional and cosmetic results (Byrd et al). 2000;43:833-6 (Derm. surgery)

Silicone auricular prosthesis (Butler et al). 2000;43:687-90 (Derm. surgery)

Surgical pearl: repair of helical rim defects with the bipedicle advancement flap (Shim and Greenway Jr). 2000;43:1109-11 (Pearls)

Surgical pearl: repair of partially torn earlobes—punch technique versus conversion to complete tear (Nikko et al). 2000;43:99-101 (Pearls)

Ectoparasitic infestations

An overview of sexually transmitted diseases. Part III. Sexually transmitted diseases in HIV-infected patients (Czelustowski et al). 2000;43:409-32 (CME article)

Ectopic respiratory mucosa

Ectopic respiratory mucosa in the skin associated with skeletal malformation and polydactyly (Alfadley et al). 2000;43:939-42 (Case rep.)

Eczema

Adult-onset recalcitrant eczema: a marker of noncutaneous lymphoma or leukemia (Callen et al). 2000;43:207-10

Mercury-induced nummular dermatitis (Adachi et al). 2000;43:383-5 (Case rep.)

Endometriosis

Cutaneous decidualis (Fair et al). 2000;43:102-7 (Case rep.)

Eosinophils infiltration

Wells syndrome associated with Churg-Strauss syndrome (Lee et al). 2000;43:556-7 (Letter)

Epidemiology

Prevalence and epidemiology of onychomycosis in patients visiting physicians' offices: a multicenter Canadian survey of 15,000 patients (Gupta et al). 2000;43:244-8

Relative frequency of various forms of primary cutaneous lymphomas (Zackheim et al). 2000;43:793-6

Epidermal dysmaturation

A case of cutaneous reaction to chemotherapeutic agents showing epidermal dysmaturation (Chun et al). 2000;43:358-60 (Case rep.)

Epidermis bullous dermatosis

Cicatricial pemphigoid (Fleming and Korman). 2000;43:571-91 (CME article)

Epidermolysis bullosa

Inherited epidermolysis bullosa comes into the new millennium: a revised classification system based on current knowledge of pathogenetic mechanisms and the clinical, laboratory, and

epidemiologic findings of large, well-defined patient cohorts (Fine et al). 2000;43:135-7 (Commentary)

Epidermophyton floccosum

Dermatophytosis: epidemiological and microbiological update (Rinaldi). 2000;43:S120-4

Epstein-Barr virus

Histopathologic features seen in Gianotti-Crosti syndrome secondary to Epstein-Barr virus (Smith and Skelton). 2000;43:1076-9 (Dermatopathology)

Erythromelalgia

Erythromelalgia: new theories and new therapies (Cohen). 2000;43:841-7 (Clinical review)

Ethics

The dermatology-industry interface: defining the boundaries (Sams and Freedberg). 2000;43:550-4 (Opinion)

Etretinate

Generalized lichen amyloidosis associated with chronic lichen planus (Hongcharu et al). 2000;43:346-8 (Case rep.)

Evidence-based medicine

Evidence-based medicine: the epistemology that isn't (Rees). 2000;43:727-9 (Opinion)

Photopheresis for systemic sclerosis: evidence? (Hirsch and Brody) (Letter) (Enomoto and Mekkes) (Letter reply). 2000;43:1137, 1137-8

F

Factitial disease

Dermatologic diseases of the breast and nipple (Whitaker-Worth et al). 2000;43:733-51 (CME article)

Fascia

Congenital fascial dystrophy: abnormal composition of the fascia (Fidzianska and Jablonska). 2000;43:797-802

Fexofenadine HCl

Effect of 60 mg twice-daily fexofenadine HCl on quality of life, work and classroom productivity, and regular activity in patients with chronic idiopathic urticaria (Thompson et al). 2000;43:24-30

Fibronectin

Immunofluorescent microscopic investigation of the distal arrector pili: a demonstration of the spatial relationship between $\alpha 5 \beta 1$ integrin and fibronectin (Clifton et al). 2000;43:19-23

Finasteride

Lack of efficacy of finasteride in postmenopausal women with androgenetic alopecia (Price et al). 2000;43:768-76

Fluconazole

Overview: the treatment of dermatophytosis (Rand). 2000;43:S104-12

The treatment of dermatophytosis: safety considerations (Smith). 2000;43:S113-19

Fluorescent antibody technique, direct

A case of dermatitis herpetiformis with IgA endomysial antibodies but negative direct immunofluorescent findings (Beutner et al). 2000;43:329-32 (Case rep.)

5-Fluorouracil

Topical tretinoin and 5-fluorouracil in the treatment of linear verrucous epidermal nevus (Kim et al). 2000;43:129-32 (Brief rep.)

Follicular hamartoma syndrome, basaloid

Autosomal dominantly inherited generalized basaloid follicular hamartoma syndrome: report of a new disease in a North Carolina family (Wheeler et al). 2000;43:189-206

Follicular mucinosis

Rapidly progressing mycosis fungoides presenting as follicular mucinosis (Bonta et al). 2000;43:635-40

Folliculitis

Pruritic folliculitis of pregnancy (Kroupouzou and Cohen). 2000;43:132-4 (Brief rep.)

Foot

Erythromelalgia: new theories and new therapies (Cohen). 2000;43:841-7 (Clinical review)

Foundation for International Dermatologic Education

Foundation for International Dermatologic Education: the first 25 years (Blankenship). 2000;43:96-8 (Special article)

From the Academy

From the Academy. 2000;43:701-7

G**Gardner's syndrome**

Epidermal naevus with Darier's disease-like changes in a patient with Gardner's syndrome (Romiti et al). 2000;43:380-2 (Case rep.)

Genetics

Acral steatocystoma multiplex (Rollins et al). 2000;43:396-9 (Case rep.)

Autosomal dominantly inherited generalized basaloid follicular hamartoma syndrome: report of a new disease in a North Carolina family (Wheeler et al). 2000;43:189-206

CADASIL: the dermatologic diagnosis of a neurologic disease (Rumbaugh et al). 2000;43:1128-30 (Brief rep.)

CADASIL (cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy): diagnostic skin biopsy changes determined by electron microscopy (Walsh et al). 2000;43:1125-7 (Brief rep.)

Congenital fascial dystrophy: abnormal composition of the fascia (Fidzianska and Jablonska). 2000;43:797-802

Idiopathic familial onychomadesis (Mehra et al). 2000;43:349-50 (Case rep.)

Incontinentia pigmenti (Mirowski and Caldemeyer). 2000;43:517-18 (Radiologic images in dermatology) (Special series)

Inherited epidermolysis bullosa comes into the new millennium: a revised classification system based on current knowledge of pathogenetic mechanisms and the clinical, laboratory, and epidemiologic findings of large, well-defined patient cohorts (Fine et al). 2000;43:135-7 (Commentary)

Mast cells in an angiosarcoma complicating xeroderma pigmentosum in a 13-year-old girl (Ludolph-Hauser et al). 2000;43:900-2 (Case rep.)

Porokeratotic eccrine ostial and dermal duct nevus: a case report and review of the literature (Sassmannshausen et al). 2000;43:364-7 (Case rep.)

Reticulate acropigmentation of Dohi: a case report of autosomal recessive inheritance. 2000;43:113-17 (Case rep.)

Segmental neurofibromatosis in association with nevus sebaceus of Jadassohn (Lupton et al). 2000;43:895-7 (Case rep.)

Unilateral lentiginosis with nevus depigmentosus on the other side (Alkemade and Juhlin). 2000;43:361-3 (Case rep.)

Unilateral multiple facial angiofibromas: a mosaic form of tuberous sclerosis (Silvestre et al). 2000;43:127-9 (Brief rep.)

Vascular changes in erythropoietic protoporphyria: histopathologic and immunohistochemical study (Timonen et al). 2000;43:489-97

Genital ulcer disease

An overview of sexually transmitted diseases. Part III. Sexually transmitted diseases in HIV-infected patients (Czelusta et al). 2000;43:409-32 (CME article)

Gianotti-Crosti syndrome

Histopathologic features seen in Gianotti-Crosti syndrome secondary to Epstein-Barr virus (Smith and Skelton). 2000;43:1076-9 (Dermatopathology)

Glycolic acid

Effects of glycolic acid on light-induced skin pigmentation in Asian and Caucasian subjects (Tsai et al). 2000;43:238-43
Correction 2000;43:609

Grand Rounds at NIH

Grand Rounds at NIH. 2000;43:698-700

Granuloma

Sarcoid tissue reaction in Sézary syndrome (Gregg et al). 2000;43:372-6 (Case rep.)

Granuloma, annulare

Chronic hepatitis C virus infection associated with a generalized granuloma annulare (Granel et al). 2000;43:918-19 (Case rep.)

Localized granuloma annulare and autoimmune thyroiditis: a new case report (Vázquez-López et al). 2000;43:943-5 (Case rep.)

Griseofulvin

Overview: the treatment of dermatophytosis (Rand). 2000;43:1104-12

The treatment of dermatophytosis: safety considerations (Smith). 2000;43:1113-19

H**Hailey-Hailey disease**

Squamous cell carcinoma arising in Hailey-Hailey disease (Holst et al). 2000;43:368-71 (Case rep.)

Hair

Hair removal with an 800-nm pulsed diode laser (Campos et al). 2000;43:442-7

Nineteenth-century patent medicines for the skin and hair (Albert). 2000;43:519-26 (History)

What is normal black African hair? a light and scanning electron-microscopic study (Khumalo et al). 2000;43:814-20

Hamartomas

Porokeratotic eccrine ostial and dermal duct nevus: a case report and review of the literature (Sassmannshausen et al). 2000;43:364-7 (Case rep.)

Hand

Erythromelalgia: new theories and new therapies (Cohen). 2000;43:841-7 (Clinical review)

Neutrophilic dermatosis of the dorsal hands: pustular vasculitis revisited (Galaria et al). 2000;43:870-4 (Brief rep.)

Plexiform neurofibroma with massive hand involvement (Lupton et al). 2000;43:1136-7 (Letter)

Health care reform

Time alone, Y2K, and for-profit medicine (Laster). 2000;43:879-80 (Beneath the surface)

Heart diseases

Ipsilateral renal dysplasia with hypertensive heart disease in an infant with cutaneous varicella lesions: an unusual presentation of congenital varicella syndrome (Liang et al). 2000;43:864-6 (Brief rep.)

Heavy metal poisoning

Mercury exposure and cutaneous disease (Boyd et al). 2000;43:81-90 (Clin. rev.)

Mercury-induced nummular dermatitis (Adachi et al). 2000;43:383-5 (Case rep.)

Helicobacter pylori

Helicobacter pylori and rosacea (Rebora and Drago). 2000;43:884 (Letter)

Hemangioma

Treatment of a subungual hemangioma with flashlamp-pumped pulsed-dye laser (Poetke and Berlien). 2000;43:1135-6 (Letter)

Heparin

Delayed-type skin reaction to the heparin-alternative danaparoid (Szolar-Platzer et al). 2000;43:920-2 (Case rep.)

Hepatitis B virus

An overview of sexually transmitted diseases. Part III. Sexually transmitted diseases in HIV-infected patients (Czelusta et al). 2000;43:409-32 (CME article)

Hepatitis C virus

An overview of sexually transmitted diseases. Part III. Sexually transmitted diseases in HIV-infected patients (Czelusta et al). 2000;43:409-32 (CME article)

Capillaritis associated with interferon-alfa treatment of chronic hepatitis C infection (Gupta et al). 2000;43:937-8 (Case rep.)

Chronic hepatitis C virus infection associated with a generalized granuloma annulare (Granel et al). 2000;43:918-19 (Case rep.)

- Synchronous development of disseminated superficial porokeratosis and hepatitis C virus-related hepatocellular carcinoma (Kono et al). 2000;43:966-8 (Case rep.)
- Hepatocellular carcinoma**
Synchronous development of disseminated superficial porokeratosis and hepatitis C virus-related hepatocellular carcinoma (Kono et al). 2000;43:966-8 (Case rep.)
- Herpesvirus, Kaposi's sarcoma-associated**
An overview of sexually transmitted diseases. Part III. Sexually transmitted diseases in HIV-infected patients (Czelusta et al). 2000;43:409-32 (CME article)
Long latency of human herpesvirus type 8 infection and the appearance of classic Kaposi's sarcoma (Cerimele et al) (Letter) (Simonart and Van Vooren) (Letter reply). 2000;43:731-2
- Herpesvirus 3, human**
Ipsilateral renal dysplasia with hypertensive heart disease in an infant with cutaneous varicella lesions: an unusual presentation of congenital varicella syndrome (Liang et al). 2000;43:864-6 (Brief rep.)
- Hidradenitis suppurativa**
Dermatologic diseases of the breast and nipple (Whitaker-Worth et al). 2000;43:733-51 (CME article)
- High school athletes**
Tinea corporis gladiatorum: a cross-sectional study (Adams). 2000;43:1039-41
- Hirudo medicinalis therapy**
Multiple pseudolymphomas caused by *Hirudo medicinalis* therapy (Smolle et al). 2000;43:867-9 (Brief rep.)
- History and ideas**
History and ideas. 2000;43:318-20
- History of medicine**
Dermatotherapy at the end of the century: an *ex tempore* perspective after looking into a forgotten herbal and into neglected recipes of folk medicine (Holubar and Fatovic-Ferencic). 2000;43:318-20
The nature of solar keratosis: a critical review in historical perspective (Heaphy and Ackerman). 2000;43:138-50
Nineteenth-century patent medicines for the skin and hair (Albert). 2000;43:519-26
- Hospitalization**
Sustained improvement of the quality of life of patients with psoriasis after hospitalization (Vensel et al). 2000;43:858-60 (Brief rep.)
- Human immunodeficiency virus**
An overview of sexually transmitted diseases. Part III. Sexually transmitted diseases in HIV-infected patients (Czelusta et al). 2000;43:409-32 (CME article)
Dermatophyte infections in human immune deficiency virus (HIV) disease (Johnson). 2000;43:S135-42
Immunomodulatory therapy in the management of viral infections in patients with HIV infection (Conant). 2000;43:S27-30
Large plantar wart caused by human papillomavirus-66 and resolution by topical cidofovir therapy (Davis et al). 2000;43:340-3 (Case rep.)
Papular-purpuric gloves and socks syndrome in HIV-positive patients (Ghigliotti et al). 2000;43:916-17 (Case rep.)
- Hunter-Russell syndrome**
Mercury exposure and cutaneous disease (Boyd et al). 2000;43:81-90 (Clin. rev.)
- Hutchinson's melanotic freckle**
Fractionated radiotherapy of lentigo maligna and lentigo maligna melanoma in 64 patients (Schmid-Wendtner et al). 2000;43:477-82
- Hyperkeratosis**
Confocal laser microscopic imaging of actinic keratoses in vivo: a preliminary report (Aghassi et al). 2000;43:42-8
Dermatologic diseases of the breast and nipple (Whitaker-Worth et al). 2000;43:733-51 (CME article)
- Hyperpigmentation**
Laser treatment of imipramine-induced hyperpigmentation (Atkin and Fitzpatrick). 2000;43:77-80 (Laser surgery)
Persistent serpentine suprapneous hyperpigmented eruption as an adverse reaction to chemotherapy combining actinomycin and vincristine (Marcoux et al). 2000;43:540-6 (Brief rep.)
Treatment of nonmelanotic hyperpigmentation with the Q-switched ruby laser (Becker-Wegerich et al). 2000;43:272-4. Correction 2000;43:609 (Laser surgery)
- Hyperplasia**
Elucidating the pulsed-dye laser treatment of sebaceous hyperplasia in vivo with real-time confocal scanning laser microscopy (Aghassi et al). 2000;43:49-53
- Hyperthermia**
Hyperthermic treatment of Bowen's disease with disposable chemical pocket warmers: a report of 8 cases (Hiruma and Kawada). 2000;43:1070-5 (Therapy)
- Hypochondriasis**
Therapeutic update: use of risperidone for the treatment of monosymptomatic hypochondriacal psychosis (Elmer et al). 2000;43:683-6 (Therapy)
- I
- Imipramine**
Laser treatment of imipramine-induced hyperpigmentation (Atkin and Fitzpatrick). 2000;43:77-80 (Laser surgery)
- Imiquimod**
Human papillomavirus infections: epidemiology, pathogenesis, and host immune response (Tyring). 2000;43:S18-26
Imiquimod: an immune response modifier (Dahl). 2000;43:S1-5
Imiquimod in clinical practice (Edwards). 2000;43:S12-17
Immunomodulatory and pharmacologic properties of imiquimod. (Sauder). 2000;43:S6-11
Immunomodulatory therapy in the management of viral infections in patients with HIV infection (Conant). 2000;43:S27-30
Topical imiquimod treatment of a cutaneous melanoma metastasis (Steinman et al). 2000;43:555-6 (Letter)
- Immunoglobulins**
Analysis of current data on the use of intravenous immunoglobulins in management of pemphigus vulgaris (Engineer et al). 2000;43:1049-57 (Therapy)
A case of dermatitis herpetiformis with IgA endomysial antibodies but negative direct immunofluorescent findings (Beutner et al). 2000;43:329-32 (Case rep.)
IgA pemphigus: a case report and its characteristic clinical features compared with subcorneal pustular dermatosis (Niimi et al). 2000;43:546-9 (Brief rep.)
Rapid response to IgA pemphigus of subcorneal pustular dermatosis type to treatment with isotretinoin (Grusset al). 2000;43:923-6 (Case rep.)
Scleromyxedema: response to high-dose intravenous immunoglobulin (hdIVIg) (Lister et al). 2000;43:403-8 (Case rep.)
- Immunohistochemistry**
Immunohistochemical stains in dermatopathology (Schach et al). 2000;43:1094-100 (Periodic synopsis)
- Immunoperoxidase**
Current concepts: the use of immunoperoxidase techniques in Mohs micrographic surgery (Mondragon and Barrett). 2000;43:66-71 (Derm. surgery)
- Immunosuppression**
Cutaneous *Mycobacterium chelonae* in a liver transplant patient (Nathan et al). 2000;43:333-6 (Case rep.)
Dermatologic changes associated with roquinimex immunotherapy after autologous bone marrow transplant (Ohsuga et al). 2000;43:437-41
Pilomatrix dysplasia in an immunosuppressed patient (Chastain and Millikan). 2000;43:118-22 (Case rep.)

The use of plasmapheresis and immunosuppression in the treatment of pemphigus vulgaris (Turner et al). 2000;43:1058-64 (Therapy)

Immunotherapy

Advances in specific immunotherapy of malignant melanoma (Curiel-Lewandrowski and Demierre). 2000;43:167-85 (CME article)

Imiquimod: an immune response modifier (Dahl). 2000;43:S1-5

IMUCLONE

Anti-CD4 monoclonal antibody treatment of moderate to severe psoriasis vulgaris: results of a pilot, multicenter, multiple-dose, placebo-controlled study (Gottlieb et al). 2000;43:595-604

In memoriam

Milton Orkin (1929-1999) (Dahl). 2000;43:885-6

Insect repellents

The effect of sunscreen on the efficacy of insect repellent: a clinical trial (Murphy ME et al). 2000;43:219-22

Integrins

Immunofluorescent microscopic investigation of the distal arrector pili: a demonstration of the spatial relationship between $\alpha 5 \beta 1$ integrin and fibronectin (Clifton et al). 2000;43:16

Interferon

Capillitis associated with interferon- α treatment of chronic hepatitis C infection (Gupta et al). 2000;43:937-8 (Case rep.)

Chronic hepatitis C virus infection associated with a generalized granuloma annulare (Granel et al). 2000;43:918-19 (Case rep.)

Imiquimod: an immune response modifier (Dahl). 2000;43:S1-5

Immunomodulatory and pharmacologic properties of imiquimod. (Sauder). 2000;43:S6-11

Paradoxical effect of interferon α on lichen myxedematosus (Rongioletti and Rebora). 2000;43:730 (Letter)

The use of interferon α as adjuvant therapy for advanced cutaneous melanoma: the need for more evidence (Kimyai-Asadi and Usman). 2000;43:708-11 (Current issues)

Interleukin 2

Capillary leak syndrome in a patient treated with interleukin 2 fusion toxin for cutaneous T-cell lymphoma (Railan et al). 2000;43:323-4 (Letter)

Interleukin 12

Immunomodulatory and pharmacologic properties of imiquimod. (Sauder). 2000;43:S6-11

Iodine

Potassium iodide in dermatology: a 19th century drug for the 21st century—uses, pharmacology, adverse effects, and contraindications (Sterling and Heymann). 2000;43:691-7 (Clin. review)

Iotaderma

Iotaderma. 2000;43:101, 307, 528, 713, 855, 1111

Isotretinoin

Concomitant administration of vitamin E does not change the side effects of isotretinoin as used in acne vulgaris: a randomized trial (Strauss et al). 2000;43:777-84

Rapid response to IgA pemphigus of subcorneal pustular dermatosis type to treatment with isotretinoin (Grusset al). 2000;43:923-6 (Case rep.)

Itraconazole

Overview: the treatment of dermatophytosis (Rand). 2000;43:S104-12

The treatment of dermatophytosis: safety considerations (Smith). 2000;43:S113-19

J

Japan

A case of subcutaneous cysticercosis (*Cysticercus cellulosae* cutis) (Miura et al). 2000;43:538-40 (Brief rep.)

K

Kaposi's sarcoma

Immunomodulatory therapy in the management of viral infections in patients with HIV infection (Conant). 2000;43:S27-30

Long latency of human herpesvirus type 8 infection and the appearance of classic Kaposi's sarcoma (Cerimele et al) (Letter) (Simonart and Van Vooren) (Letter reply). 2000;43:731-2

Lymphangioma-like Kaposi's sarcoma: etiology and literature review (Davis and Scott et al). 2000;43:123-7 (Brief rep.)

Keratoses

Actinic keratosis is squamous cell carcinoma (Lober et al). 2000;43:881-2 (Letter)

Confocal laser microscopic imaging of actinic keratoses in vivo: a preliminary report (Aghassi et al). 2000;43:42-8

The nature of solar keratosis: a critical review in historical perspective (Heaphy and Ackerman). 2000;43:138-50 (Historical perspective and commentary)

Treatment of keratoderma blennorrhagicum with tazarotene gel 0.1% (Lewis et al). 2000;43:400-2 (Case rep.)

Ketoconazole

Overview: the treatment of dermatophytosis (Rand). 2000;43:S104-12

The treatment of dermatophytosis: safety considerations (Smith). 2000;43:S113-19

Ki-67 antigen

Prognostic value of Ki-67 expression in localized cutaneous malignant melanoma (Henrique et al). 2000;43:991-1000

Kidney

Ipsilateral renal dysplasia with hypertensive heart disease in an infant with cutaneous varicella lesions: an unusual presentation of congenital varicella syndrome (Liang et al). 2000;43:864-6 (Brief rep.)

Kidney failure, chronic

Cutaneous manifestations of end-stage renal disease (Robinson-Bostom and DiGiovanna). 2000;43:975-86 (CME article)

Kimura's disease

Kimura's disease with oral ulcers: response to pentoxifylline (Hongcharu et al). 2000;43:905-7 (Case rep.)

L

Lamotrigine

Stevens-Johnson syndrome associated with concomitant use of lamotrigine and valproic acid (Yalçin and Karaduman). 2000;43:898-9 (Case rep.)

Laser surgery

Laser treatment of imipramine-induced hyperpigmentation (Atkin and Fitzpatrick). 2000;43:77-80

Short-pulse carbon dioxide laser resurfacing of the neck (Behroozan et al). 2000;43:72-6

Treatment of a subungual hemangioma with flashlamp-pumped pulsed-dye laser (Poetke and Berlien). 2000;43:1135-6 (Letter)

Treatment of Bowen's disease of the digit with carbon dioxide laser (Tantikun). 2000;43:1080-3 (Derm. surgery)

Treatment of nonmelanotic hyperpigmentation with the Q-switched ruby laser (Becker-Wegerich et al). 2000;43:272-4. Correction 2000;43:609

Laser therapy

Elucidating the pulsed-dye laser treatment of sebaceous hyperplasia in vivo with real-time confocal scanning laser microscopy (Aghassi et al). 2000;43:49-53

Hair removal with an 800-nm pulsed diode laser (Campos et al). 2000;43:442-7

Pulsed-dye laser versus conventional therapy in the treatment of warts: a prospective randomized trial (Robson et al). 2000;43:275-80 (Derm. surgery)

Time-sequence histologic imaging of laser-treated cherry angiomas with in vivo confocal microscopy (Aghassi et al). 2000;43:37-41

- Treatment of Birt-Hogg-Dubé syndrome with erbium:YAG laser (Gambichler et al). 2000;43:856-8 (Brief rep.)
- Leeches**
Multiple pseudolymphomas caused by *Hirudo medicinalis* therapy (Smolle et al). 2000;43:867-9 (Brief rep.)
- Leg ulcers**
Leg ulcers in peripheral arterial disease (arterial leg ulcers): impaired wound healing above the threshold of chronic critical limb ischemia (Hafner et al). 2000;43:1001-8
Leg ulcers (Miller and Phillips). 2000;43:91-5 (Periodic synopsis)
- Lentiginosis**
Unilateral lentiginosis with nevus depigmentosus on the other side (Alkemade and Juhlin). 2000;43:361-3 (Case rep.)
- Lentigo maligna**
Fractionated radiotherapy of lentigo maligna and lentigo maligna melanoma in 64 patients (Schmid-Wendtner et al). 2000;43:477-82
- Leprosy**
Armadillo exposure and Hansen's disease: an epidemiologic survey in southern Texas (Bruce et al). 2000;43:223-8
- Leser-Trélat, sign of**
The sign of Leser-Trélat in a case of adenocarcinoma of the lung (Heaphy et al). 2000;43:386-90 (Case rep.)
- Letters**
Letters. 2000;43:154-8, 323-6, 555-60, 730-2, 881-4, 1135-8
- Leukemia**
Adult-onset recalcitrant eczema: a marker of noncutaneous lymphoma or leukemia (Callen et al). 2000;43:207-10
All-trans-retinoic acid-induced scrotal ulcerations in a patient with acute promyelocytic leukemia (Esser et al). 2000;43:316-17 (Brief rep.)
- Lichen amyloidosis**
Generalized lichen amyloidosis associated with chronic lichen planus (Hongcharu et al). 2000;43:346-8 (Case rep.)
- Lichen myxedematosus**
Paradoxical effect of interferon alfa on lichen myxedematosus (Rongioletti and Rebora). 2000;43:730 (Letter)
- Lichen planus**
Generalized lichen amyloidosis associated with chronic lichen planus (Hongcharu et al). 2000;43:346-8 (Case rep.)
Oral metronidazole treatment of lichen planus (Büyükc and Kavala). 2000;43:260-2 (Therapy)
- Lichen sclerosus**
Androgen receptors and lichen sclerosus (Carlson and Murphy) (Letter) (Clifton and Smoller) (Letter reply). 2000; 43:559-60
A case of extragenital lichen sclerosus following Blaschko's lines (Choi et al). 2000;43:903-4 (Case rep.)
- Lichenoid keratosis**
Lichenoid keratosis: a clinicopathologic study of 17 patients (Jang et al). 2000;43:511-16 (Dermatopathology)
- Linear IgA bullous dermatosis**
Cicatricial pemphigoid (Fleming and Korman). 2000;43:571-91 (CME article)
- Lipodermatosclerosis**
Treatment of lipodermatosclerosis with oxandrolone in a patient with stanozolol-induced hepatotoxicity (Segal et al). 2000;43:558-9 (Letter)
- Liver**
Cutaneous manifestations of alcohol abuse (Smith and Fenske). 2000;43:1-6 (CME article)
- Liver transplantation**
Cutaneous *Mycobacterium chelonae* in a liver transplant patient (Nathan et al). 2000;43:333-6 (Case rep.)
Erythematous plaques due to platelet plugging: a clue to underlying myeloproliferative disorder (Stone et al). 2000;43:355-7 (Case rep.)
- Lung**
The sign of Leser-Trélat in a case of adenocarcinoma of the lung (Heaphy et al). 2000;43:386-90 (Case rep.)
- Lupus erythematosus**
Dermatologic diseases of the breast and nipple (Whitaker-Worth et al). 2000;43:733-51 (CME article)
- Lupus erythematosus, bullous systemic**
Cicatricial pemphigoid (Fleming and Korman). 2000;43:571-91 (CME article)
- Lymphadenectomy**
Combined sentinel lymphadenectomy and Mohs micrographic surgery for high-risk cutaneous squamous cell carcinoma (Weisberg et al). 2000;43:483-8
- Lymphangioma-like Kaposi's sarcoma**
Lymphangioma-like Kaposi's sarcoma: etiology and literature review (Davis and Scott et al). 2000;43:123-7 (Brief rep.)
- Lymphogranuloma venereum**
An overview of sexually transmitted diseases. Part III. Sexually transmitted diseases in HIV-infected patients (Czelusta et al). 2000;43:409-32 (CME article)
- Lymphoma**
Adult-onset recalcitrant eczema: a marker of noncutaneous lymphoma or leukemia (Callen et al). 2000;43:207-10
Relative frequency of various forms of primary cutaneous lymphomas (Zackheim et al). 2000;43:793-6
- Lymphoma, B-cell**
Paraneoplastic pemphigus with circulating antibodies directed exclusively against the pemphigus vulgaris antigen desmoglein 3 (Boulloc et al). 2000;43:714-17 (Brief rep.)
Primary cutaneous plasmacytoma: report of a case with review of the literature (Muscardin et al). 2000;43:962-5 (Case rep.)
- Lymphoma, non-Hodgkin's**
Widespread cutaneous vascular papules associated with peripheral blood eosinophilia and prominent inguinal lymphadenopathy (Blauvelt et al). 2000;43:698-700 (Grand Rounds at NIH)
- Lymphoma, T-cell**
Capillary leak syndrome in a patient treated with interleukin 2 fusion toxin for cutaneous T-cell lymphoma (Railan et al). 2000;43:323-4 (Letter)
Extracorporeal photochemotherapy alone or with adjuvant therapy in the treatment of cutaneous T-cell lymphoma: a 9-year retrospective study at a single institution (Bisaccia et al). 2000;43:263-71 (Therapy)
Mycosis fungoides d'embellie: CD30-negative cutaneous large T-cell lymphoma (O'Quinn et al). 2000;43:861-3 (Brief rep.)
Nonerythrodermic, leukemic variant of cutaneous T-cell lymphoma with indolent clinical course: Th2-type tumor cells lacking T-cell receptor/CD3 expression and infiltrating tumoricidal CD8⁺ T cells (Tokura et al). 2000;43:946-54 (Case rep.)
Sarcoidal tissue reaction in Sézary syndrome (Gregg et al). 2000;43:372-6 (Case rep.)
Ultraviolet A1 (340-400 nm) phototherapy for cutaneous T-cell lymphoma? (Ständer and Schwarz). 2000;43:881 (Letter)
- M
- Malakoplakia**
Cutaneous malakoplakia: a report of two cases with the use of anti-BCG for the detection for micro-organisms (Mehregan et al). 2000;43:351-4 (Case rep.)
- Mastitis**
Dermatologic diseases of the breast and nipple (Whitaker-Worth et al). 2000;43:733-51 (CME article)
- Mastocytosis**
Telangiectasia macularis eruptiva perstans and multiple myeloma (Bachmeyer et al). 2000;43:972-4 (Case rep.)
- Medicine, herbal**
Dermatotherapy at the end of the century: an *ex tempore* perspective after looking into a forgotten herbal and into neglected recipes of folk medicine (Holubar and Fatovic-Ferencic). 2000;43:318-20 (History and ideas)

Medicine, traditional

Dermatotherapy at the end of the century: an *ex tempore* perspective after looking into a forgotten herbal and into neglected recipes of folk medicine (Holubar and Fatovic-Ferencic). 2000;43:318-20 (History and ideas)

Medroxyprogesterone acetate

Pigmented purpuric eruption associated with injection medroxyprogesterone acetate (Tsao and Lerner). 2000;43:308-10 (Brief rep.)

Melanocytosis

Acquired dermal melanocytosis in an African-American: a case report (Buka et al). 2000;43:934-6 (Case rep.)

Melanoma

Advances in specific immunotherapy of malignant melanoma (Curiel-Lewandrowski and Demierre). 2000;43:167-85 (CME article)

Dermoscopic features of cutaneous local recurrent melanoma (Ferrari et al). 2000;43:722-4 (Brief rep.)

Follow-up of melanocytic skin lesions with digital epiluminescence microscopy: patterns of modifications observed in early melanoma, atypical nevi, and common nevi (Kittler et al). 2000;43:467-76

Fractionated radiotherapy of lentigo maligna and lentigo maligna melanoma in 64 patients (Schmid-Wendtner et al). 2000;43:477-82

Increasing supplies of dermatologists and family physicians are associated with earlier stage of melanoma detection (Roetzheim et al). 2000;43:211-18

Late metastases of cutaneous melanoma: an analysis of 31 patients (Schmid-Wendtner et al). 2000;43:605-9

Preoperative assessment of melanoma thickness by ABCD score of dermatoscopy (Carli et al). 2000;43:459-66

Prognostic value of Ki-67 expression in localized cutaneous malignant melanoma (Henrique et al). 2000;43:991-1000

Standards of care for patients with malignant melanoma: (Dunn and Zitelli) (Letter); (Glass et al) (Letter reply). 2000;43:155-8

Topical imiquimod treatment of a cutaneous melanoma metastasis (Steinman et al). 2000;43:555-6 (Letter)

The use of interferon alfa as adjuvant therapy for advanced cutaneous melanoma: the need for more evidence (Kimiya-Asadi and Usman). 2000;43:708-11 (Current issues)

Mercury

Mercury exposure and cutaneous disease (Boyd et al). 2000;43:81-90 (Clin. rev.)

Mercury-induced nummular dermatitis (Adachi et al). 2000;43:383-5 (Case rep.)

Merkel cell carcinoma

Merkel cell carcinoma: report of 10 cases and review of the literature (Akhtar et al). 2000;43:755-67

Metals

Contact sensitivity to nickel and other metals in jewelry reactors (Gawkrödger et al). 2000;43:31-6

Metastasis

Aortic angiosarcoma presenting with cutaneous metastasis: case report and review of the literature (Rudd et al). 2000;43:930-3 (Case rep.)

Late metastases of cutaneous melanoma: an analysis of 31 patients (Schmid-Wendtner et al). 2000;43:605-9

Prognostic value of Ki-67 expression in localized cutaneous malignant melanoma (Henrique et al). 2000;43:991-1000

Topical imiquimod treatment of a cutaneous melanoma metastasis (Steinman et al). 2000;43:555-6 (Letter)

Metronidazole

Oral metronidazole treatment of lichen planus (Büyük and Kavala). 2000;43:260-2 (Therapy)

Microscopy, confocal

Confocal laser microscopic imaging of actinic keratoses in vivo: a preliminary report (Aghassi et al). 2000;43:42-8

Elucidating the pulsed-dye laser treatment of sebaceous hyperplasia in vivo with real-time confocal scanning laser microscopy (Aghassi et al). 2000;43:49-53

Time-sequence histologic imaging of laser-treated cherry angiomas with in vivo confocal microscopy (Aghassi et al). 2000;43:37-41

Microscopy, epiluminescence

Dermoscopic features of cutaneous local recurrent melanoma (Ferrari et al). 2000;43:722-4 (Brief rep.)

Follow-up of melanocytic skin lesions with digital epiluminescence microscopy: patterns of modifications observed in early melanoma, atypical nevi, and common nevi (Kittler et al). 2000;43:467-76

Preoperative assessment of melanoma thickness by ABCD score of dermatoscopy (Carli et al). 2000;43:459-66

Microscopy, scanning, electron

CADASIL (cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy): diagnostic skin biopsy changes determined by electron microscopy (Walsh et al). 2000;43:1125-7 (Brief rep.)

What is normal black African hair? a light and scanning electron-microscopic study (Khumalo et al). 2000;43:814-20

Microsporium canis

Dermatophytosis: epidemiological and microbiological update (Rinaldi). 2000;43:S120-4

Microsporium gypseum

Dermatophytosis: epidemiological and microbiological update (Rinaldi). 2000;43:S120-4

Mohs surgery

Combined sentinel lymphadenectomy and Mohs micrographic surgery for high-risk cutaneous squamous cell carcinoma (Weisberg et al). 2000;43:483-8

Current concepts: the use of immunoperoxidase techniques in Mohs micrographic surgery (Mondragon and Barrett). 2000;43:66-71 (Derm. surgery)

Primary closure for midline defects of the nose: a simple approach to reconstruction (Cook and Zitelli). 2000;43:508-10 (Derm. surgery)

Surgical pearl: digital imaging for mapping Mohs surgical specimens (Papa and Ramsey). 2000;43:712-13 (Pearls)

Molluscum contagiosum

Childhood molluscum contagiosum: experience with cantharidin therapy in 300 patients (Silverberg et al). 2000;43:503-7 (Therapy)

Imiquimod in clinical practice (Edwards). 2000;43:S12-17

An overview of sexually transmitted diseases. Part III. Sexually transmitted diseases in HIV-infected patients (Czelusta et al). 2000;43:409-32 (CME article)

Mondor's disease

Dermatologic diseases of the breast and nipple (Whitaker-Worth et al). 2000;43:733-51 (CME article)

Morphea

Dermatologic diseases of the breast and nipple (Whitaker-Worth et al). 2000;43:733-51 (CME article)

Double-blind, placebo-controlled study of oral calcitriol for the treatment of localized and systemic scleroderma (Hulshoff et al). 2000;43:1017-23

Mucous membrane

Topical anesthetics in dermatology (Huang and Vidimos). 2000;43:286-98 (Clin. rev.)

Multiple myeloma

Telangiectasia macularis eruptiva perstans and multiple myeloma (Bachmeyer et al). 2000;43:972-4 (Case rep.)

Mycobacterium bovis

Primary tuberculous chancre caused by *Mycobacterium bovis* after goring with a bull's horn (Ara et al). 2000;43:535-7 (Brief rep.)

Mycobacterium chelonae

Cutaneous *Mycobacterium chelonae* in a liver transplant patient (Nathan et al). 2000;43:333-6 (Case rep.)

Mycobacterium haemophilum

An annular plaque due to *Mycobacterium haemophilum* infec-

tion in a patient with AIDS (Friedli et al). 2000;43:913-15 (Case rep.)

Mycobacterium leprae

Armadillo exposure and Hansen's disease: an epidemiologic survey in southern Texas (Bruce et al). 2000;43:223-8

Mycosis fungoides

Experience with total skin electron beam therapy in combination with extracorporeal photopheresis in the management of patients with erythrodermic (T4) mycosis fungoides (Wilson et al). 2000;43:54-60 (Therapy)

Mycosis fungoides d'emblee: CD30-negative cutaneous large T-cell lymphoma (O'Quinn et al). 2000;43:861-3 (Brief rep.)

Rapidly progressing mycosis fungoides presenting as follicular mucinosis (Bonta et al). 2000;43:635-40

Myeloproliferative disorder

Erythematous plaques due to platelet plugging: a clue to underlying myeloproliferative disorder (Stone et al). 2000;43:355-7 (Case rep.)

Myxoma

Solitary cutaneous myxoma (Alaiti et al). 2000;43:377-9 (Case rep.)

N

Nails

Ciclopirox nail lacquer: the first prescription topical therapy for onychomycosis—introduction (Baran). 2000;43:S55-6

Ciclopirox nail lacquer solution 7% in the 21st century (Gupta and Baran). 2000;43:S96-102

Ciclopirox nail lacquer topical solution 8% in the treatment of toenail onychomycosis (Gupta et al). 2000;43:S70-80

Dermatopharmacology of ciclopirox nail lacquer topical solution 8% in the treatment of onychomycosis (Bohn and Kraemer). 2000;43:S57-69

Idiopathic familial onychomadesis (Mehra et al). 2000;43:349-50 (Case rep.)

A large-scale North American study of fungal isolates from nails: the frequency of onychomycosis, fungal distribution, and antifungal susceptibility patterns (Ghannoum et al). 2000;43:641-8

Nail involvement in pemphigus vulgaris. (Engineer et al). 2000;43:529-35 (Brief rep.)

Pharmacoeconomic analysis of ciclopirox nail lacquer solution 8% and the new oral antifungal agents used to treat dermatophyte toe onychomycosis in the United States (Gupta). 2000;43:S81-95

Prevalence and epidemiology of onychomycosis in patients visiting physicians' offices: a multicenter Canadian survey of 15,000 patients (Gupta et al). 2000;43:244-8

Treatment of a subungual hemangioma with flashlamp-pumped pulsed-dye laser (Poetke and Berlien). 2000;43:1135-6 (Letter)

Neck

Short-pulse carbon dioxide laser resurfacing of the neck (Behroozan et al). 2000;43:72-6 (Laser surgery)

Necrosis, digital

Raynaud's phenomenon, anticentromere antibodies, and digital necrosis without sclerodactyly: an entity independent of scleroderma? (Sachsenberg-Studer et al). 2000;43:631-4

Neonates

Transplacental passage of maternal pemphigus foliaceus autoantibodies induces neonatal pemphigus (Avalos-Díaz et al). 2000;43:1130-4 (Brief rep.)

Nervous system diseases

CADASIL: the dermatologic diagnosis of a neurologic disease (Rumbaugh et al). 2000;43:1128-30 (Brief rep.)

Neurofibromatosis

Localized pruritus: a presenting symptom of a spinal cord tumor in a child with features of neurofibromatosis (Johnson et al). 2000;43:958-61 (Case rep.)

Plexiform neurofibroma with massive hand involvement (Lupton et al). 2000;43:1136-7 (Letter)

Segmental neurofibromatosis in association with nevus sebaceus of Jadassohn (Lupton et al). 2000;43:895-7 (Case rep.)

Neutrophil infiltration

Cavitating pulmonary infiltrate in an adolescent with pyoderma gangrenosum: a rarely recognized extracutaneous manifestation of a neutrophilic dermatosis (Brown et al). 2000;43:10812 (Case rep.)

Rapid improvement of psoriasis vulgaris during drug-induced agranulocytosis (Toichi et al). 2000;43:391-5 (Case rep.)

Neutrophilic dermatosis of the dorsal hands

Neutrophilic dermatosis of the dorsal hands: pustular vasculitis revisited (Galaria et al). 2000;43:870-4 (Brief rep.)

Nevus

Epidermal naevus with Darier's disease-like changes in a patient with Gardner's syndrome (Romiti et al). 2000;43:380-2 (Case rep.)

Segmental neurofibromatosis in association with nevus sebaceus of Jadassohn (Lupton et al). 2000;43:895-7 (Case rep.)

Topical tretinoin and 5-fluorouracil in the treatment of linear verrucous epidermal nevus (Kim et al). 2000;43:129-32 (Brief rep.)

Unilateral atrophic skin lesion with features of atrophoderma vermiculatum: a variant of the epidermal nevus syndrome? (Hsu and Nikko). 2000;43:310-12 (Brief rep.)

Nevus comedonicus

Two cases of nevus comedonicus: successful treatment of keratin plugs with a pore strip (Inoue et al). 2000;43:927-9 (Case rep.)

Nickel

Contact sensitivity to nickel and other metals in jewelry reactors (Gawkrödger et al). 2000;43:31-6

North America

A large-scale North American study of fungal isolates from nails: the frequency of onychomycosis, fungal distribution, and antifungal susceptibility patterns (Ghannoum et al). 2000;43:641-8

Norway

The burden of psoriasis: a study concerning health-related quality of life among Norwegian adult patients with psoriasis compared with general population norms (Wahl et al). 2000;43:803-8

Nose

Alar batten cartilage grafting in nasal reconstruction: functional and cosmetic results (Byrd et al). 2000;43:833-6 (Derm. surgery)

Nasal reconstruction utilizing a muscle hinge flap with overlying full-thickness skin graft (Fader et al). 2000;43:837-40 (Derm. surgery)

Primary closure for midline defects of the nose: a simple approach to reconstruction (Cook and Zitelli). 2000;43:508-10 (Derm. surgery)

Primary cutaneous cryptococcosis of the nose in an immunocompetent woman (Patelet al). 2000;43:344-5 (Case rep.)

O

OKTcd4a (anti-CD4 monoclonal antibody)

Anti-CD4 monoclonal antibody treatment of moderate to severe psoriasis vulgaris: results of a pilot, multicenter, multiple-dose, placebo-controlled study (Gottlieb et al). 2000;43:595-604

Onychomadesis

Idiopathic familial onychomadesis (Mehra et al). 2000;43:349-50 (Case rep.)

Onychomycosis

Ciclopirox nail lacquer: the first prescription topical therapy for onychomycosis—introduction (Baran). 2000;43:S55-6

Ciclopirox nail lacquer solution 7% in the 21st century (Gupta and Baran). 2000;43:S96-102

- Ciclopirox nail lacquer topical solution 8% in the treatment of toenail onychomycosis (Gupta et al). 2000;43:570-80
- Dermatopharmacology of ciclopirox nail lacquer topical solution 8% in the treatment of onychomycosis (Bohn and Kraemer). 2000;43:557-69
- A large-scale North American study of fungal isolates from nails: the frequency of onychomycosis, fungal distribution, and antifungal susceptibility patterns (Ghannoum et al). 2000;43:641-8
- Onychomycosis and tinea pedis in patients with diabetes (Rich). 2000;43:S130-4
- Pharmacoeconomic analysis of ciclopirox nail lacquer solution 8% and the new oral antifungal agents used to treat dermatophyte toe onychomycosis in the United States (Gupta). 2000;43:S81-95
- Prevalence and epidemiology of onychomycosis in patients visiting physicians' offices: a multicenter Canadian survey of 15,000 patients (Gupta et al). 2000;43:244-8
- Opiates**
- Opiate-mediated pruritus and citation etiquette (Bernstein) (Letter) (Bergasa and Jones) (Letter reply) (Bernhard) (Comment from the editor). 2000;43:324-5
- Opinion**
- Opinion. 2000;43:550-4, 727-9
- Oral ulcers**
- Kimura's disease with oral ulcers: response to pentoxifylline (Hongcharu et al). 2000;43:905-7 (Case rep.)
- Oregon**
- The prevalence of atopic dermatitis in Oregon schoolchildren (Laughter et al). 2000;43:649-55
- Osteoma cutis**
- Osteoma cutis coexisting with cutis laxa-like pseudoxanthoma elasticum (Choi et al). 2000;43:337-9 (Case rep.)
- Oxandrolone**
- Treatment of lipodermatosclerosis with oxandrolone in a patient with stanozolol-induced hepatotoxicity (Segal et al). 2000;43:558-9 (Letter)
- P*
- Pain**
- Erythromelalgia: new theories and new therapies (Cohen). 2000;43:841-7 (Clin. review)
- Papillomavirus, human**
- An overview of sexually transmitted diseases. Part III. Sexually transmitted diseases in HIV-infected patients (Czelusta et al). 2000;43:409-32 (CME article)
- Human papillomavirus infections: epidemiology, pathogenesis, and host immune response (Tyring). 2000;43:S18-26
- Large plantar wart caused by human papillomavirus-66 and resolution by topical cidofovir therapy (Davis et al). 2000;43:340-3 (Case rep.)
- Papular-purpuric gloves and socks syndrome**
- Papular-purpuric gloves and socks syndrome in HIV-positive patients (Ghigliotti et al). 2000;43:916-17 (Case rep.)
- Paraneoplastic pemphigus**
- Cicatricial pemphigoid (Fleming and Korman). 2000;43:571-91 (CME article)
- Sensitivity and specificity of clinical, histologic, and immunologic features in the diagnosis of paraneoplastic pemphigus (Joly et al). 2000;43:619-26
- Paronychia**
- Nail involvement in pemphigus vulgaris. (Engineer et al). 2000;43:529-35 (Brief rep.)
- Parotid neoplasms**
- Parotid oncocytoma in the Birt-Hogg-Dubé syndrome (Liu et al). 2000;43:1120-2 (Case rep.)
- Parvovirus B19**
- Papular-purpuric gloves and socks syndrome in HIV-positive patients (Ghigliotti et al). 2000;43:916-17 (Case rep.)
- Pastoral care**
- Losing touch with the healing art: dermatology and the decline of pastoral doctoring (Gibbs). 2000;43:875-8 (Commentary)
- Patient care**
- Standards of care for patients with malignant melanoma (Dunn and Zitelli) (Letter); (Glass et al) (Letter reply). 2000;43:155-8
- Pearls**
- Surgical pearls. 2000;43:99-101, 306-7, 527-8, 712-13, 854-5, 1109-11
- Peeling skin syndrome**
- Acral peeling skin syndrome (Hashimoto et al). 2000;43:1112-9 (Case rep.)
- Peer review, research**
- Rejection overruled: a few more notes on submitting papers to The Blue Journal (Bernhard). 2000;43:321-2
- Pemphigoid, benign mucous membrane**
- Cicatricial pemphigoid (Fleming and Korman). 2000;43:571-91 (CME article)
- Pemphigus**
- Analysis of current data on the use of intravenous immunoglobulins in management of pemphigus vulgaris (Engineer et al). 2000;43:1049-57 (Therapy)
- IgA pemphigus: a case report and its characteristic clinical features compared with subcorneal pustular dermatosis (Niimi et al). 2000;43:546-9 (Brief rep.)
- Immunoablative high-dose cyclophosphamide without stem cell rescue in a patient with pemphigus vulgaris (Hayag et al). 2000;43:1065-9 (Therapy)
- Nail involvement in pemphigus vulgaris (Engineer et al). 2000;43:529-35 (Brief rep.)
- Paraneoplastic pemphigus with circulating antibodies directed exclusively against the pemphigus vulgaris antigen desmoglein 3 (Boulloc et al). 2000;43:714-17 (Brief rep.)
- Rapid response to IgA pemphigus of subcorneal pustular dermatosis type to treatment with isotretinoin (Grusset et al). 2000;43:923-6 (Case rep.)
- Sensitivity and specificity of clinical, histologic, and immunologic features in the diagnosis of paraneoplastic pemphigus (Joly et al). 2000;43:619-26
- Transplacental passage of maternal pemphigus foliaceus autoantibodies induces neonatal pemphigus (Avalos-Díaz et al). 2000;43:1130-4 (Brief rep.)
- The use of plasmapheresis and immunosuppression in the treatment of pemphigus vulgaris (Turner et al). 2000;43:1058-64 (Therapy)
- Pentoxifylline**
- Kimura's disease with oral ulcers: response to pentoxifylline (Hongcharu et al). 2000;43:905-7 (Case rep.)
- Periodic synopsis**
- Periodic synopsis. 2000;43:91-5, 848-53, 1094-100
- Photochemotherapy**
- Photochemotherapy for systemic and localized scleroderma (de Rie and Bos). 2000;43:725-6 (Commentary)
- PUVA-cream photochemotherapy for the treatment of localized scleroderma (Grundmann-Kollmann et al). 2000;43:674-8 (Therapy)
- Photoclimatherapy**
- Psoriasis remission time at the Dead Sea (Abels and Harari) (Letter) (Lebwohl and Koo) (Letter reply). 2000;43:325-6
- Photopheresis**
- Experience with total skin electron beam therapy in combination with extracorporeal photopheresis in the management of patients with erythroidemic (T4) mycosis fungoides (Wilson et al). 2000;43:54-60 (Therapy)
- Extracorporeal photochemotherapy alone or with adjuvant therapy in the treatment of cutaneous T-cell lymphoma: a 9-year retrospective study at a single institution (Bisaccia et al). 2000;43:263-71 (Therapy)
- Photopheresis for systemic sclerosis: evidence? (Hirsch and Brody) (Letter) (Enomoto and Mekkes) (Letter reply). 2000;43:1137, 1137-8
- Phototherapy**
- Tazarotene combination treatments in psoriasis (Guenther). 2000;43:S36-42

- Tazarotene plus UVB phototherapy in the treatment of psoriasis (Koo et al). 2000;43:821-8
- Ultraviolet A1 (340-400 nm) phototherapy for cutaneous T-cell lymphoma? (Ständer and Schwarz). 2000;43:881 (Letter)
- Ultraviolet A1 (340-400nm) phototherapy for scleroderma in systemic sclerosis (Morita et al). 2000;43:670-4 (Therapy)
- Physicians, family**
- Increasing supplies of dermatologists and family physicians are associated with earlier stage of melanoma detection (Roetzheim et al). 2000;43:211-18
- Skin examinations and skin cancer prevention counseling by US physicians: a long way to go (Feldman and Fleischer). 2000; 43:234-7
- Physician's practice patterns**
- A comparison of hourly block appointments with sequential patient scheduling in a dermatologic practice (Penneys). 2000;43:809-13
- Losing touch with the healing art: dermatology and the decline of pastoral doctoring (Gibbs). 2000;43:875-8 (Commentary)
- Pigmentation**
- Comparison of UVA protection afforded by high sun protection factor sunscreens (Bissonnette et al). 2000;43:1036-8
- Pigmentation disorders**
- Hair removal with an 800-nm pulsed diode laser (Campos et al). 2000;43:442-7
- Incontinentia pigmenti (Mirowski and Caldemeyer). 2000;43:517-18 (Special series: Radiologic images in dermatology)
- Mast cells in an angiosarcoma complicating Xeroderma pigmentosum in a 13-year-old girl (Ludolph-Hauser et al). 2000;43:900-2 (Case rep.)
- Pigmented purpuric eruption associated with injection medroxyprogesterone acetate (Tsao and Lerner). 2000;43:308-10 (Brief rep.)
- Reticulate acropigmentation of Dohi: a case report of autosomal recessive inheritance. 2000;43:113-17 (Case rep.)
- Unilateral lentiginosis with nevus depigmentosus on the other side (Alkemade and Juhlin). 2000;43:361-3 (Case rep.)
- Pilomatricoma**
- Pilomatric dysplasia in an immunosuppressed patient (Chastain and Millikan). 2000;43:118-22 (Case rep.)
- Pityriasis rubra pilaris**
- An unusual presentation of dermatomyositis: the type Wong variant revisited (Lupton et al). 2000;43:908-12 (Case rep.)
- Plasmacytoma**
- Primary cutaneous plasmacytoma: report of a case with review of the literature (Muscardin et al). 2000;43:962-5 (Case rep.)
- Plasmapheresis**
- The use of plasmapheresis and immunosuppression in the treatment of pemphigus vulgaris (Turner et al). 2000;43:1058-64 (Therapy)
- Pneumonia**
- Cavitating pulmonary infiltrate in an adolescent with pyoderma gangrenosum: a rarely recognized extracutaneous manifestation of a neutrophilic dermatosis (Brown et al). 2000;43:108-12 (Case rep.)
- Pocket warmers, disposable chemical**
- Hyperthermic treatment of Bowen's disease with disposable chemical pocket warmers: a report of 8 cases (Hiruma and Kawada). 2000;43:1070-5 (Therapy)
- Polydactyly**
- Ectopic respiratory mucosa in the skin associated with skeletal malformation and polydactyly (Alfadle et al). 2000;43:939-42 (Case rep.)
- Porokeratosis**
- An unusual presentation of dermatomyositis: the type Wong variant revisited (Lupton et al). 2000;43:908-12 (Case rep.)
- Disseminated superficial actinic porokeratosis associated with topical PUVA (Allen and Glaser). 2000;43:720-2 (Brief rep.)
- Synchronous development of disseminated superficial porokeratosis and hepatitis C virus-related hepatocellular carcinoma (Kono et al). 2000;43:966-8 (Case rep.)
- Porokeratotic eccrine ostial and dermal duct nevus**
- Porokeratotic eccrine ostial and dermal duct nevus: a case report and review of the literature (Sassmannshausen et al). 2000;43:364-7 (Case rep.)
- Porphyria cutanea tarda**
- Cutaneous manifestations of end-stage renal disease (Robinson-Bostom and DiGiovanna). 2000;43:975-86 (CME article)
- Position paper**
- Position paper. 2000;43:280-5
- Potassium iodide**
- Potassium iodide in dermatology: a 19th century drug for the 21st century—uses, pharmacology, adverse effects, and contraindications (Sterling and Heymann). 2000;43:691-7 (Clin. review)
- Pregnancy**
- Pruritic folliculitis of pregnancy (Kroupouzou and Cohen). 2000;43:132-4 (Brief rep.)
- Pruritic urticarial papules and plaques of pregnancy and multiple pregnancies (Powell). 2000;43:730-1 (Letter)
- Transplacental passage of maternal pemphigus foliaceus autoantibodies induces neonatal pemphigus (Avalos-Díaz et al). 2000;43:1130-4 (Brief rep.)
- Prostheses and implants**
- Silicone auricular prosthesis (Butler et al). 2000;43:687-90 (Derm. surgery)
- Protoporphyrin, erythropoietic**
- Vascular changes in erythropoietic protoporphyria: histopathologic and immunohistochemical study (Timonen et al). 2000;43:489-97
- Pruritus**
- Cutaneous manifestations of end-stage renal disease (Robinson-Bostom and DiGiovanna). 2000;43:975-86 (CME article)
- Localized pruritus: a presenting symptom of a spinal cord tumor in a child with features of neurofibromatosis (Johnson et al). 2000;43:958-61 (Case rep.)
- Opiate-mediated pruritus and citation etiquette (Bernstein) (Letter) (Bergasa and Jones) (Letter reply) (Bernhard) (Comment from the editor). 2000;43:324-5
- Pseudolymphoma**
- Multiple pseudolymphomas caused by *Hirudo medicinalis* therapy (Smolle et al). 2000;43:867-9 (Brief rep.)
- Pseudo-ocular cicatricial pemphigoid**
- Cicatricial pemphigoid (Fleming and Korman). 2000;43:571-91 (CME article)
- Pseudoporphyria**
- Cutaneous manifestations of end-stage renal disease (Robinson-Bostom and DiGiovanna). 2000;43:975-86 (CME article)
- Pseudoxanthoma elasticum**
- Osteoma cutis coexisting with cutis laxa-like pseudoxanthoma elasticum (Choi et al). 2000;43:337-9 (Case rep.)
- Pseudoxanthoma elasticum and calcinosis cutis (Buka et al). 2000;43:312-15 (Brief rep.)
- Psoriasis**
- Anti-CD4 monoclonal antibody treatment of moderate to severe psoriasis vulgaris: results of a pilot, multicenter, multiple-dose, placebo-controlled study (Gottlieb et al). 2000;43: 595-604
- The burden of psoriasis: a study concerning health-related quality of life among Norwegian adult patients with psoriasis compared with general population norms (Wahl et al). 2000;43: 803-8
- Pharmacokinetics and safety of tazarotene (Menter). 2000;43: S31-5
- Psoriasis remission time at the Dead Sea (Abels and Harari) (Letter) (Lebwohl and Koo) (Letter reply). 2000;43:325-6 (Letter)

- Psychodermatology (Koo et al). 2000;43:848-53 (Periodic synopsis)
- Rapid improvement of psoriasis vulgaris during drug-induced agranulocytosis (Toichi et al). 2000;43:391-5 (Case rep.)
- Strategies to optimize efficacy, duration of remission, and safety in the treatment of plaque psoriasis by using tazarotene in combination with a corticosteroid (Lebwohl). 2000;43:S43-6
- Successful in vivo blockade of CD25 (high-affinity interleukin 2 receptor) on T cells by administration of humanized anti-Tac antibody to patients with psoriasis (Krueger et al). 2000; 43:448-58
- Sustained improvement of the quality of life of patients with psoriasis after hospitalization (Vensel et al). 2000;43:858-60 (Brief rep.)
- Tazarotene combination treatments in psoriasis (Guenther). 2000;43:S36-42
- Tazarotene plus UVB phototherapy in the treatment of psoriasis (Koo et al). 2000;43:821-8
- Topical therapy for psoriasis with the use of augmented betamethasone and calcipotriene on alternate weeks (Singh et al). 2000;43:61-5 (Therapy)
- Two considerations for patients with psoriasis and their clinicians: what defines mild, moderate, and severe psoriasis? what constitutes a clinically significant improvement when treating psoriasis? (Krueger et al). 2000;43:280-5 (Position paper)
- Psychodermatology**
- Psychodermatology (Koo et al). 2000;43:848-53 (Periodic synopsis)
- Pulsed-dye laser**
- Pulsed-dye laser versus conventional therapy in the treatment of warts: a prospective randomized trial (Robson et al). 2000; 43:275-80 (Derm. surgery)
- PUVA therapy**
- Disseminated superficial actinic porokeratosis associated with topical PUVA (Allen and Glaser). 2000;43:720-2 (Brief rep.)
- PUVA-cream photochemotherapy for the treatment of localized scleroderma (Grundmann-Kollmann et al). 2000;43:674-8 (Therapy)
- Tazarotene combination treatments in psoriasis (Guenther). 2000;43:S36-42
- Pyoderma gangrenosum**
- Cavitating pulmonary infiltrate in an adolescent with pyoderma gangrenosum: a rarely recognized extracutaneous manifestation of a neutrophilic dermatosis (Brown et al). 2000;43:108-12 (Case rep.)
- Pyogenic granuloma**
- Pyogenic granuloma-like lesion associated with topical tazarotene therapy (Dawkins et al). 2000;43:154-5 (Letter)
- Q**
- Q-switched ruby laser therapy**
- Treatment of nonmelanotic hyperpigmentation with the Q-switched ruby laser (Becker-Wegerich et al). 2000;43:272-4. Correction 2000;43:609 (Laser surgery)
- Quality of life**
- The burden of psoriasis: a study concerning health-related quality of life among Norwegian adult patients with psoriasis compared with general population norms (Wahl et al). 2000; 43:803-8
- Effect of 60 mg twice-daily fexofenadine HCl on quality of life, work and classroom productivity, and regular activity in patients with chronic idiopathic urticaria (Thompson et al). 2000;43:24-30
- Measuring quality of life in people referred for specialist care of acne: comparing generic and disease-specific measures (Klassen et al). 2000;43:229-33
- Sustained improvement of the quality of life of patients with psoriasis after hospitalization (Vensel et al). 2000;43:858-60 (Brief rep.)
- Two considerations for patients with psoriasis and their clinicians: what defines mild, moderate, and severe psoriasis? what constitutes a clinically significant improvement when treating psoriasis? (Krueger et al). 2000;43:280-5 (Position paper)
- Questionnaires**
- Measuring quality of life in people referred for specialist care of acne: comparing generic and disease-specific measures (Klassen et al). 2000;43:229-33
- R**
- RACAND syndrome**
- Raynaud's phenomenon, anticomere antibodies, and digital necrosis without sclerodactyly: an entity independent of scleroderma? (Sachsenberg-Studer et al). 2000;43:631-4
- Racial stocks**
- What is normal black African hair? a light and scanning electron-microscopic study (Khumalo et al). 2000;43:814-20
- Radiologic images in dermatology**
- Incontinentia pigmenti (Mirowski and Caldemeyer). 2000;43:517-18 (Special series: Radiologic Images in Dermatology)
- Nevoid basal cell carcinoma syndrome (Mirowski et al). 2000;43:1092-3 (Special series: Radiologic Images in Dermatology)
- Raynaud's phenomenon**
- Raynaud's phenomenon, anticomere antibodies, and digital necrosis without sclerodactyly: an entity independent of scleroderma? (Sachsenberg-Studer et al). 2000;43:631-4
- Receptors, interleukin 2**
- Successful in vivo blockade of CD25 (high-affinity interleukin 2 receptor) on T cells by administration of humanized anti-Tac antibody to patients with psoriasis (Krueger et al). 2000;43: 448-58
- Reiter's syndrome**
- Treatment of keratoderma blennorrhagicum with tazarotene gel 0.1% (Lewis et al). 2000;43:400-2 (Case rep.)
- Religion and science**
- Is it divinity that shapes our ends? (Laster). 2000;43:e1
- Reticulate acropigmentation of Dohi**
- Reticulate acropigmentation of Dohi: a case report of autosomal recessive inheritance (Alfadley et al). 2000;43:113-17 (Case rep.)
- Risperidone**
- Therapeutic update: use of risperidone for the treatment of monosymptomatic hypochondriacal psychosis (Elmer et al). 2000;43:683-6 (Therapy)
- Roquinimex**
- Dermatologic changes associated with roquinimex immunotherapy after autologous bone marrow transplant (Ohsuga et al). 2000;43:437-41
- Rosacea**
- Helicobacter pylori* and rosacea (Rebora and Drago). 2000;43:884 (Letter)
- S**
- Sarcoidosis**
- Early onset sarcoidosis masquerading as juvenile rheumatoid arthritis (Yotsumoto et al). 2000;43:969-71 (Case rep.)
- Science**
- Is it divinity that shapes our ends? (Laster). 2000;43:e1
- Scleroderma**
- Photochemotherapy for systemic and localized scleroderma (de Rie and Bos). 2000;43:725-6 (Commentary)
- Scleroderma, circumscribed**
- PUVA-cream photochemotherapy for the treatment of localized scleroderma (Grundmann-Kollmann et al). 2000;43:674-8 (Therapy)
- Scleroderma, systemic**
- Double-blind, placebo-controlled study of oral calcitriol for the

- treatment of localized and systemic scleroderma (Hulshoff et al). 2000;43:1017-23
- Photopheresis for systemic sclerosis: evidence? (Hirsch and Brody) (Letter) (Enomoto and Mekkes) (Letter reply). 2000;43:1137, 1137-8
- Ultraviolet A1 (340-400nm) phototherapy for scleroderma in systemic sclerosis (Morita et al). 2000;43:670-4 (Therapy)
- Scleromyxedema**
- Scleromyxedema: response to high-dose intravenous immunoglobulin (hdIVlg) (Lister et al). 2000;43:403-8 (Case rep.)
- Scrotum**
- All-trans-retinoic acid-induced scrotal ulcerations in a patient with acute promyelocytic leukemia (Esser et al). 2000;43:316-17 (Brief rep.)
- Self-assessment**
- Self-assessment examination. 2000;43:159-62, 564-6, 887-90
- Self-assessment examination: answers. 2000;43:163-66, 568-70, 891-4
- Sexually transmitted diseases**
- An overview of sexually transmitted diseases. Part III. Sexually transmitted diseases in HIV-infected patients (Czelusta et al). 2000;43:409-32 (CME article)
- Sézary syndrome**
- Nonerythrodermic, leukemic variant of cutaneous T-cell lymphoma with indolent clinical course: Th2-type tumor cells lacking T-cell receptor/CD3 expression and coinfiltrating tumoricidal CD8⁺ T cells (Tokura et al). 2000;43:946-54 (Case rep.)
- Sarcoid tissue reaction in Sézary syndrome (Gregg et al). 2000;43:372-6 (Case rep.)
- Skeleton**
- Ectopic respiratory mucosa in the skin associated with skeletal malformation and polydactyly (Alfadley et al). 2000;43:939-42 (Case rep.)
- Skin**
- Delayed-type skin reaction to the heparin-alternative danaparoid (Szolar-Platzer et al). 2000;43:920-2 (Case rep.)
- Photodamage pilot study: a double-blind, vehicle-controlled study to assess the efficacy and safety of tazarotene 0.1% gel (Sefton et al). 2000;43:656-63
- Special skin symptoms seen in swimmers (Basler et al). 2000;43:299-305 (Clin. rev.)
- Surgical pearl: forceps method for freezing benign lesion (Kuwahara et al). 2000;43:306-7 (Pearls)
- Topical anesthetics in dermatology (Huang and Vidimos). 2000;43:286-98 (Clin. rev.)
- Skin diseases**
- Acral peeling skin syndrome (Hashimoto et al). 2000;43:1112-9 (Case rep.)
- Acral steatocystoma multiplex (Rollins et al). 2000;43:396-9 (Case rep.)
- Analysis of current data on the use of intravenous immunoglobulins in management of pemphigus vulgaris (Engineer et al). 2000;43:1049-57 (Therapy)
- Androgen receptors and lichen sclerosis (Carlson and Murphy) (Letter) (Clifton and Smoller) (Letter reply). 2000;43:559-60
- Annular leukocytoclastic vasculitis associated with monoclonal gammopathy of unknown significance (Nousari et al). 2000;43:955-7 (Case rep.)
- A case of extragenital lichen sclerosis following Blaschko's lines (Choi et al). 2000;43:903-4 (Case rep.)
- Central white scarlike patch: a dermatoscopic clue for the diagnosis of dermatofibroma (Ferrari et al). 2000;43:1123-5 (Brief rep.)
- Congenital fascial dystrophy: abnormal composition of the fascia (Fidzianska and Jablonska). 2000;43:797-802
- Cutaneous malakoplakia: a report of two cases with the use of anti-BCG for the detection for micro-organisms (Mehregan et al). 2000;43:351-4 (Case rep.)
- Generalized lichen amyloidosis associated with chronic lichen planus (Hongcharu et al). 2000;43:346-8 (Case rep.)
- Hanifin's and Rajka's minor criteria for atopic dermatitis: which do 2-year-olds exhibit? (Böhme et al). 2000;43:785-92
- IgA pemphigus: a case report and its characteristic clinical features compared with subcorneal pustular dermatosis (Niimi et al). 2000;43:546-9 (Brief rep.)
- Immunoablative high-dose cyclophosphamide without stem cell rescue in a patient with pemphigus vulgaris (Hayag et al). 2000;43:1065-9 (Therapy)
- Lichenoid keratosis: a clinicopathologic study of 17 patients (Jang et al). 2000;43:511-16 (Dermatopathology)
- Nineteenth-century patent medicines for the skin and hair (Albert). 2000;43:519-26 (History)
- Osteoma cutis coexisting with cutis laxa-like pseudoxanthoma elasticum (Choi et al). 2000;43:337-9 (Case rep.)
- Pruritic urticarial papules and plaques of pregnancy and multiple pregnancies (Powell). 2000;43:730-1 (Letter)
- Pseudoxanthoma elasticum and calcinosis cutis (Buka et al). 2000;43:312-15 (Brief rep.)
- Rapid response to IgA pemphigus of subcorneal pustular dermatosis type to treatment with isotretinoin (Grusset et al). 2000;43:923-6 (Case rep.)
- Scleromyxedema: response to high-dose intravenous immunoglobulin (hdIVlg) (Lister et al). 2000;43:403-8 (Case rep.)
- Sensitivity and specificity of clinical, histologic, and immunologic features in the diagnosis of paraneoplastic pemphigus (Joly et al). 2000;43:619-26
- Treatment of Birt-Hogg-Dubé syndrome with erbium:YAG laser (Gambichler et al). 2000;43:856-8 (Brief rep.)
- Two cases of nevus comedonicus: successful treatment of keratin plugs with a pore strip (Inoue et al). 2000;43:927-9 (Case rep.)
- Unilateral atrophic skin lesion with features of atrophoderma vermiculatum: a variant of the epidermal nevus syndrome? (Hsu and Nikko). 2000;43:310-12 (Brief rep.)
- The use of plasmapheresis and immunosuppression in the treatment of pemphigus vulgaris (Turner et al). 2000;43:1058-64 (Therapy)
- Vascular changes in erythropoietic protoporphyria: histopathologic and immunohistochemical study (Timonen et al). 2000;43:489-97
- Widespread cutaneous vascular papules associated with peripheral blood eosinophilia and prominent inguinal lymphadenopathy (Blauvelt et al). 2000;43:698-700 (Grand Rounds at NIH)
- Skin neoplasms**
- Follow-up of melanocytic skin lesions with digital epiluminescence microscopy: patterns of modifications observed in early melanoma, atypical nevi, and common nevi (Kittler et al). 2000;43:467-76
- Mast cells in an angiosarcoma complicating Xeroderma pigmentosum in a 13-year-old girl (Ludolph-Hauser et al). 2000;43:902-2 (Case rep.)
- Merkel cell carcinoma: report of 10 cases and review of the literature (Akhtar et al). 2000;43:755-67
- Nasal reconstruction utilizing a muscle hinge flap with overlying full-thickness skin graft (Fader et al). 2000;43:837-40 (Derm. surgery)
- The nature of solar keratosis: a critical review in historical perspective (Heaphy and Ackerman). 2000;43:138-50 (Historical perspective and commentary)
- Nonerythrodermic, leukemic variant of cutaneous T-cell lymphoma with indolent clinical course: Th2-type tumor cells lacking T-cell receptor/CD3 expression and coinfiltrating tumoricidal CD8⁺ T cells (Tokura et al). 2000;43:946-54 (Case rep.)
- Silicone auricular prosthesis (Butler et al). 2000;43:687-90 (Derm. surgery)
- Skin examinations and skin cancer prevention counseling by US

- physicians: a long way to go (Feldman and Fleischer). 2000;43:234-7
- Squamous cell carcinoma arising in Hailey-Hailey disease (Holst et al). 2000;43:368-71 (Case rep.)
- Topical imiquimod treatment of a cutaneous melanoma metastasis (Steinman et al). 2000;43:555-6 (Letter)
- Special article**
Special article. 2000;43:96-8, 1101-8
- Special series**
Special series. 2000;43:517-18, 1092-3
- Spectrophotometry**
In vitro assessment of the broad-spectrum ultraviolet protection of sunscreen products (Diffey et al). 2000;43:1024-35
- Spironolactone**
Low-dose adjunctive spironolactone in the treatment of acne in women: a retrospective analysis of 85 consecutively treated patients (Shaw). 2000;43:498-502 (Therapy)
- Stanozolol**
Treatment of lipodermatosclerosis with oxandrolone in a patient with stanozolol-induced hepatotoxicity (Segal et al). 2000;43:558-9 (Letter)
- Steatocystoma multiplex**
Acral steatocystoma multiplex (Rollins et al). 2000;43:396-9 (Case rep.)
- Steroids**
Tazarotene combination treatments in psoriasis (Guenther). 2000;43:536-42
- Stevens-Johnson syndrome**
Stevens-Johnson syndrome associated with concomitant use of lamotrigine and valproic acid (Yalçın and Karaduman). 2000;43:898-9 (Case rep.)
- Stomas**
Peristomal dermatoses: a novel indication for topical steroid lotions (Lyon et al). 2000;43:679-82 (Therapy)
- Sunburn**
Photodamage pilot study: a double-blind, vehicle-controlled study to assess the efficacy and safety of tazarotene 0.1% gel (Sefton et al). 2000;43:656-63
Updated sunscreen advice: SPF30 (Weinstock). 2000;43:154 (Letter)
- Sunlight**
Disseminated superficial actinic porokeratosis associated with topical PUVA (Allen and Glaser). 2000;43:720-2 (Brief rep.)
Effect of daily versus intermittent sunscreen application on solar simulated UV radiation-induced skin response in humans (Phillips et al). 2000;43:610-18
The nature of solar keratosis: a critical review in historical perspective (Heaphy and Ackerman). 2000;43:138-50 (Historical perspective and commentary)
In vitro and in vivo determination of the UV protection factor for lightweight cotton and viscose summer fabrics (Hoffman et al). 2000;43:1009-16
- Sunscreening agents**
Comparison of UVA protection afforded by high sun protection factor sunscreens (Bissonnette et al). 2000;43:1036-8
Effect of daily versus intermittent sunscreen application on solar simulated UV radiation-induced skin response in humans (Phillips et al). 2000;43:610-18
The effect of sunscreen on the efficacy of insect repellent: a clinical trial (Murphy ME et al). 2000;43:219-22
Effects of glycolic acid on light-induced skin pigmentation in Asian and Caucasian subjects (Tsai et al). 2000;43:238-43
Correction 2000;43:609
Updated sunscreen advice: SPF30 (Weinstock). 2000;43:154 (Letter)
In vitro assessment of the broad-spectrum ultraviolet protection of sunscreen products (Diffey et al). 2000;43:1024-35
- Supplements**
Supplements. 2000;43:S1-30, S31-54, S55-102, S103-42
- Surgical pearls**
Surgical pearls. 2000;43:99-101, 306-7, 527-8, 712-13, 854-5, 1109-11
- Surgical procedures**
Primary closure for midline defects of the nose: a simple approach to reconstruction (Cook and Zitelli). 2000;43:508-10 (Derm. surgery)
Surgical pearl: curetting with a punch (Quan and Orengo). 2000;43:854-5 (Pearls)
Surgical pearl: repair of helical rim defects with the bipedicle advancement flap (Shim and Greenway Jr). 2000;43:1109-11 (Pearls)
Surgical pearl: repair of partially torn earlobes—punch technique versus conversion to complete tear (Nikko et al). 2000;43:99-101 (Pearls)
- Sutures**
Surgical pearl: the use of the No. 12 scalpel blade for the removal of sutures (Trizna and Wagner). 2000;43:527-8 (Pearls)
- Sweet's syndrome**
Neutrophilic dermatosis of the dorsal hands: pustular vasculitis revisited (Galaria et al). 2000;43:870-4 (Brief rep.)
- T
- Tanzania**
A visit to Eden: living and working at the Regional Dermatology Training Center in Tanzania (Nordlund). 2000;43:1101-8 (Special article)
- Tapeworm, pork**
A case of subcutaneous cysticercosis (*Cysticercus cellulosae* cutis) (Miura et al). 2000;43:538-40 (Brief rep.)
- Tazarotene**
Pharmacokinetics and safety of tazarotene (Menter). 2000;43: S31-5
Photodamage pilot study: a double-blind, vehicle-controlled study to assess the efficacy and safety of tazarotene 0.1% gel (Sefton et al). 2000;43:656-63
Pyogenic granuloma-like lesion associated with topical tazarotene therapy (Dawkins et al). 2000;43:154-5 (Letter)
Strategies to optimize efficacy, duration of remission, and safety in the treatment of plaque psoriasis by using tazarotene in combination with a corticosteroid (Lebwohl). 2000;43:S43-6
Tazarotene combination treatments in psoriasis (Guenther). 2000;43:536-42
Tazarotene plus UVB phototherapy in the treatment of psoriasis (Koo et al). 2000;43:821-8
Tazarotene versus tretinoin or adapalene in the treatment of acne vulgaris (Kakita). 2000;43:S51-4
Treatment of keratoderma blennorrhagicum with tazarotene gel 0.1% (Lewis et al). 2000;43:400-2 (Case rep.)
- T cells**
Successful in vivo blockade of CD25 (high-affinity interleukin 2 receptor) on T cells by administration of humanized anti- β 2-microglobulin antibody to patients with psoriasis (Krueger et al). 2000;43:448-58
- Telangiectasia macularis eruptiva perstans**
Telangiectasia macularis eruptiva perstans and multiple myeloma (Bachmeyer et al). 2000;43:972-4 (Case rep.)
- Terbinafine**
Efficacy of ajoene in the treatment of tinea pedis: a double-blind and comparative study with terbinafine (Ledezma et al). 2000;43:829-32
Overview: the treatment of dermatophytosis (Rand). 2000;43: S104-12
Terbinafine and potential drug interactions (Kaplan) (Letter) (Gupta et al) (Letter reply). 2000;43:882-4
The treatment of dermatophytosis: safety considerations (Smith). 2000;43:S113-19
- Therapy**
Therapy. 2000;43:54-65, 249-71, 498-507, 670-86, 821-32, 1049-75

Thigh

Solitary cutaneous myxoma (Alaiti et al). 2000;43:377-9 (Case rep.)

Thrombosis

Erythematous plaques due to platelet plugging: a clue to underlying myeloproliferative disorder (Stone et al). 2000;43:355-7 (Case rep.)

Thyroid

Potassium iodide in dermatology: a 19th century drug for the 21st century—uses, pharmacology, adverse effects, and contraindications (Sterling and Heymann). 2000;43:691-7 (Clin. review)

Thyroiditis

Localized granuloma annulare and autoimmune thyroiditis: a new case report (Vázquez-López et al). 2000;43:943-5 (Case rep.)

Tinea

Overview: the treatment of dermatophytosis (Rand). 2000;43:S104-12

Tinea corporis gladiatorum: a cross-sectional study (Adams). 2000;43:1039-41

Tinea pedis

Efficacy of ajoene in the treatment of tinea pedis: a double-blind and comparative study with terbinafine (Ledezma et al). 2000;43:829-32

Onychomycosis and tinea pedis in patients with diabetes (Rich). 2000;43:S130-4

Total skin electron beam radiation

Experience with total skin electron beam therapy in combination with extracorporeal photopheresis in the management of patients with erythrodermic (T4) mycosis fungoides (Wilson et al). 2000;43:54-60 (Therapy)

Transplants

Alar batten cartilage grafting in nasal reconstruction: functional and cosmetic results (Byrd et al). 2000;43:833-6 (Derm. surgery)

Nasal reconstruction utilizing a muscle hinge flap with overlying full-thickness skin graft (Fader et al). 2000;43:837-40 (Derm. surgery)

Surgical pearl: repair of helical rim defects with the bipedicle advancement flap (Shim and Greenway Jr). 2000;43:1109-11 (Pearls)

Treatment outcome

Extracorporeal photochemotherapy alone or with adjuvant therapy in the treatment of cutaneous T-cell lymphoma: a 9-year retrospective study at a single institution (Bisaccia et al). 2000;43:263-71 (Therapy)

Tretinoin

All-*trans*-retinoic acid-induced scrotal ulcerations in a patient with acute promyelocytic leukemia (Esser et al). 2000;43:316-17 (Brief rep.)

Tazarotene versus tretinoin or adapalene in the treatment of acne vulgaris (Kakita). 2000;43:S51-4

Topical tretinoin and 5-fluorouracil in the treatment of linear verrucous epidermal nevus (Kim et al). 2000;43:129-32 (Brief rep.)

Trichophyton mentagrophytes

Dermatophytosis: epidemiological and microbiological update (Rinaldi). 2000;43:S120-4

Trichophyton rubrum

Dermatophytosis: epidemiological and microbiological update (Rinaldi). 2000;43:S120-4

Trichophyton soudanense

Dermatophytosis: epidemiological and microbiological update (Rinaldi). 2000;43:S120-4

Trichophyton tonsurans

Dermatophytosis: epidemiological and microbiological update (Rinaldi). 2000;43:S120-4

Trichophyton verrucosum

Dermatophytosis: epidemiological and microbiological update (Rinaldi). 2000;43:S120-4

Trichotillomania

Psychodermatology (Koo et al). 2000;43:848-53 (Periodic synopsis)

Tuberculosis

Primary tuberculous chancre caused by *Mycobacterium bovis* after goring with a bull's horn (Ara et al). 2000;43:535-7 (Brief rep.)

Tuberous sclerosis

Unilateral multiple facial angiofibromas: a mosaic form of tuberous sclerosis (Silvestre et al). 2000;43:127-9 (Brief rep.)

Tumors

Dermatologic diseases of the breast and nipple (Whitaker-Worth et al). 2000;43:733-51 (CME article)

Localized pruritus: a presenting symptom of a spinal cord tumor in a child with features of neurofibromatosis (Johnson et al). 2000;43:958-61 (Case rep.)

U

Ulcers

Kimura's disease with oral ulcers: response to pentoxifylline (Hongcharu et al). 2000;43:905-7 (Case rep.)

Leg ulcers in peripheral arterial disease (arterial leg ulcers): impaired wound healing above the threshold of chronic critical limb ischemia (Hafner et al). 2000;43:1001-8

Leg ulcers (Miller and Phillips). 2000;43:91-5 (Periodic synopsis)

Prognostic indicators in venous ulcers (Phillips et al). 2000;43:627-30

Ultraviolet rays

Comparison of UVA protection afforded by high sun protection factor sunscreens (Bissonnette et al). 2000;43:1036-8

Effect of daily versus intermittent sunscreen application on solar simulated UV radiation-induced skin response in humans (Phillips et al). 2000;43:610-18

The effect of sunscreen on the efficacy of insect repellent: a clinical trial (Murphy ME et al). 2000;43:219-22

Effects of glycolic acid on light-induced skin pigmentation in Asian and Caucasian subjects (Tsai et al). 2000;43:238-43

Correction 2000;43:609

Photochemotherapy for systemic and localized scleroderma (de Rie and Bos). 2000;43:725-6 (Commentary)

Tazarotene plus UVB phototherapy in the treatment of psoriasis (Koo et al). 2000;43:821-8

Ultraviolet A1 (340-400 nm) phototherapy for cutaneous T-cell lymphoma? (Ständer and Schwarz). 2000;43:881 (Letter)

Ultraviolet A1 (340-400nm) phototherapy for scleroderma in systemic sclerosis (Morita et al). 2000;43:670-4 (Therapy)

Updated sunscreen advice: SPF30 (Weinstock). 2000;43:154 (Letter)

In vitro and in vivo determination of the UV protection factor for lightweight cotton and viscose summer fabrics (Hoffman et al). 2000;43:1009-16

In vitro assessment of the broad-spectrum ultraviolet protection of sunscreen products (Diffey et al). 2000;43:1024-35

Urticaria

Allergists and dermatologists have far more expertise in caring for patients with urticaria than other specialists (Henderson et al). 2000;43:1084-91 (Clin. review)

Effect of 60 mg twice-daily fexofenadine HCl on quality of life, work and classroom productivity, and regular activity in patients with chronic idiopathic urticaria (Thompson et al). 2000;43:24-30

V

Valproic acid

Stevens-Johnson syndrome associated with concomitant use of lamotrigine and valproic acid (Yalçın and Karaduman). 2000;43:898-9 (Case rep.)

Vasculitis, hypersensitivity

Annular leukocytoclastic vasculitis associated with monoclonal gammopathy of unknown significance (Nousari et al). 2000;43:955-7 (Case rep.)

Venous ulcers

Leg ulcers (Miller and Phillips). 2000;43:91-5 (Periodic synopsis)
Prognostic indicators in venous ulcers (Phillips et al). 2000;43:627-30

Vincristine

Persistent serpentine suprapurpuric hyperpigmented eruption as an adverse reaction to chemotherapy combining actinomycin and vincristine (Marcoux et al). 2000;43:540-6 (Brief rep.)

Vitamin E

Concomitant administration of vitamin E does not change the side effects of isotretinoin as used in acne vulgaris: a randomized trial (Strauss et al). 2000;43:777-84

Vulvovaginitis

Constipation presenting as recurrent vulvovaginitis in prepubertal children (van Neer and Korver). 2000;43:718-19 (Brief rep.)

W**Warfarin-induced skin necrosis**

Dermatologic diseases of the breast and nipple (Whitaker-Worth et al). 2000;43:733-51 (CME article)

Warts

Imiquimod: an immune response modifier (Dahl). 2000;43:S1-5
Imiquimod in clinical practice (Edwards). 2000;43:S12-17
Immunomodulatory and pharmacologic properties of imiquimod. (Sauder). 2000;43:S6-11
Immunomodulatory therapy in the management of viral infections in patients with HIV infection (Conant). 2000;43:S27-30
Large plantar wart caused by human papillomavirus-66 and resolution by topical cidofovir therapy (Davis et al). 2000;43:340-3 (Case rep.)
Pulsed-dye laser versus conventional therapy in the treatment of warts: a prospective randomized trial (Robson et al). 2000;43:275-80 (Derm. surgery)

Surgical pearl: forceps method for freezing benign lesion (Kuwahara et al). 2000;43:306-7 (Pearls)

Wells syndrome

Wells syndrome associated with Churg-Strauss syndrome (Lee et al). 2000;43:556-7 (Letter)

Women

Dermatologic diseases of the breast and nipple (Whitaker-Worth et al). 2000;43:733-51 (CME article)
Lack of efficacy of finasteride in postmenopausal women with androgenetic alopecia (Price et al). 2000;43:768-76
Low-dose adjunctive spironolactone in the treatment of acne in women: a retrospective analysis of 85 consecutively treated patients (Shaw). 2000;43:498-502 (Therapy)
Medication and medical service utilization for acne 1995-1998 (Stern). 2000;43:1042-8

Wrestlers

Tinea corporis gladiatorum: a cross-sectional study (Adams). 2000;43:1039-41

X**Xeroderma pigmentosum**

Mast cells in an angiosarcoma complicating Xeroderma pigmentosum in a 13-year-old girl (Ludolph-Hauser et al). 2000;43:900-2 (Case rep.)

Xerosis

Special skin symptoms seen in swimmers (Basler et al). 2000;43:299-305 (Clin. rev.)

Y**Y2K computer problem**

Time alone, Y2K, and for-profit medicine (Laster). 2000;43:879-80 (Beneath the surface)

Young Investigators in Dermatology

American Academy of Dermatology 2000 Awards for. 2000;43:701-7

